

# 2.0.32

## Testfall 1:

master + slave = alive

master beenden

nicht wieder starten

= iobroker-hwr lauert

```
2019-10-15 19:50:10.138 - error: smartmeter.0 (579) connect EHOSTUNREACH 192.168.1.82:9001
2019-10-15 19:50:13.148 - error: host.iobroker-hwr connect EHOSTUNREACH 192.168.1.82:9001
2019-10-15 19:50:16.123 - error: smartmeter.1 (594) connect ETIMEDOUT
2019-10-15 19:50:16.149 - error: host.iobroker-hwr connect EHOSTUNREACH 192.168.1.82:9001
2019-10-15 19:50:19.158 - error: smartmeter.1 (594) connect EHOSTUNREACH 192.168.1.82:9001
2019-10-15 19:50:19.159 - error: host.iobroker-hwr connect EHOSTUNREACH 192.168.1.82:9001
2019-10-15 19:50:22.141 - error: smartmeter.0 (579) connect ETIMEDOUT
2019-10-15 19:50:22.159 - error: host.iobroker-hwr connect EHOSTUNREACH 192.168.1.82:9001
2019-10-15 19:50:25.158 - error: smartmeter.0 (579) connect EHOSTUNREACH 192.168.1.82:9001
2019-10-15 19:50:28.158 - error: smartmeter.0 (579) connect EHOSTUNREACH 192.168.1.82:9001
2019-10-15 19:50:28.158 - error: host.iobroker-hwr connect EHOSTUNREACH 192.168.1.82:9001
2019-10-15 19:50:31.168 - error: host.iobroker-hwr connect EHOSTUNREACH 192.168.1.82:9001
2019-10-15 19:50:33.676 - warn: host.iobroker-hwr Slave controller detected disconnection. Stop all instances.
2019-10-15 19:50:33.680 - info: host.iobroker-hwr stopInstance system.adapter.smartmeter.0
2019-10-15 19:50:33.681 - info: host.iobroker-hwr stopInstance forced system.adapter.smartmeter.0 killing pid 579
2019-10-15 19:50:33.682 - info: host.iobroker-hwr stopInstance system.adapter.smartmeter.1
2019-10-15 19:50:33.683 - info: host.iobroker-hwr stopInstance forced system.adapter.smartmeter.1 killing pid 594
2019-10-15 19:50:34.178 - error: host.iobroker-hwr connect EHOSTUNREACH 192.168.1.82:9001
2019-10-15 19:50:34.181 - error: host.iobroker-hwr Cannot find view "system" for search "instance" : Error: Connection is closed.
2019-10-15 19:50:34.185 - info: host.iobroker-hwr instance system.adapter.smartmeter.1 terminated with code 0 (NO_ERROR)
2019-10-15 19:50:34.186 - info: host.iobroker-hwr All instances are stopped.
2019-10-15 19:50:34.186 - error: host.iobroker-hwr Cannot find view "system" for search "instance" : Error: Connection is closed.
2019-10-15 19:50:34.187 - info: host.iobroker-hwr instance system.adapter.smartmeter.0 terminated with code 0 (NO_ERROR)
2019-10-15 19:50:34.187 - info: host.iobroker-hwr All instances are stopped.
2019-10-15 19:50:49.286 - info: host.iobroker-hwr iobroker _restart
2019-10-15 19:50:49.837 - info: host.iobroker-hwr iobroker Starting node restart.js
2019-10-15 19:50:51.273 - info: host.iobroker-hwr iobroker.js-controller version 2.0.32 js-controller starting
2019-10-15 19:50:51.281 - info: host.iobroker-hwr Copyright (c) 2014-2019 bluefox, 2014 hobbyquaker
2019-10-15 19:50:51.282 - info: host.iobroker-hwr hostname: iobroker-hwr, node: v10.16.3
2019-10-15 19:50:51.283 - info: host.iobroker-hwr ip addresses: 10.3.1.22 fe80::561e:8619:1900:f27
2019-10-15 19:51:21.294 - error: host.iobroker-hwr No connection to databases possible, restart
2019-10-15 19:51:21.302 - info: host.iobroker-hwr iobroker _restart
2019-10-15 19:51:21.853 - info: host.iobroker-hwr iobroker Starting node restart.js
2019-10-15 19:51:23.271 - info: host.iobroker-hwr iobroker.js-controller version 2.0.32 js-controller starting
2019-10-15 19:51:23.279 - info: host.iobroker-hwr Copyright (c) 2014-2019 bluefox, 2014 hobbyquaker
2019-10-15 19:51:23.280 - info: host.iobroker-hwr hostname: iobroker-hwr, node: v10.16.3
2019-10-15 19:51:23.281 - info: host.iobroker-hwr ip addresses: 10.3.1.22 fe80::561e:8619:1900:f27
2019-10-15 19:51:53.292 - error: host.iobroker-hwr No connection to databases possible, restart
2019-10-15 19:51:53.300 - info: host.iobroker-hwr iobroker _restart
2019-10-15 19:51:53.851 - info: host.iobroker-hwr iobroker Starting node restart.js
2019-10-15 19:51:55.270 - info: host.iobroker-hwr iobroker.js-controller version 2.0.32 js-controller starting
2019-10-15 19:51:55.277 - info: host.iobroker-hwr Copyright (c) 2014-2019 bluefox, 2014 hobbyquaker
2019-10-15 19:51:55.278 - info: host.iobroker-hwr hostname: iobroker-hwr, node: v10.16.3
2019-10-15 19:51:55.280 - info: host.iobroker-hwr ip addresses: 10.3.1.22 fe80::561e:8619:1900:f27
2019-10-15 19:52:25.292 - error: host.iobroker-hwr No connection to databases possible, restart
2019-10-15 19:52:25.301 - info: host.iobroker-hwr iobroker _restart
2019-10-15 19:52:25.847 - info: host.iobroker-hwr iobroker Starting node restart.js
2019-10-15 19:52:27.275 - info: host.iobroker-hwr iobroker.js-controller version 2.0.32 js-controller starting
2019-10-15 19:52:27.282 - info: host.iobroker-hwr Copyright (c) 2014-2019 bluefox, 2014 hobbyquaker
2019-10-15 19:52:27.283 - info: host.iobroker-hwr hostname: iobroker-hwr, node: v10.16.3
2019-10-15 19:52:27.285 - info: host.iobroker-hwr ip addresses: 10.3.1.22 fe80::561e:8619:1900:f27
2019-10-15 19:52:57.296 - error: host.iobroker-hwr No connection to databases possible, restart
2019-10-15 19:52:57.305 - info: host.iobroker-hwr iobroker _restart
2019-10-15 19:52:57.854 - info: host.iobroker-hwr iobroker Starting node restart.js
2019-10-15 19:52:59.266 - info: host.iobroker-hwr iobroker.js-controller version 2.0.32 js-controller starting
2019-10-15 19:52:59.273 - info: host.iobroker-hwr Copyright (c) 2014-2019 bluefox, 2014 hobbyquaker
2019-10-15 19:52:59.274 - info: host.iobroker-hwr hostname: iobroker-hwr, node: v10.16.3
2019-10-15 19:52:59.276 - info: host.iobroker-hwr ip addresses: 10.3.1.22 fe80::561e:8619:1900:f27
2019-10-15 19:53:29.286 - error: host.iobroker-hwr No connection to databases possible, restart
2019-10-15 19:53:29.295 - info: host.iobroker-hwr iobroker _restart
2019-10-15 19:53:29.841 - info: host.iobroker-hwr iobroker Starting node restart.js
2019-10-15 19:53:31.267 - info: host.iobroker-hwr iobroker.js-controller version 2.0.32 js-controller starting
2019-10-15 19:53:31.274 - info: host.iobroker-hwr Copyright (c) 2014-2019 bluefox, 2014 hobbyquaker
2019-10-15 19:53:31.275 - info: host.iobroker-hwr hostname: iobroker-hwr, node: v10.16.3
2019-10-15 19:53:31.277 - info: host.iobroker-hwr ip addresses: 10.3.1.22 fe80::561e:8619:1900:f27
2019-10-15 19:54:01.288 - error: host.iobroker-hwr No connection to databases possible, restart
2019-10-15 19:54:01.296 - info: host.iobroker-hwr iobroker _restart
2019-10-15 19:54:01.844 - info: host.iobroker-hwr iobroker Starting node restart.js
2019-10-15 19:54:03.275 - info: host.iobroker-hwr iobroker.js-controller version 2.0.32 js-controller starting
```

```
2019-10-15 19:54:03.283 - info: host.iobroker-hwr Copyright (c) 2014-2019 bluefox, 2014 hobbyquaker
2019-10-15 19:54:03.284 - info: host.iobroker-hwr hostname: iobroker-hwr, node: v10.16.3
2019-10-15 19:54:03.285 - info: host.iobroker-hwr ip addresses: 10.3.1.22 fe80::561e:8619:1900:f27
```

## Testfall 2:

master + slave = alive

master beenden

20s warten

wieder starten

= beide wieder verbunden, diesmal Loglvl auf debug = Log für die Verbindung zu Redis auf dem Slave

```
2019-10-15 20:05:44.644 - debug: host.iobroker-hwr check instance "system.adapter.mihome-vacuum.0" for host "iobroker-master"
2019-10-15 20:05:44.645 - debug: host.iobroker-hwr check instance "system.adapter.shelly.0" for host "iobroker-master"
2019-10-15 20:05:44.645 - debug: host.iobroker-hwr check instance "system.adapter.spotify-premium.0" for host "iobroker-master"
2019-10-15 20:05:44.646 - info: host.iobroker-hwr starting 2 instances
2019-10-15 20:05:44.668 - debug: host.iobroker-hwr startInstance smartmeter.0 loglevel=error, compact=false
2019-10-15 20:05:44.678 - info: host.iobroker-hwr instance system.adapter.smartmeter.0 started with pid 1311
2019-10-15 20:05:48.649 - debug: host.iobroker-hwr startInstance smartmeter.1 loglevel=error, compact=false
2019-10-15 20:05:48.665 - info: host.iobroker-hwr instance system.adapter.smartmeter.1 started with pid 1330
2019-10-15 20:06:16.213 - error: host.iobroker-hwr connect EHOSTUNREACH 192.168.1.82:9001
2019-10-15 20:06:16.213 - error: smartmeter.0 (1311) connect EHOSTUNREACH 192.168.1.82:9001
2019-10-15 20:06:16.213 - error: smartmeter.1 (1330) connect EHOSTUNREACH 192.168.1.82:9001
2019-10-15 20:06:19.220 - error: host.iobroker-hwr connect EHOSTUNREACH 192.168.1.82:9001
2019-10-15 20:06:21.230 - error: smartmeter.1 (1330) connect EHOSTUNREACH 192.168.1.82:9001
2019-10-15 20:06:28.221 - error: smartmeter.0 (1311) connect ETIMEDOUT
2019-10-15 20:06:31.224 - error: host.iobroker-hwr connect ETIMEDOUT
2019-10-15 20:06:32.220 - error: smartmeter.1 (1330) connect EHOSTUNREACH 192.168.1.82:9001
2019-10-15 20:06:32.222 - error: smartmeter.0 (1311) connect EHOSTUNREACH 192.168.1.82:9001
2019-10-15 20:06:35.219 - error: host.iobroker-hwr connect EHOSTUNREACH 192.168.1.82:9001
2019-10-15 20:06:35.220 - error: smartmeter.1 (1330) connect EHOSTUNREACH 192.168.1.82:9001
2019-10-15 20:06:38.220 - error: host.iobroker-hwr connect EHOSTUNREACH 192.168.1.82:9001
2019-10-15 20:06:38.222 - error: smartmeter.1 (1330) connect EHOSTUNREACH 192.168.1.82:9001
2019-10-15 20:06:40.864 - error: smartmeter.1 (1330) connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:40.864 - error: host.iobroker-hwr connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:41.439 - error: smartmeter.0 (1311) connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:42.868 - error: host.iobroker-hwr connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:42.871 - error: smartmeter.1 (1330) connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:43.444 - error: smartmeter.0 (1311) connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:44.872 - error: host.iobroker-hwr connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:44.878 - error: smartmeter.1 (1330) connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:45.449 - error: smartmeter.0 (1311) connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:46.875 - error: host.iobroker-hwr connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:46.881 - error: smartmeter.1 (1330) connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:47.453 - error: smartmeter.0 (1311) connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:48.878 - error: host.iobroker-hwr connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:48.884 - error: smartmeter.1 (1330) connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:49.457 - error: smartmeter.0 (1311) connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:50.881 - error: host.iobroker-hwr connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:50.887 - error: smartmeter.1 (1330) connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:51.461 - error: smartmeter.0 (1311) connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:52.885 - error: host.iobroker-hwr connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:52.891 - error: smartmeter.1 (1330) connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:53.465 - error: smartmeter.0 (1311) connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:54.889 - error: host.iobroker-hwr connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:54.895 - error: smartmeter.1 (1330) connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:55.469 - error: smartmeter.0 (1311) connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:56.891 - error: host.iobroker-hwr connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:56.899 - error: smartmeter.1 (1330) connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:57.473 - error: smartmeter.0 (1311) connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:58.894 - error: host.iobroker-hwr connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:58.903 - error: smartmeter.1 (1330) connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:06:59.477 - error: smartmeter.0 (1311) connect ECONNREFUSED 192.168.1.82:9001
2019-10-15 20:07:00.963 - debug: host.iobroker-hwr Objects connected to redis: 192.168.1.82:9001
```

## Testfall 3:

master + slave = alive

redis beenden

einige Minuten warten, wieder starten

=

### Erster + Zweiter Durchlauf:

Nach guten 6 Minuten schafft es der Master nicht mehr auf die Beine (Erster + Zweiter Durchlauf TF3).  
Massig Log Einträge nach ein paar Minuten – reproduzierbar (siehe zweiter Durchlauf).

Log zum zweiten Durchlauf gerne per Mail.

### Dritter Durchlauf:

Restart Redis während der normalen Logs das Redis nicht erreichbar ist.

iobroker-master schafft es wieder auf die Beine und verbindet sich zu Redis.

```
2019-10-15 20:52:54.558 - error: bring.0 (334) connect EHOSTUNREACH 192.168.1.86:6379
2019-10-15 20:52:54.567 - error: mihome-vacuum.0 (3808) connect EHOSTUNREACH 192.168.1.86:6379
2019-10-15 20:52:54.576 - error: scenes.0 (1497) connect EHOSTUNREACH 192.168.1.86:6379
2019-10-15 20:52:54.570 - error: stiebel-isg.0 (2009) connect EHOSTUNREACH 192.168.1.86:6379
2019-10-15 20:52:54.535 - error: hm-rega.0 (394) connect EHOSTUNREACH 192.168.1.86:6379
2019-10-15 20:52:54.534 - error: sql.0 (1828) connect EHOSTUNREACH 192.168.1.86:6379
2019-10-15 20:52:57.538 - error: hm-rpc.1 (416) connect EHOSTUNREACH 192.168.1.86:6379
2019-10-15 20:52:57.539 - error: host.iobroker-master connect EHOSTUNREACH 192.168.1.86:6379
2019-10-15 20:53:00.004 - warn: host.iobroker-master instance system.adapter.daswetter.0 already running with pid 26132
2019-10-15 20:53:09.931 - debug: harmony.0 (379) States connected to redis: 192.168.1.86:6379
2019-10-15 20:53:25.136 - info: host.iobroker-master instance system.adapter.daswetter.0 terminated with code 0 (NO_ERROR)
2019-10-15 20:53:37.753 - info: tankerkoenig.0 (2144) Reading data from tankerkoenig ..
2019-10-15 20:54:00.035 - info: host.iobroker-master instance system.adapter.daswetter.0 started with pid 31561
2019-10-15 20:54:14.857 - info: host.iobroker-master instance system.adapter.daswetter.0 terminated with code 0 (NO_ERROR)
```

### Zeitstempel:

#### TF3 Erster Durchlauf, sieh Log unten.

```
[darkiop@odin:~]-[20:19:10]
└─>$ docker stop iobroker-redis
```

```
[darkiop@odin:~]-[20:25:37]
└─>$ docker start iobroker-redis
```

#### TF3 Zweiter Durchlauf:

```
[darkiop@odin:~]-[20:34:57]
└─>$ docker stop iobroker-redis
```

```
[darkiop@odin:~]-[20:39:05]
└─>$ docker start iobroker-redis
```

#### TF3 Dritter Durchlauf

```
[darkiop@odin:~]-[20:51:35]
└─>$ docker stop iobroker-redis
```

```
[darkiop@odin:~]-[20:53:00]
└─>$ docker start iobroker-redis
```

#### Log Erster Durchlauf:

```
2019-10-15 20:25:19.292 - error: pi-hole.0 (1117) connect EHOSTUNREACH 192.168.1.86:6379
```

```
2019-10-15 20:25:19.285 - error: sql.0 (1812) connect EHOSTUNREACH 192.168.1.86:6379
2019-10-15 20:25:19.291 - error: backup.0 (320) connect EHOSTUNREACH 192.168.1.86:6379
2019-10-15 20:25:19.294 - error: javascript.0 (594) connect EHOSTUNREACH 192.168.1.86:6379
2019-10-15 20:25:19.296 - error: ping.0 (1339) connect EHOSTUNREACH 192.168.1.86:6379
2019-10-15 20:25:19.297 - error: hm-rpc.1 (410) connect EHOSTUNREACH 192.168.1.86:6379
2019-10-15 20:25:19.287 - error: tr-064-community.0 (2640) connect EHOSTUNREACH 192.168.1.86:6379
2019-10-15 20:25:19.276 - error: scenes.0 (1480) connect EHOSTUNREACH 192.168.1.86:6379
2019-10-15 20:25:19.520 - error: moma.0 (933) connect EHOSTUNREACH 192.168.1.86:6379
2019-10-15 20:25:19.318 - warn: javascript.1 (855) get state Error: Connection is closed.
2019-10-15 20:25:19.321 - warn: javascript.1 (855) get state Error: Connection is closed.
2019-10-15 20:25:19.336 - warn: javascript.1 (855) get state Error: Connection is closed.
2019-10-15 20:25:19.336 - warn: javascript.1 (855) get state Error: Connection is closed.
2019-10-15 20:25:19.337 - warn: javascript.1 (855) get state Error: Connection is closed.
2019-10-15 20:25:19.337 - warn: javascript.1 (855) get state Error: Connection is closed.
2019-10-15 20:25:19.338 - warn: javascript.1 (855) get state Error: Connection is closed.
2019-10-15 20:25:19.359 - warn: javascript.1 (855) get state Error: Connection is closed.
2019-10-15 20:25:19.359 - warn: javascript.1 (855) get state Error: Connection is closed.
2019-10-15 20:25:19.371 - warn: javascript.1 (855) get state Error: Connection is closed.
2019-10-15 20:25:19.374 - warn: javascript.1 (855) get state Error: Connection is closed.
```

## → hunderte Zeilen log mit Connection is closed.

```
2019-10-15 20:25:23.206 - warn: host.iobroker-master get state Error: Connection is closed.
2019-10-15 20:25:23.207 - warn: host.iobroker-master get state Error: Connection is closed.
2019-10-15 20:25:23.225 - warn: host.iobroker-master get state Error: Connection is closed.
2019-10-15 20:25:23.225 - warn: host.iobroker-master get state Error: Connection is closed.
2019-10-15 20:25:23.243 - warn: host.iobroker-master get state Error: Connection is closed.
2019-10-15 20:25:23.243 - warn: host.iobroker-master get state Error: Connection is closed.
2019-10-15 20:25:23.268 - warn: host.iobroker-master get state Error: Connection is closed.
2019-10-15 20:25:23.269 - warn: host.iobroker-master get state Error: Connection is closed.
2019-10-15 20:25:23.338 - warn: host.iobroker-master get state Error: Connection is closed.
2019-10-15 20:25:23.339 - warn: host.iobroker-master get state Error: Connection is closed.
2019-10-15 20:25:23.457 - warn: host.iobroker-master get state Error: Connection is closed.
2019-10-15 20:25:23.459 - warn: host.iobroker-master get state Error: Connection is closed.
2019-10-15 20:25:23.629 - info: host.iobroker-master instance system.adapter.admin.0 terminated with code 156 (156)
2019-10-15 20:25:23.655 - error: host.iobroker-master Caught by controller[0]: (node:335) UnhandledPromiseRejectionWarning: TypeError:
e.includes is not a function
2019-10-15 20:25:23.656 - error: host.iobroker-master Caught by controller[0]: at Timeout.pollAllLists [as _onTimeout]
(/opt/iobroker/node_modules/iobroker.bring/main.js:581:15)
2019-10-15 20:25:23.656 - error: host.iobroker-master Caught by controller[0]: at process._tickCallback
(internal/process/next_tick.js:68:7)
2019-10-15 20:25:23.657 - error: host.iobroker-master Caught by controller[0]: (node:335) UnhandledPromiseRejectionWarning: Unhandled
promise rejection. This error originated either by throwing inside of an async function without a catch block, or by rejecting a
promise which was not handled with .catch(). (rejection id: 1)
2019-10-15 20:25:23.657 - error: host.iobroker-master Caught by controller[0]: (node:335) [DEP0018] DeprecationWarning: Unhandled
promise rejections are deprecated. In the future, promise rejections that are not handled will terminate the Node.js process with a
non-zero exit code.
2019-10-15 20:25:23.665 - info: host.iobroker-master instance system.adapter.bring.0 terminated with code 156 (156)
2019-10-15 20:25:23.666 - info: host.iobroker-master instance system.adapter.harmony.0 terminated with code 156 (156)
2019-10-15 20:25:23.667 - info: host.iobroker-master instance system.adapter.hm-rpc.1 terminated with code 156 (156)
2019-10-15 20:25:23.669 - info: host.iobroker-master instance system.adapter.javascript.1 terminated with code 156 (156)
2019-10-15 20:25:23.670 - info: host.iobroker-master instance system.adapter.simple-api.0 terminated with code 156 (156)
2019-10-15 20:25:23.683 - info: host.iobroker-master instance system.adapter.tr-064-community.0 terminated with code 156 (156)
2019-10-15 20:25:23.684 - info: host.iobroker-master instance system.adapter.web.0 terminated with code 156 (156)
2019-10-15 20:25:23.685 - info: host.iobroker-master instance system.adapter.shelly.0 terminated with code 156 (156)
2019-10-15 20:25:23.686 - info: host.iobroker-master instance system.adapter.backup.0 terminated with code 156 (156)
2019-10-15 20:25:23.705 - info: host.iobroker-master instance system.adapter.hm-rega.0 terminated with code 156 (156)
2019-10-15 20:25:23.706 - info: host.iobroker-master instance system.adapter.hs100.0 terminated with code 156 (156)
2019-10-15 20:25:23.707 - info: host.iobroker-master instance system.adapter.scenes.0 terminated with code 156 (156)
2019-10-15 20:25:23.724 - info: host.iobroker-master instance system.adapter.sql.0 terminated with code 156 (156)
2019-10-15 20:25:23.725 - info: host.iobroker-master instance system.adapter.tankerkoenig.0 terminated with code 156 (156)
2019-10-15 20:25:23.726 - info: host.iobroker-master instance system.adapter.telegram.0 terminated with code 156 (156)
2019-10-15 20:25:23.727 - info: host.iobroker-master instance system.adapter.text2command.0 terminated with code 156 (156)
2019-10-15 20:25:23.728 - info: host.iobroker-master instance system.adapter.mihome-vacuum.0 terminated with code 156 (156)
2019-10-15 20:25:23.753 - warn: host.iobroker-master get state Error: Connection is closed.
2019-10-15 20:25:23.754 - warn: host.iobroker-master get state Error: Connection is closed.
2019-10-15 20:25:23.861 - warn: ping.0 (1339) get state Error: Connection is closed.
2019-10-15 20:25:23.864 - info: ping.0 (1339) Terminated (START_IMMEDIATELY_AFTER_STOP): Without reason
2019-10-15 20:25:23.937 - warn: host.iobroker-master get state Error: Connection is closed.
2019-10-15 20:25:23.943 - warn: host.iobroker-master get state Error: Connection is closed.
2019-10-15 20:25:23.948 - info: host.iobroker-master instance system.adapter.ping.0 terminated with code 156 (156)
2019-10-15 20:25:24.031 - warn: host.iobroker-master get state Error: Connection is closed.
2019-10-15 20:25:24.036 - warn: host.iobroker-master get state Error: Connection is closed.
2019-10-15 20:25:24.040 - info: host.iobroker-master instance system.adapter.hue.0 terminated with code 156 (156)
2019-10-15 20:25:19.322 - warn: hm-rpc.2 (425) get state Error: Connection is closed.
2019-10-15 20:25:19.323 - warn: hm-rpc.2 (425) get state Error: Connection is closed.
2019-10-15 20:25:19.324 - warn: hm-rpc.2 (425) get state Error: Connection is closed.
2019-10-15 20:25:19.347 - warn: hm-rpc.2 (425) get state Error: Connection is closed.
2019-10-15 20:25:19.348 - warn: hm-rpc.2 (425) get state Error: Connection is closed.
2019-10-15 20:25:19.349 - warn: hm-rpc.2 (425) get state Error: Connection is closed.
2019-10-15 20:25:19.349 - warn: hm-rpc.2 (425) get state Error: Connection is closed.
```

```
2019-10-15 20:25:24.738 - warn: hm-rpc.2 (425) get state Error: Connection is closed.
2019-10-15 20:25:24.762 - warn: hm-rpc.2 (425) Cannot connect/reconnect to states DB. Terminating
2019-10-15 20:25:25.355 - warn: host.iobroker-master get state Error: Connection is closed.
2019-10-15 20:25:25.358 - warn: host.iobroker-master get state Error: Connection is closed.
```





