

2026-04-25 00:00:00.012 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 4415
2026-04-25 00:00:01.000 - **debug**: javascript.0 (206) [sunTimeSchedules] Times: {"solarNoon":"2026-04-25T11:02:44.218Z","nadir":"2026-04-25T23:02:44.218Z","sunrise":"2026-04-25T03:57:03.904Z","sunset":"2026-04-25T18:08:24.531Z","sunriseEnd":"2026-04-25T04:00:28.649Z","sunsetStart":"2026-04-25T18:04:59.786Z","dawn":"2026-04-25T03:23:07.085Z","dusk":"2026-04-25T18:42:21.351Z","nauticalDawn":"2026-04-25T02:40:52.942Z","nauticalDusk":"2026-04-25T19:24:35.494Z","nightEnd":"2026-04-25T01:53:15.123Z","night":"2026-04-25T20:12:13.312Z","goldenHourEnd":"2026-04-25T04:39:54.630Z","goldenHour":"2026-04-25T17:25:33.806Z"}
2026-04-25 00:00:04.492 - **debug**: javascript.0 (206) [sunTimeSchedules] Next: 2026-04-25T22:00:01.000Z
2026-04-25 00:00:14.774 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 4415 terminated with code 0 (NO_ERROR)
2026-04-25 00:05:00.015 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 4672
2026-04-25 00:05:26.163 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 4672 terminated with code 0 (NO_ERROR)
2026-04-25 00:10:00.013 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 4928
2026-04-25 00:10:33.644 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 4928 terminated with code 0 (NO_ERROR)
2026-04-25 00:15:00.015 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 5185
2026-04-25 00:15:18.480 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 5185 terminated with code 0 (NO_ERROR)
2026-04-25 00:20:00.014 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 5431
2026-04-25 00:20:36.451 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 5431 terminated with code 0 (NO_ERROR)
2026-04-25 00:24:49.927 - **error**: web.0 (539) Invalid read function for "alias.0.Fronius.AC-Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 00:25:00.011 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 5689
2026-04-25 00:25:25.758 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 5689 terminated with code 0 (NO_ERROR)
2026-04-25 00:30:00.014 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 5946
2026-04-25 00:30:20.656 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 5946 terminated with code 0 (NO_ERROR)
2026-04-25 00:35:00.017 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 6203
2026-04-25 00:35:25.974 - **info**: host.iobroker-iobroker-1-1-1-1 instance

system.adapter.fuelpricemonitor.0 having pid 6203 terminated with code 0
(NO_ERROR)

2026-04-25 00:40:00.012 - **info:** host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 6460

2026-04-25 00:40:17.153 - **info:** host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 6460 terminated with code 0
(NO_ERROR)

2026-04-25 00:45:00.011 - **info:** host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 6716

2026-04-25 00:45:16.784 - **info:** host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 6716 terminated with code 0
(NO_ERROR)

2026-04-25 00:50:00.011 - **info:** host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 6973

2026-04-25 00:50:29.344 - **info:** host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 6973 terminated with code 0
(NO_ERROR)

2026-04-25 00:55:00.011 - **info:** host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 7231

2026-04-25 00:55:27.654 - **info:** host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 7231 terminated with code 0
(NO_ERROR)

2026-04-25 01:00:00.011 - **info:** host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 7487

2026-04-25 01:00:21.181 - **info:** host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 7487 terminated with code 0
(NO_ERROR)

2026-04-25 01:03:40.591 - **error:** web.0 (539) Invalid read function for
"alias.0.Fronius.AC-Power": "Math.round(JSON.parse(val).value * 100) / 100" =>
Cannot read properties of null (reading 'value')

2026-04-25 01:05:00.015 - **info:** host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 7731

2026-04-25 01:05:09.038 - **info:** host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 7731 terminated with code 0
(NO_ERROR)

2026-04-25 01:10:00.011 - **info:** host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 7987

2026-04-25 01:10:33.298 - **info:** host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 7987 terminated with code 0
(NO_ERROR)

2026-04-25 01:15:00.012 - **info:** host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 8241

2026-04-25 01:15:16.202 - **info:** host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 8241 terminated with code 0
(NO_ERROR)

2026-04-25 01:20:00.011 - **info:** host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 8497

2026-04-25 01:20:37.049 - **info:** host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 8497 terminated with code 0
(NO_ERROR)

2026-04-25 01:25:00.018 - **info:** host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 8753

2026-04-25 01:25:34.172 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 8753 terminated with code 0 (NO_ERROR)

2026-04-25 01:30:00.014 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 9009

2026-04-25 01:30:29.062 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 9009 terminated with code 0 (NO_ERROR)

2026-04-25 01:35:00.012 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 9266

2026-04-25 01:35:15.514 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 9266 terminated with code 0 (NO_ERROR)

2026-04-25 01:36:34.288 - **error**: web.0 (539) Invalid read function for "alias.0.Fronius.AC-Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 01:40:00.014 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 9523

2026-04-25 01:40:10.836 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 9523 terminated with code 0 (NO_ERROR)

2026-04-25 01:45:00.012 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 9779

2026-04-25 01:45:09.522 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 9779 terminated with code 0 (NO_ERROR)

2026-04-25 01:49:37.628 - **error**: web.0 (539) Invalid read function for "alias.0.Fronius.AC-Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 01:50:00.030 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 10034

2026-04-25 01:50:29.074 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 10034 terminated with code 0 (NO_ERROR)

2026-04-25 01:55:00.013 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 10278

2026-04-25 01:55:15.953 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 10278 terminated with code 0 (NO_ERROR)

2026-04-25 02:00:00.045 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 10535

2026-04-25 02:00:10.686 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 10535 terminated with code 0 (NO_ERROR)

2026-04-25 02:05:00.025 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 10791

2026-04-25 02:05:36.513 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 10791 terminated with code 0 (NO_ERROR)

2026-04-25 02:10:00.017 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 11047

2026-04-25 02:10:23.128 - **info**: host.iobroker-iobroker-1-1-1-1 instance

```
system.adapter.fuelpricemonitor.0 having pid 11047 terminated with code 0
(NO_ERROR)
2026-04-25 02:15:00.016 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 11305
2026-04-25 02:15:27.621 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 11305 terminated with code 0
(NO_ERROR)
2026-04-25 02:20:00.014 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 11562
2026-04-25 02:20:32.615 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 11562 terminated with code 0
(NO_ERROR)
2026-04-25 02:25:00.012 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 11820
2026-04-25 02:25:32.176 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 11820 terminated with code 0
(NO_ERROR)
2026-04-25 02:30:00.014 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 12076
2026-04-25 02:30:23.734 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 12076 terminated with code 0
(NO_ERROR)
2026-04-25 02:31:44.957 - error: web.0 (539) Invalid read function for
"alias.0.Fronius.AC-Power": "Math.round(JSON.parse(val).value * 100) / 100" =>
Cannot read properties of null (reading 'value')
2026-04-25 02:35:00.012 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 12333
2026-04-25 02:35:25.670 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 12333 terminated with code 0
(NO_ERROR)
2026-04-25 02:40:00.011 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 12578
2026-04-25 02:40:10.276 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 12578 terminated with code 0
(NO_ERROR)
2026-04-25 02:45:00.011 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 12835
2026-04-25 02:45:31.934 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 12835 terminated with code 0
(NO_ERROR)
2026-04-25 02:50:00.011 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 13089
2026-04-25 02:50:20.915 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 13089 terminated with code 0
(NO_ERROR)
2026-04-25 02:55:00.011 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 13345
2026-04-25 02:55:14.275 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 13345 terminated with code 0
(NO_ERROR)
2026-04-25 03:00:00.010 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 13601
```

2026-04-25 03:00:28.033 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 13601 terminated with code 0 (NO_ERROR)

2026-04-25 03:05:00.011 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 13855

2026-04-25 03:05:27.523 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 13855 terminated with code 0 (NO_ERROR)

2026-04-25 03:10:00.022 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 14111

2026-04-25 03:10:11.994 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 14111 terminated with code 0 (NO_ERROR)

2026-04-25 03:10:36.153 - **error**: telegram.0 (225) getMe (reconnect #0) Error:Error: ETELEGRAM: 429 Too Many Requests: retry after 5

2026-04-25 03:14:03.822 - **error**: web.0 (539) Invalid read function for "alias.0.Fronius.AC-Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 03:15:00.011 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 14366

2026-04-25 03:15:18.824 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 14366 terminated with code 0 (NO_ERROR)

2026-04-25 03:20:00.014 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 14622

2026-04-25 03:20:14.998 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 14622 terminated with code 0 (NO_ERROR)

2026-04-25 03:25:00.012 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 14879

2026-04-25 03:25:09.649 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 14879 terminated with code 0 (NO_ERROR)

2026-04-25 03:30:00.013 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 15122

2026-04-25 03:30:27.350 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 15122 terminated with code 0 (NO_ERROR)

2026-04-25 03:35:00.013 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 15378

2026-04-25 03:35:36.958 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 15378 terminated with code 0 (NO_ERROR)

2026-04-25 03:39:43.318 - **error**: go-e.1 (567) connect ETIMEDOUT 192.168.11.21:80

2026-04-25 03:39:53.300 - **error**: go-e.1 (567) connect ETIMEDOUT 192.168.11.21:80

2026-04-25 03:40:00.015 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 15635

2026-04-25 03:40:03.284 - **error**: go-e.1 (567) connect ETIMEDOUT 192.168.11.21:80

2026-04-25 03:40:13.268 - **error**: go-e.1 (567) connect ETIMEDOUT 192.168.11.21:80

2026-04-25 03:40:33.236 - **error**: go-e.1 (567) connect ETIMEDOUT 192.168.11.21:80

2026-04-25 03:40:36.364 - **info**: host.iobroker-iobroker-1-1-1-1 instance

```
system.adapter.fuelpricemonitor.0 having pid 15635 terminated with code 0
(NO_ERROR)
2026-04-25 03:40:43.348 - error: go-e.1 (567) connect ETIMEDOUT 192.168.11.21:80
2026-04-25 03:41:03.316 - error: go-e.1 (567) connect ETIMEDOUT 192.168.11.21:80
2026-04-25 03:45:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 15891
2026-04-25 03:45:27.313 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 15891 terminated with code 0
(NO_ERROR)
2026-04-25 03:50:00.014 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 16146
2026-04-25 03:50:31.367 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 16146 terminated with code 0
(NO_ERROR)
2026-04-25 03:53:50.609 - error: web.0 (539) Invalid read function for
"alias.0.Fronius.AC-Power": "Math.round(JSON.parse(val).value * 100) / 100" =>
Cannot read properties of null (reading 'value')
2026-04-25 03:55:00.014 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 16402
2026-04-25 03:55:34.444 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 16402 terminated with code 0
(NO_ERROR)
2026-04-25 04:00:00.015 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 16658
2026-04-25 04:00:27.095 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 16658 terminated with code 0
(NO_ERROR)
2026-04-25 04:05:00.024 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 16913
2026-04-25 04:05:38.815 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 16913 terminated with code 0
(NO_ERROR)
2026-04-25 04:10:00.023 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 17169
2026-04-25 04:10:36.651 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 17169 terminated with code 0
(NO_ERROR)
2026-04-25 04:15:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 17426
2026-04-25 04:15:16.508 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 17426 terminated with code 0
(NO_ERROR)
2026-04-25 04:20:00.017 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 17672
2026-04-25 04:20:31.540 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 17672 terminated with code 0
(NO_ERROR)
2026-04-25 04:25:00.016 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 17929
2026-04-25 04:25:25.845 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 17929 terminated with code 0
(NO_ERROR)
```

2026-04-25 04:30:00.019 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 18185

2026-04-25 04:30:33.541 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 18185 terminated with code 0 (NO_ERROR)

2026-04-25 04:31:29.591 - **error**: web.0 (539) Invalid read function for "alias.0.Fronius.AC-Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 04:35:00.018 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 18440

2026-04-25 04:35:21.304 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 18440 terminated with code 0 (NO_ERROR)

2026-04-25 04:40:00.010 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 18696

2026-04-25 04:40:30.668 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 18696 terminated with code 0 (NO_ERROR)

2026-04-25 04:45:00.015 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 18953

2026-04-25 04:45:36.645 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 18953 terminated with code 0 (NO_ERROR)

2026-04-25 04:50:00.018 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 19210

2026-04-25 04:50:12.701 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 19210 terminated with code 0 (NO_ERROR)

2026-04-25 04:55:00.011 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 19467

2026-04-25 04:55:24.464 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 19467 terminated with code 0 (NO_ERROR)

2026-04-25 05:00:00.013 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 19725

2026-04-25 05:00:18.442 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 19725 terminated with code 0 (NO_ERROR)

2026-04-25 05:01:35.154 - **error**: web.0 (539) Invalid read function for "alias.0.Fronius.AC-Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 05:05:00.017 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 19995

2026-04-25 05:05:17.329 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 19995 terminated with code 0 (NO_ERROR)

2026-04-25 05:10:00.014 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 20254

2026-04-25 05:10:16.174 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 20254 terminated with code 0 (NO_ERROR)

2026-04-25 05:15:00.029 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 20511
2026-04-25 05:15:31.334 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 20511 terminated with code 0 (NO_ERROR)
2026-04-25 05:20:00.013 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 20767
2026-04-25 05:20:33.713 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 20767 terminated with code 0 (NO_ERROR)
2026-04-25 05:25:00.014 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 21026
2026-04-25 05:25:22.624 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 21026 terminated with code 0 (NO_ERROR)
2026-04-25 05:30:00.025 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 21282
2026-04-25 05:30:32.552 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 21282 terminated with code 0 (NO_ERROR)
2026-04-25 05:35:00.015 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 21539
2026-04-25 05:35:31.477 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 21539 terminated with code 0 (NO_ERROR)
2026-04-25 05:40:00.015 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 21795
2026-04-25 05:40:28.460 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 21795 terminated with code 0 (NO_ERROR)
2026-04-25 05:45:00.019 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 22051
2026-04-25 05:45:21.389 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 22051 terminated with code 0 (NO_ERROR)
2026-04-25 05:50:00.013 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 22295
2026-04-25 05:50:09.806 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 22295 terminated with code 0 (NO_ERROR)
2026-04-25 05:55:00.015 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 22552
2026-04-25 05:55:18.933 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 22552 terminated with code 0 (NO_ERROR)
2026-04-25 06:00:00.014 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 22810
2026-04-25 06:00:26.422 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 22810 terminated with code 0 (NO_ERROR)
2026-04-25 06:05:00.012 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 23066

2026-04-25 06:05:17.340 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 23066 terminated with code 0 (NO_ERROR)

2026-04-25 06:10:00.012 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 23322

2026-04-25 06:10:09.049 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 23322 terminated with code 0 (NO_ERROR)

2026-04-25 06:15:00.013 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 23578

2026-04-25 06:15:21.032 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 23578 terminated with code 0 (NO_ERROR)

2026-04-25 06:20:00.014 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 23833

2026-04-25 06:20:21.149 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 23833 terminated with code 0 (NO_ERROR)

2026-04-25 06:25:00.012 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 24089

2026-04-25 06:25:35.418 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 24089 terminated with code 0 (NO_ERROR)

2026-04-25 06:30:00.012 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 24346

2026-04-25 06:30:12.183 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 24346 terminated with code 0 (NO_ERROR)

2026-04-25 06:35:00.013 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 24602

2026-04-25 06:35:34.465 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 24602 terminated with code 0 (NO_ERROR)

2026-04-25 06:40:00.011 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 24846

2026-04-25 06:40:21.116 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 24846 terminated with code 0 (NO_ERROR)

2026-04-25 06:45:00.011 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 25104

2026-04-25 06:45:36.136 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 25104 terminated with code 0 (NO_ERROR)

2026-04-25 06:50:00.011 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 25360

2026-04-25 06:50:12.011 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 25360 terminated with code 0 (NO_ERROR)

2026-04-25 06:55:00.012 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 25616

2026-04-25 06:55:09.573 - **info:** host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 25616 terminated with code 0

(NO_ERROR)

2026-04-25 07:00:00.023 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 25874

2026-04-25 07:00:32.152 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 25874 terminated with code 0
(NO_ERROR)

2026-04-25 07:04:31.857 - **error**: javascript.0 (206) Invalid read function for "alias.0.SMA.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 07:04:31.857 - **error**: web.0 (539) Invalid read function for "alias.0.SMA.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 07:04:31.857 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SMA.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 07:05:00.011 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 26130

2026-04-25 07:05:19.923 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 26130 terminated with code 0
(NO_ERROR)

2026-04-25 07:10:00.012 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 26386

2026-04-25 07:10:21.661 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 26386 terminated with code 0
(NO_ERROR)

2026-04-25 07:15:00.092 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 26643

2026-04-25 07:15:17.092 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 26643 terminated with code 0
(NO_ERROR)

2026-04-25 07:20:00.012 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 26899

2026-04-25 07:20:29.634 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 26899 terminated with code 0
(NO_ERROR)

2026-04-25 07:25:00.011 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 27144

2026-04-25 07:25:24.630 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 27144 terminated with code 0
(NO_ERROR)

2026-04-25 07:27:00.003 - **debug**: javascript.0 (206) script.js.common.Wolken-PV_Home: Wolkenzähler PV Home gestartet

2026-04-25 07:30:00.012 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 27401

2026-04-25 07:30:11.123 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 27401 terminated with code 0
(NO_ERROR)

2026-04-25 07:35:00.026 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 27657

2026-04-25 07:35:19.392 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 27657 terminated with code 0
(NO_ERROR)

2026-04-25 07:40:00.013 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 27915
2026-04-25 07:40:16.300 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 27915 terminated with code 0 (NO_ERROR)
2026-04-25 07:45:00.028 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 28173
2026-04-25 07:45:32.270 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 28173 terminated with code 0 (NO_ERROR)
2026-04-25 07:50:00.014 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 28428
2026-04-25 07:50:35.990 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 28428 terminated with code 0 (NO_ERROR)
2026-04-25 07:55:00.022 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 28686
2026-04-25 07:55:22.798 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 28686 terminated with code 0 (NO_ERROR)
2026-04-25 07:59:46.910 - **error**: javascript.0 (206) Invalid read function for "alias.0.SMA.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 07:59:46.910 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SMA.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 07:59:46.911 - **error**: web.0 (539) Invalid read function for "alias.0.SMA.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 08:00:00.027 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 28944
2026-04-25 08:00:31.244 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 28944 terminated with code 0 (NO_ERROR)
2026-04-25 08:05:00.041 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 29200
2026-04-25 08:05:22.278 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 29200 terminated with code 0 (NO_ERROR)
2026-04-25 08:10:00.014 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 29458
2026-04-25 08:10:17.928 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 29458 terminated with code 0 (NO_ERROR)
2026-04-25 08:10:56.545 - **debug**: javascript.0 (206) script.js.common.Pool: , P-Fronius: 5006, Überschuss: 1641.6
2026-04-25 08:10:56.545 - **debug**: javascript.0 (206) script.js.common.Pool: Pool - PV hat genug Überschuss für die Pumpe
2026-04-25 08:10:57.075 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E access state: 0
2026-04-25 08:10:57.075 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow charging: 1

2026-04-25 08:10:57.075 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 6
2026-04-25 08:10:57.191 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 0
2026-04-25 08:10:57.197 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow charging: 0
2026-04-25 08:10:57.285 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 6
2026-04-25 08:10:57.291 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow charging: 1
2026-04-25 08:11:11.802 - **debug**: javascript.0 (206) script.js.common.Pool: , P-Fronius: 5032, Überschuss: 199.3
2026-04-25 08:11:11.802 - **debug**: javascript.0 (206) script.js.common.Pool: Pool - PV hat NICHT genug Überschuss für die Pumpe, PVFroniusÜ: 199.3, PVFronius: 5032
2026-04-25 08:15:00.014 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 29704
2026-04-25 08:15:37.757 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 29704 terminated with code 0 (NO_ERROR)
2026-04-25 08:20:00.013 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 29960
2026-04-25 08:20:29.329 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 29960 terminated with code 0 (NO_ERROR)
2026-04-25 08:22:10.252 - **debug**: javascript.0 (206) script.js.common.Pool: , P-Fronius: 6353, Überschuss: 1544.9
2026-04-25 08:22:10.253 - **debug**: javascript.0 (206) script.js.common.Pool: Pool - PV hat genug Überschuss für die Pumpe
2026-04-25 08:22:28.529 - **debug**: javascript.0 (206) script.js.common.Pool: , P-Fronius: 6399, Überschuss: 199
2026-04-25 08:22:28.530 - **debug**: javascript.0 (206) script.js.common.Pool: Pool - PV hat NICHT genug Überschuss für die Pumpe, PVFroniusÜ: 199, PVFronius: 6399
2026-04-25 08:25:00.013 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 30216
2026-04-25 08:25:11.836 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 30216 terminated with code 0 (NO_ERROR)
2026-04-25 08:30:00.014 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 30473
2026-04-25 08:30:25.189 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 30473 terminated with code 0 (NO_ERROR)
2026-04-25 08:34:04.416 - **debug**: javascript.0 (206) script.js.common.Pool: , P-Fronius: 7853, Überschuss: 1572.4
2026-04-25 08:34:04.416 - **debug**: javascript.0 (206) script.js.common.Pool: Pool - PV hat genug Überschuss für die Pumpe
2026-04-25 08:34:21.556 - **debug**: javascript.0 (206) script.js.common.Pool: , P-Fronius: 7927, Überschuss: 159.8
2026-04-25 08:34:21.556 - **debug**: javascript.0 (206) script.js.common.Pool: Pool - PV hat NICHT genug Überschuss für die Pumpe, PVFroniusÜ: 159.8, PVFronius:

7927
2026-04-25 08:35:00.022 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 30729
2026-04-25 08:35:14.786 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 30729 terminated with code 0 (NO_ERROR)
2026-04-25 08:39:22.016 - **debug**: javascript.0 (206) script.js.common.Pool: , P-Fronius: 8321, Überschuss: 3070.8
2026-04-25 08:39:22.017 - **debug**: javascript.0 (206) script.js.common.Pool: Pool - PV hat genug Überschuss für die Pumpe
2026-04-25 08:40:00.019 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 30986
2026-04-25 08:40:10.711 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 30986 terminated with code 0 (NO_ERROR)
2026-04-25 08:45:00.019 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 31243
2026-04-25 08:45:18.527 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 31243 terminated with code 0 (NO_ERROR)
2026-04-25 08:47:24.529 - **debug**: javascript.0 (206) script.js.common.Pool: , P-Fronius: 9663, Überschuss: 4056.8
2026-04-25 08:47:24.529 - **debug**: javascript.0 (206) script.js.common.Pool: Pool - PV hat genug Überschuss für die Heizung
2026-04-25 08:50:00.014 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 31499
2026-04-25 08:50:31.617 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 31499 terminated with code 0 (NO_ERROR)
2026-04-25 08:55:00.015 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 31744
2026-04-25 08:55:36.752 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 31744 terminated with code 0 (NO_ERROR)
2026-04-25 09:00:00.012 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 32000
2026-04-25 09:00:16.518 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 32000 terminated with code 0 (NO_ERROR)
2026-04-25 09:05:00.016 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 32258
2026-04-25 09:05:14.122 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 32258 terminated with code 0 (NO_ERROR)
2026-04-25 09:06:00.039 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 7
2026-04-25 09:06:03.587 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 7
2026-04-25 09:10:00.012 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 32513
2026-04-25 09:10:30.226 - **info**: host.iobroker-iobroker-1-1-1-1 instance

```
system.adapter.fuelpricemonitor.0 having pid 32513 terminated with code 0
(NO_ERROR)
2026-04-25 09:14:30.058 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 8
2026-04-25 09:14:30.177 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 8
2026-04-25 09:15:00.016 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 302
2026-04-25 09:15:17.632 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 302 terminated with code 0
(NO_ERROR)
2026-04-25 09:17:00.048 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 9
2026-04-25 09:17:04.163 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 9
2026-04-25 09:19:00.058 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 10
2026-04-25 09:19:04.239 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 10
2026-04-25 09:20:00.014 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 700
2026-04-25 09:20:24.732 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 700 terminated with code 0
(NO_ERROR)
2026-04-25 09:24:30.052 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 11
2026-04-25 09:24:30.166 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 11
2026-04-25 09:25:00.014 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 957
2026-04-25 09:25:00.047 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 12
2026-04-25 09:25:04.759 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 12
2026-04-25 09:25:12.707 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 957 terminated with code 0
(NO_ERROR)
2026-04-25 09:30:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 1224
2026-04-25 09:30:15.344 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 1224 terminated with code 0
(NO_ERROR)
2026-04-25 09:33:00.039 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 13
2026-04-25 09:33:03.392 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 13
2026-04-25 09:35:00.030 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 1479
2026-04-25 09:35:24.863 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 1479 terminated with code 0
(NO_ERROR)
```

2026-04-25 09:40:00.020 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 1735

2026-04-25 09:40:21.276 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 1735 terminated with code 0 (NO_ERROR)

2026-04-25 09:43:30.078 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 14

2026-04-25 09:43:30.193 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 14

2026-04-25 09:45:00.042 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 1978

2026-04-25 09:45:19.644 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 1978 terminated with code 0 (NO_ERROR)

2026-04-25 09:47:30.075 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 15

2026-04-25 09:47:30.198 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 15

2026-04-25 09:50:00.015 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 2235

2026-04-25 09:50:29.187 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 2235 terminated with code 0 (NO_ERROR)

2026-04-25 09:53:30.037 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 16

2026-04-25 09:53:30.149 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 16

2026-04-25 09:55:00.013 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 2490

2026-04-25 09:55:00.099 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 6

2026-04-25 09:55:04.184 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 6

2026-04-25 09:55:19.337 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 2490 terminated with code 0 (NO_ERROR)

2026-04-25 09:55:30.036 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 15

2026-04-25 09:55:30.566 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 15

2026-04-25 09:55:32.899 - **error**: shelly.0 (326) [httpIoBrokerState] HTTP request error for 10.10.30.25 (shellyplus1pm / shellyplus1pm-ccdba7d19b18 / shellyplus1pm#ccdba7d19b18#1) "/rpc/Cloud.GetConfig": Wrong http username or http password! Please enter user credentials for restricted login.

2026-04-25 10:00:00.014 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 2748

2026-04-25 10:00:13.219 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 2748 terminated with code 0 (NO_ERROR)

2026-04-25 10:02:30.033 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 16

2026-04-25 10:02:30.148 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 16

2026-04-25 10:05:00.013 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 3004

2026-04-25 10:05:00.088 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 6

2026-04-25 10:05:04.090 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 6

2026-04-25 10:05:14.756 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 3004 terminated with code 0 (NO_ERROR)

2026-04-25 10:05:30.036 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 16

2026-04-25 10:05:30.149 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 16

2026-04-25 10:10:00.012 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 3261

2026-04-25 10:10:00.164 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 6

2026-04-25 10:10:04.529 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 6

2026-04-25 10:10:28.802 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 3261 terminated with code 0 (NO_ERROR)

2026-04-25 10:10:30.034 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 16

2026-04-25 10:10:30.190 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 16

2026-04-25 10:15:00.012 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 3517

2026-04-25 10:15:00.098 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 6

2026-04-25 10:15:04.132 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 6

2026-04-25 10:15:21.462 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 3517 terminated with code 0 (NO_ERROR)

2026-04-25 10:15:30.040 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 16

2026-04-25 10:15:30.158 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 16

2026-04-25 10:20:00.017 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 3775

2026-04-25 10:20:00.143 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 6

2026-04-25 10:20:04.310 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 6

2026-04-25 10:20:29.338 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 3775 terminated with code 0 (NO_ERROR)

2026-04-25 10:20:30.036 - **debug**: javascript.0 (206) script.js.common.go-

```
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 10:20:30.193 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 10:25:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 4031
2026-04-25 10:25:00.139 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 10:25:04.159 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 10:25:30.069 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 10:25:30.177 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 10:25:38.867 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 4031 terminated with code 0
(NO_ERROR)
2026-04-25 10:30:00.015 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 4275
2026-04-25 10:30:00.134 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 10:30:04.332 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 10:30:20.538 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 4275 terminated with code 0
(NO_ERROR)
2026-04-25 10:30:30.041 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 10:30:30.204 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 10:35:00.012 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 4532
2026-04-25 10:35:00.134 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 10:35:04.526 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 10:35:13.761 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 4532 terminated with code 0
(NO_ERROR)
2026-04-25 10:35:30.037 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 10:35:30.147 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 10:40:00.012 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 4788
2026-04-25 10:40:00.094 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 10:40:04.308 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 10:40:24.836 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 4788 terminated with code 0
(NO_ERROR)
```

2026-04-25 10:40:30.036 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 16
2026-04-25 10:40:30.151 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 16
2026-04-25 10:45:00.026 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 5045
2026-04-25 10:45:00.091 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 6
2026-04-25 10:45:04.170 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 6
2026-04-25 10:45:28.742 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 5045 terminated with code 0 (NO_ERROR)
2026-04-25 10:45:30.078 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 16
2026-04-25 10:45:30.199 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 16
2026-04-25 10:50:00.019 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 5301
2026-04-25 10:50:00.159 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 6
2026-04-25 10:50:04.278 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 6
2026-04-25 10:50:15.649 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 5301 terminated with code 0 (NO_ERROR)
2026-04-25 10:50:30.034 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 16
2026-04-25 10:50:30.191 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 16
2026-04-25 10:55:00.021 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 5557
2026-04-25 10:55:00.101 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 6
2026-04-25 10:55:04.365 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 6
2026-04-25 10:55:30.033 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 16
2026-04-25 10:55:30.207 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 16
2026-04-25 10:55:32.830 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 5557 terminated with code 0 (NO_ERROR)
2026-04-25 11:00:00.019 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 5816
2026-04-25 11:00:00.138 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 6
2026-04-25 11:00:04.442 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 6
2026-04-25 11:00:24.263 - **info**: host.iobroker-iobroker-1-1-1-1 instance

```
system.adapter.fuelpricemonitor.0 having pid 5816 terminated with code 0
(NO_ERROR)
2026-04-25 11:00:30.081 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 11:00:30.229 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 11:01:25.568 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:01:25.575 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:01:36.672 - error: modbus.1 (1202) Error response: 1a
2026-04-25 11:01:41.570 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:01:41.570 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:01:57.572 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:01:57.572 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:02:13.674 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:02:13.674 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:02:29.778 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:02:29.778 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:02:45.882 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:02:45.882 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:03:01.986 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:03:01.986 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:03:18.091 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:03:18.091 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:03:34.196 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:03:34.196 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:03:50.301 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:03:50.302 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:04:06.405 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:04:06.405 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:04:22.509 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:04:22.510 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:04:38.613 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:04:38.613 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:04:54.716 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:04:54.716 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:05:00.014 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 6073
2026-04-25 11:05:00.098 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 11:05:04.009 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 11:05:10.818 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:05:10.819 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:05:26.923 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:05:26.923 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:05:29.454 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 6073 terminated with code 0
```

(NO_ERROR)

```
2026-04-25 11:05:30.034 - debug: javascript.0 (206) script.js.common.go-  
E_V3_Debug: # go-E ampere pv: 16  
2026-04-25 11:05:30.170 - debug: javascript.0 (206) script.js.common.go-  
E_V3_Debug: # go-E allow ampere: 16  
2026-04-25 11:05:43.026 - error: modbus.1 (1202) Request timed out.  
2026-04-25 11:05:43.026 - error: modbus.1 (1202) Client in error state.  
2026-04-25 11:05:59.131 - error: modbus.1 (1202) Request timed out.  
2026-04-25 11:05:59.131 - error: modbus.1 (1202) Client in error state.  
2026-04-25 11:06:15.237 - error: modbus.1 (1202) Request timed out.  
2026-04-25 11:06:15.237 - error: modbus.1 (1202) Client in error state.  
2026-04-25 11:06:31.341 - error: modbus.1 (1202) Request timed out.  
2026-04-25 11:06:31.341 - error: modbus.1 (1202) Client in error state.  
2026-04-25 11:06:47.445 - error: modbus.1 (1202) Request timed out.  
2026-04-25 11:06:47.445 - error: modbus.1 (1202) Client in error state.  
2026-04-25 11:07:03.553 - error: modbus.1 (1202) Request timed out.  
2026-04-25 11:07:03.553 - error: modbus.1 (1202) Client in error state.  
2026-04-25 11:07:19.658 - error: modbus.1 (1202) Request timed out.  
2026-04-25 11:07:19.658 - error: modbus.1 (1202) Client in error state.  
2026-04-25 11:07:35.762 - error: modbus.1 (1202) Request timed out.  
2026-04-25 11:07:35.762 - error: modbus.1 (1202) Client in error state.  
2026-04-25 11:07:51.866 - error: modbus.1 (1202) Request timed out.  
2026-04-25 11:07:51.866 - error: modbus.1 (1202) Client in error state.  
2026-04-25 11:08:07.969 - error: modbus.1 (1202) Request timed out.  
2026-04-25 11:08:07.970 - error: modbus.1 (1202) Client in error state.  
2026-04-25 11:08:24.078 - error: modbus.1 (1202) Request timed out.  
2026-04-25 11:08:24.078 - error: modbus.1 (1202) Client in error state.  
2026-04-25 11:08:40.181 - error: modbus.1 (1202) Request timed out.  
2026-04-25 11:08:40.182 - error: modbus.1 (1202) Client in error state.  
2026-04-25 11:08:56.287 - error: modbus.1 (1202) Request timed out.  
2026-04-25 11:08:56.287 - error: modbus.1 (1202) Client in error state.  
2026-04-25 11:09:12.391 - error: modbus.1 (1202) Request timed out.  
2026-04-25 11:09:12.391 - error: modbus.1 (1202) Client in error state.  
2026-04-25 11:09:28.497 - error: modbus.1 (1202) Request timed out.  
2026-04-25 11:09:28.497 - error: modbus.1 (1202) Client in error state.  
2026-04-25 11:09:44.602 - error: modbus.1 (1202) Request timed out.  
2026-04-25 11:09:44.603 - error: modbus.1 (1202) Client in error state.  
2026-04-25 11:10:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance  
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 6329  
2026-04-25 11:10:00.113 - debug: javascript.0 (206) script.js.common.go-  
E_V3_Debug: # go-E ampere pv: 6  
2026-04-25 11:10:00.707 - error: modbus.1 (1202) Request timed out.  
2026-04-25 11:10:00.707 - error: modbus.1 (1202) Client in error state.  
2026-04-25 11:10:04.298 - debug: javascript.0 (206) script.js.common.go-  
E_V3_Debug: # go-E allow ampere: 6  
2026-04-25 11:10:16.817 - error: modbus.1 (1202) Request timed out.
```

2026-04-25 11:10:16.817 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:10:19.185 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 6329 terminated with code 0 (NO_ERROR)
2026-04-25 11:10:30.033 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 16
2026-04-25 11:10:30.147 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 16
2026-04-25 11:10:32.920 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:10:32.920 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:10:49.024 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:10:49.025 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:11:05.126 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:11:05.127 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:11:21.229 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:11:21.229 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:11:37.332 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:11:37.333 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:11:53.436 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:11:53.436 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:12:09.540 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:12:09.540 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:12:25.644 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:12:25.644 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:12:41.749 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:12:41.749 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:12:57.751 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:12:57.752 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:13:13.856 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:13:13.856 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:13:29.861 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:13:29.861 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:13:45.966 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:13:45.966 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:14:02.070 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:14:02.070 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:14:18.174 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:14:18.174 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:14:34.278 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:14:34.278 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:14:50.381 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:14:50.381 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:15:00.018 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 6585
2026-04-25 11:15:00.151 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 6
2026-04-25 11:15:04.209 - **debug**: javascript.0 (206) script.js.common.go-

```
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 11:15:06.485 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:15:06.485 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:15:10.845 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 6585 terminated with code 0
(NO_ERROR)
2026-04-25 11:15:22.592 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:15:22.592 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:15:30.036 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 11:15:30.152 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 11:15:38.697 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:15:38.697 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:15:54.802 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:15:54.802 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:16:10.907 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:16:10.907 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:16:27.012 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:16:27.012 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:16:43.116 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:16:43.116 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:16:59.219 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:16:59.219 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:17:15.323 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:17:15.323 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:17:31.426 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:17:31.426 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:17:47.530 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:17:47.531 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:18:03.633 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:18:03.633 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:18:19.737 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:18:19.737 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:18:35.841 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:18:35.841 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:18:51.943 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:18:51.944 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:19:08.049 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:19:08.049 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:19:24.154 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:19:24.154 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:19:40.259 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:19:40.259 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:19:56.363 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:19:56.363 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 11:20:00.014 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 6829
2026-04-25 11:20:00.086 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 11:20:04.168 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 11:20:12.467 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:20:12.467 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:20:21.407 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 6829 terminated with code 0
(NO_ERROR)
2026-04-25 11:20:28.571 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:20:28.571 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:20:30.032 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 11:20:30.182 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 11:20:44.674 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:20:44.675 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:21:00.779 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:21:00.779 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:21:16.899 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:21:16.899 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:21:33.002 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:21:33.002 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:21:49.106 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:21:49.106 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:22:05.212 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:22:05.213 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:22:21.317 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:22:21.317 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:22:37.419 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:22:37.419 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:22:53.521 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:22:53.522 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:23:09.626 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:23:09.626 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:23:25.727 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:23:25.728 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:23:41.830 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:23:41.831 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:23:57.935 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:23:57.935 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:24:14.040 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:24:14.040 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:24:30.143 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:24:30.143 - error: modbus.1 (1202) Client in error state.
```

2026-04-25 11:24:46.247 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:24:46.247 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:25:00.039 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 7084
2026-04-25 11:25:00.107 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 6
2026-04-25 11:25:02.253 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:25:02.253 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:25:04.278 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 6
2026-04-25 11:25:18.358 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:25:18.358 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:25:29.852 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 7084 terminated with code 0 (NO_ERROR)
2026-04-25 11:25:30.074 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 16
2026-04-25 11:25:30.213 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 16
2026-04-25 11:25:34.462 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:25:34.462 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:25:50.565 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:25:50.565 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:26:06.669 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:26:06.669 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:26:22.774 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:26:22.774 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:26:38.881 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:26:38.882 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:26:54.985 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:26:54.985 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:27:11.089 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:27:11.090 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:27:27.194 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:27:27.194 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:27:43.299 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:27:43.299 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:27:59.302 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:27:59.302 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:28:15.407 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:28:15.407 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:28:31.513 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:28:31.513 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:28:47.617 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:28:47.618 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 11:29:03.721 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 11:29:03.721 - **error**: modbus.1 (1202) Client in error state.

```
2026-04-25 11:29:19.824 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:29:19.824 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:29:35.931 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:29:35.931 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:29:52.034 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:29:52.034 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:30:00.395 - debug: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 6
2026-04-25 11:30:00.446 - info: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 7341
2026-04-25 11:30:05.214 - debug: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 6
2026-04-25 11:30:08.138 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:30:08.138 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:30:24.242 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:30:24.242 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:30:30.071 - debug: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 16
2026-04-25 11:30:30.192 - debug: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 16
2026-04-25 11:30:35.750 - info: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 7341 terminated with code 0 (NO_ERROR)
2026-04-25 11:30:40.346 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:30:40.346 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:30:56.451 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:30:56.451 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:31:12.553 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:31:12.553 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:31:28.658 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:31:28.659 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:31:32.368 - info: host.iobroker-iobroker-1-1-1-1 Updating repository "stable" under "http://download.iobroker.net/sources-dist.json"
2026-04-25 11:31:44.765 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:31:44.765 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:32:00.873 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:32:00.873 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:32:16.976 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:32:16.976 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:32:33.080 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:32:33.080 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:32:49.185 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:32:49.185 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:33:05.303 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:33:05.304 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:33:21.408 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:33:21.408 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 11:33:37.513 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:33:37.514 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:33:53.619 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:33:53.619 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:34:09.725 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:34:09.725 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:34:25.830 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:34:25.830 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:34:41.934 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:34:41.935 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:34:58.037 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:34:58.037 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:35:00.014 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 7599
2026-04-25 11:35:00.101 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 11:35:04.396 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 11:35:14.141 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:35:14.141 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:35:19.488 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 7599 terminated with code 0
(NO_ERROR)
2026-04-25 11:35:30.035 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 11:35:30.172 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 11:35:30.246 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:35:30.246 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:35:46.349 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:35:46.349 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:36:02.454 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:36:02.454 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:36:18.558 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:36:18.558 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:36:34.663 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:36:34.663 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:36:50.773 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:36:50.773 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:37:06.880 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:37:06.880 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:37:22.984 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:37:22.985 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:37:39.087 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:37:39.088 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:37:55.190 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:37:55.190 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 11:38:11.303 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:38:11.303 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:38:27.406 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:38:27.406 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:38:43.409 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:38:43.409 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:38:59.513 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:38:59.513 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:39:15.617 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:39:15.618 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:39:31.722 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:39:31.722 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:39:47.828 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:39:47.828 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:40:00.015 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 7856
2026-04-25 11:40:00.086 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 11:40:03.934 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:40:03.934 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:40:04.146 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 11:40:08.985 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 7856 terminated with code 0
(NO_ERROR)
2026-04-25 11:40:20.039 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:40:20.039 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:40:30.076 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 11:40:30.227 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 11:40:36.142 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:40:36.142 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:40:52.244 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:40:52.244 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:41:08.346 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:41:08.346 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:41:24.448 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:41:24.448 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:41:40.550 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:41:40.550 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:41:56.654 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:41:56.654 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:42:12.756 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:42:12.757 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:42:28.860 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:42:28.860 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 11:42:44.964 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:42:44.964 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:43:01.069 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:43:01.069 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:43:17.174 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:43:17.174 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:43:33.278 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:43:33.278 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:43:49.381 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:43:49.381 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:44:05.485 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:44:05.485 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:44:21.590 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:44:21.590 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:44:37.692 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:44:37.692 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:44:53.799 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:44:53.799 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:45:00.032 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 8113
2026-04-25 11:45:00.099 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 11:45:04.204 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 11:45:09.904 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:45:09.904 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:45:26.007 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:45:26.007 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:45:30.038 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 11:45:30.155 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 11:45:34.245 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 8113 terminated with code 0
(NO_ERROR)
2026-04-25 11:45:42.111 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:45:42.111 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:45:58.216 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:45:58.216 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:46:14.321 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:46:14.321 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:46:30.423 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:46:30.424 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:46:46.526 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:46:46.526 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:47:02.629 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:47:02.629 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 11:47:18.732 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:47:18.732 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:47:34.839 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:47:34.839 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:47:50.945 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:47:50.945 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:48:07.048 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:48:07.048 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:48:23.154 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:48:23.154 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:48:39.259 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:48:39.259 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:48:55.366 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:48:55.366 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:49:11.471 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:49:11.471 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:49:27.574 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:49:27.574 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:49:43.680 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:49:43.680 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:49:59.785 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:49:59.785 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:50:00.012 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 8368
2026-04-25 11:50:00.063 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 11:50:04.108 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 11:50:15.886 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:50:15.887 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:50:30.033 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 11:50:30.119 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 11:50:31.990 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:50:31.990 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:50:34.160 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 8368 terminated with code 0
(NO_ERROR)
2026-04-25 11:50:48.096 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:50:48.096 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:51:04.202 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:51:04.202 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:51:20.303 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:51:20.304 - error: modbus.1 (1202) Client in error state.

2026-04-25 11:51:36.406 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 11:51:36.407 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:51:52.511 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:51:52.511 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:52:08.615 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:52:08.615 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:52:24.717 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:52:24.717 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:52:40.821 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:52:40.821 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:52:56.924 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:52:56.925 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:53:13.029 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:53:13.029 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:53:29.133 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:53:29.133 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:53:45.238 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:53:45.238 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:54:01.344 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:54:01.344 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:54:17.449 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:54:17.450 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:54:33.554 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:54:33.554 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:54:49.660 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:54:49.660 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:55:00.020 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 8625
2026-04-25 11:55:00.096 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 11:55:04.168 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 11:55:05.765 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:55:05.766 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:55:15.570 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 8625 terminated with code 0
(NO_ERROR)
2026-04-25 11:55:21.868 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:55:21.868 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:55:30.079 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 11:55:30.220 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 11:55:37.971 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:55:37.972 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:55:54.091 - error: modbus.1 (1202) Request timed out.

2026-04-25 11:55:54.091 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 11:56:10.193 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:56:10.193 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:56:26.299 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:56:26.299 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:56:42.403 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:56:42.403 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:56:58.507 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:56:58.507 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:57:14.612 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:57:14.612 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:57:30.718 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:57:30.719 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:57:46.823 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:57:46.823 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:58:02.927 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:58:02.927 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:58:19.031 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:58:19.031 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:58:35.136 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:58:35.136 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:58:51.238 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:58:51.238 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:59:07.340 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:59:07.341 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:59:23.445 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:59:23.445 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:59:39.550 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:59:39.550 - error: modbus.1 (1202) Client in error state.
2026-04-25 11:59:55.658 - error: modbus.1 (1202) Request timed out.
2026-04-25 11:59:55.658 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:00:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 8881
2026-04-25 12:00:00.159 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 12:00:04.119 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 12:00:11.764 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:00:11.764 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:00:27.866 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:00:27.867 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:00:30.056 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 12:00:30.212 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 8881 terminated with code 0
(NO_ERROR)
2026-04-25 12:00:30.214 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
```

```
2026-04-25 12:00:43.972 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:00:43.973 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:01:00.075 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:01:00.076 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:01:16.178 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:01:16.178 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:01:32.280 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:01:32.280 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:01:48.383 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:01:48.383 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:02:04.487 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:02:04.487 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:02:20.590 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:02:20.590 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:02:36.693 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:02:36.693 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:02:52.797 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:02:52.797 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:03:08.902 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:03:08.902 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:03:25.006 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:03:25.006 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:03:41.111 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:03:41.111 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:03:57.214 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:03:57.214 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:04:13.318 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:04:13.318 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:04:29.422 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:04:29.422 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:04:45.527 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:04:45.527 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:05:00.015 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 9126
2026-04-25 12:05:00.102 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 12:05:01.631 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:05:01.632 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:05:04.206 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 12:05:17.736 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:05:17.736 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:05:27.553 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 9126 terminated with code 0
(NO_ERROR)
2026-04-25 12:05:30.033 - debug: javascript.0 (206) script.js.common.go-
```

```
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 12:05:30.092 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 12:05:33.841 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:05:33.841 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:05:49.947 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:05:49.947 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:06:06.056 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:06:06.056 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:06:22.161 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:06:22.161 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:06:38.265 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:06:38.265 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:06:54.367 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:06:54.367 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:07:10.474 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:07:10.474 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:07:26.579 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:07:26.579 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:07:42.682 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:07:42.682 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:07:58.786 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:07:58.787 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:08:14.891 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:08:14.891 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:08:30.997 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:08:30.997 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:08:47.101 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:08:47.101 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:09:03.105 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:09:03.105 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:09:19.214 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:09:19.214 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:09:35.318 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:09:35.318 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:09:51.420 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:09:51.420 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:10:00.012 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 9383
2026-04-25 12:10:00.112 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 12:10:04.178 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 12:10:07.523 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:10:07.523 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:10:23.626 - error: modbus.1 (1202) Request timed out.
```

2026-04-25 12:10:23.626 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 12:10:25.312 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 9383 terminated with code 0 (NO_ERROR)
2026-04-25 12:10:30.038 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 16
2026-04-25 12:10:30.146 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 16
2026-04-25 12:10:39.730 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 12:10:39.730 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 12:10:55.833 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 12:10:55.833 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 12:11:11.938 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 12:11:11.938 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 12:11:28.040 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 12:11:28.040 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 12:11:44.145 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 12:11:44.145 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 12:12:00.250 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 12:12:00.250 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 12:12:16.355 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 12:12:16.356 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 12:12:32.459 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 12:12:32.459 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 12:12:48.561 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 12:12:48.561 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 12:13:04.664 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 12:13:04.664 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 12:13:20.771 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 12:13:20.771 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 12:13:36.884 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 12:13:36.884 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 12:13:52.986 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 12:13:52.987 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 12:14:09.089 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 12:14:09.089 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 12:14:25.195 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 12:14:25.195 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 12:14:41.299 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 12:14:41.299 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 12:14:57.404 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 12:14:57.404 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 12:15:00.015 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 9639
2026-04-25 12:15:00.094 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 6
2026-04-25 12:15:04.254 - **debug**: javascript.0 (206) script.js.common.go-

```
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 12:15:13.509 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:15:13.509 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:15:29.615 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:15:29.615 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:15:30.041 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 12:15:30.152 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 12:15:36.237 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 9639 terminated with code 0
(NO_ERROR)
2026-04-25 12:15:45.718 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:15:45.718 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:16:01.824 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:16:01.824 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:16:17.928 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:16:17.928 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:16:34.032 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:16:34.032 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:16:50.135 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:16:50.135 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:17:06.242 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:17:06.242 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:17:22.347 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:17:22.347 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:17:38.457 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:17:38.457 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:17:54.560 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:17:54.560 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:18:10.664 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:18:10.664 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:18:26.768 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:18:26.768 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:18:42.871 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:18:42.872 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:18:58.974 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:18:58.974 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:19:15.076 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:19:15.076 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:19:31.181 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:19:31.181 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:19:47.284 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:19:47.284 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:20:00.012 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 9896
```

```
2026-04-25 12:20:00.159 - debug: javascript.0 (206) script.js.common.go-  
E_V3_Debug: # go-E ampere pv: 6  
2026-04-25 12:20:03.388 - error: modbus.1 (1202) Request timed out.  
2026-04-25 12:20:03.388 - error: modbus.1 (1202) Client in error state.  
2026-04-25 12:20:04.013 - debug: javascript.0 (206) script.js.common.go-  
E_V3_Debug: # go-E allow ampere: 6  
2026-04-25 12:20:11.735 - info: host.iobroker-iobroker-1-1-1-1 instance  
system.adapter.fuelpricemonitor.0 having pid 9896 terminated with code 0  
(NO_ERROR)  
2026-04-25 12:20:19.493 - error: modbus.1 (1202) Request timed out.  
2026-04-25 12:20:19.493 - error: modbus.1 (1202) Client in error state.  
2026-04-25 12:20:30.096 - debug: javascript.0 (206) script.js.common.go-  
E_V3_Debug: # go-E ampere pv: 16  
2026-04-25 12:20:30.201 - debug: javascript.0 (206) script.js.common.go-  
E_V3_Debug: # go-E allow ampere: 16  
2026-04-25 12:20:35.598 - error: modbus.1 (1202) Request timed out.  
2026-04-25 12:20:35.598 - error: modbus.1 (1202) Client in error state.  
2026-04-25 12:20:51.703 - error: modbus.1 (1202) Request timed out.  
2026-04-25 12:20:51.703 - error: modbus.1 (1202) Client in error state.  
2026-04-25 12:21:07.808 - error: modbus.1 (1202) Request timed out.  
2026-04-25 12:21:07.808 - error: modbus.1 (1202) Client in error state.  
2026-04-25 12:21:23.911 - error: modbus.1 (1202) Request timed out.  
2026-04-25 12:21:23.911 - error: modbus.1 (1202) Client in error state.  
2026-04-25 12:21:40.013 - error: modbus.1 (1202) Request timed out.  
2026-04-25 12:21:40.013 - error: modbus.1 (1202) Client in error state.  
2026-04-25 12:21:56.117 - error: modbus.1 (1202) Request timed out.  
2026-04-25 12:21:56.117 - error: modbus.1 (1202) Client in error state.  
2026-04-25 12:22:12.221 - error: modbus.1 (1202) Request timed out.  
2026-04-25 12:22:12.221 - error: modbus.1 (1202) Client in error state.  
2026-04-25 12:22:28.325 - error: modbus.1 (1202) Request timed out.  
2026-04-25 12:22:28.325 - error: modbus.1 (1202) Client in error state.  
2026-04-25 12:22:44.429 - error: modbus.1 (1202) Request timed out.  
2026-04-25 12:22:44.429 - error: modbus.1 (1202) Client in error state.  
2026-04-25 12:23:00.534 - error: modbus.1 (1202) Request timed out.  
2026-04-25 12:23:00.534 - error: modbus.1 (1202) Client in error state.  
2026-04-25 12:23:16.638 - error: modbus.1 (1202) Request timed out.  
2026-04-25 12:23:16.638 - error: modbus.1 (1202) Client in error state.  
2026-04-25 12:23:32.743 - error: modbus.1 (1202) Request timed out.  
2026-04-25 12:23:32.743 - error: modbus.1 (1202) Client in error state.  
2026-04-25 12:23:48.849 - error: modbus.1 (1202) Request timed out.  
2026-04-25 12:23:48.849 - error: modbus.1 (1202) Client in error state.  
2026-04-25 12:24:04.957 - error: modbus.1 (1202) Request timed out.  
2026-04-25 12:24:04.957 - error: modbus.1 (1202) Client in error state.  
2026-04-25 12:24:21.061 - error: modbus.1 (1202) Request timed out.  
2026-04-25 12:24:21.061 - error: modbus.1 (1202) Client in error state.  
2026-04-25 12:24:37.164 - error: modbus.1 (1202) Request timed out.  
2026-04-25 12:24:37.164 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 12:24:53.268 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:24:53.268 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:25:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 10155
2026-04-25 12:25:00.125 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 12:25:04.191 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 12:25:09.375 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:25:09.375 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:25:25.480 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:25:25.480 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:25:30.041 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 12:25:30.220 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 12:25:30.848 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 10155 terminated with code 0
(NO_ERROR)
2026-04-25 12:25:41.585 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:25:41.585 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:25:57.689 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:25:57.689 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:26:13.794 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:26:13.794 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:26:29.899 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:26:29.899 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:26:46.005 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:26:46.005 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:27:02.111 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:27:02.111 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:27:18.214 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:27:18.214 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:27:34.317 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:27:34.317 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:27:50.419 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:27:50.419 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:28:06.530 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:28:06.530 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:28:22.634 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:28:22.634 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:28:38.737 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:28:38.737 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:28:54.842 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:28:54.842 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:29:10.947 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:29:10.947 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 12:29:27.051 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:29:27.051 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:29:43.157 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:29:43.157 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:29:59.261 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:29:59.261 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:30:00.043 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 10411
2026-04-25 12:30:00.105 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 12:30:04.373 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 12:30:14.210 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 10411 terminated with code 0
(NO_ERROR)
2026-04-25 12:30:15.363 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:30:15.363 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:30:30.050 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 12:30:30.104 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 12:30:31.465 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:30:31.465 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:30:47.569 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:30:47.569 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:31:03.673 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:31:03.674 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:31:19.778 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:31:19.778 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:31:35.883 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:31:35.883 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:31:51.987 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:31:51.987 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:32:08.096 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:32:08.096 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:32:24.200 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:32:24.200 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:32:40.305 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:32:40.305 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:32:56.408 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:32:56.408 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:33:12.511 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:33:12.511 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:33:28.614 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:33:28.614 - error: modbus.1 (1202) Client in error state.

2026-04-25 12:33:44.717 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 12:33:44.718 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:34:00.820 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:34:00.820 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:34:16.925 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:34:16.925 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:34:33.029 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:34:33.029 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:34:49.132 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:34:49.132 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:35:00.019 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 10668
2026-04-25 12:35:00.096 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 12:35:04.174 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 12:35:05.237 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:35:05.237 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:35:15.425 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 10668 terminated with code 0
(NO_ERROR)
2026-04-25 12:35:21.342 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:35:21.343 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:35:30.068 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 12:35:30.199 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 12:35:37.448 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:35:37.448 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:35:53.554 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:35:53.554 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:36:09.555 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:36:09.555 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:36:25.659 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:36:25.659 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:36:41.763 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:36:41.763 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:36:57.865 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:36:57.865 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:37:13.971 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:37:13.971 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:37:30.075 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:37:30.075 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:37:46.178 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:37:46.178 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:38:02.283 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:38:02.283 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:38:18.387 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 12:38:18.387 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:38:34.496 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:38:34.496 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:38:50.604 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:38:50.604 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:39:06.706 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:39:06.707 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:39:22.811 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:39:22.812 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:39:38.915 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:39:38.915 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:39:55.020 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:39:55.021 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:40:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 10924
2026-04-25 12:40:00.143 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 12:40:04.256 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 12:40:11.023 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:40:11.023 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:40:15.083 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 10924 terminated with code 0
(NO_ERROR)
2026-04-25 12:40:27.127 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:40:27.127 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:40:30.063 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 12:40:30.198 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 12:40:43.232 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:40:43.232 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:40:59.338 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:40:59.338 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:41:15.443 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:41:15.443 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:41:31.547 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:41:31.547 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:41:47.653 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:41:47.653 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:42:03.759 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:42:03.759 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:42:19.866 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:42:19.866 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:42:35.969 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:42:35.969 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:42:52.073 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 12:42:52.073 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:43:08.076 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:43:08.076 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:43:24.181 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:43:24.181 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:43:40.285 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:43:40.285 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:43:56.291 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:43:56.291 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:44:12.393 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:44:12.393 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:44:28.506 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:44:28.506 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:44:44.613 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:44:44.613 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:45:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 11180
2026-04-25 12:45:00.130 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 12:45:00.617 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:45:00.617 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:45:04.275 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 12:45:16.721 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:45:16.721 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:45:21.719 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 11180 terminated with code 0
(NO_ERROR)
2026-04-25 12:45:30.039 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 12:45:30.208 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 12:45:32.826 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:45:32.826 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:45:48.929 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:45:48.929 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:46:05.032 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:46:05.033 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:46:21.135 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:46:21.136 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:46:37.240 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:46:37.240 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:46:53.345 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:46:53.345 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:47:09.449 - error: modbus.1 (1202) Request timed out.

2026-04-25 12:47:09.449 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 12:47:25.554 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:47:25.554 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:47:41.658 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:47:41.658 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:47:57.760 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:47:57.760 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:48:13.865 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:48:13.865 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:48:29.969 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:48:29.969 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:48:46.071 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:48:46.071 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:49:02.174 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:49:02.174 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:49:18.280 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:49:18.280 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:49:34.385 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:49:34.385 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:49:50.490 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:49:50.491 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:50:00.011 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 11435
2026-04-25 12:50:00.093 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 12:50:04.515 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 12:50:06.492 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:50:06.493 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:50:22.594 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:50:22.594 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:50:27.679 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 11435 terminated with code 0
(NO_ERROR)
2026-04-25 12:50:30.044 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 12:50:30.161 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 12:50:38.699 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:50:38.699 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:50:54.802 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:50:54.802 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:51:10.907 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:51:10.908 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:51:27.012 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:51:27.012 - error: modbus.1 (1202) Client in error state.

2026-04-25 12:51:43.118 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 12:51:43.118 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:51:59.221 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:51:59.221 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:52:15.325 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:52:15.325 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:52:31.428 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:52:31.428 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:52:47.532 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:52:47.532 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:53:03.636 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:53:03.637 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:53:19.739 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:53:19.740 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:53:35.843 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:53:35.843 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:53:51.946 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:53:51.946 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:54:08.052 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:54:08.052 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:54:24.157 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:54:24.157 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:54:40.262 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:54:40.262 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:54:56.364 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:54:56.364 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:55:00.051 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 11680
2026-04-25 12:55:00.174 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 12:55:04.379 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 12:55:12.368 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:55:12.368 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:55:23.986 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 11680 terminated with code 0
(NO_ERROR)
2026-04-25 12:55:28.472 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:55:28.472 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:55:30.072 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 12:55:30.182 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 12:55:44.576 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:55:44.576 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:56:00.680 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:56:00.680 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:56:16.785 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 12:56:16.785 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:56:32.889 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:56:32.889 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:56:48.995 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:56:48.995 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:57:05.101 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:57:05.101 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:57:21.206 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:57:21.206 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:57:37.312 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:57:37.313 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:57:53.417 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:57:53.417 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:58:09.519 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:58:09.520 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:58:25.622 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:58:25.622 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:58:41.725 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:58:41.725 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:58:57.826 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:58:57.826 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:59:13.930 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:59:13.930 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:59:30.033 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:59:30.033 - error: modbus.1 (1202) Client in error state.
2026-04-25 12:59:46.136 - error: modbus.1 (1202) Request timed out.
2026-04-25 12:59:46.136 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:00:00.017 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 11936
2026-04-25 13:00:00.163 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 13:00:02.239 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:00:02.239 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:00:04.051 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 13:00:18.243 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:00:18.243 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:00:23.381 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 11936 terminated with code 0
(NO_ERROR)
2026-04-25 13:00:30.076 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 13:00:30.203 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 13:00:34.352 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:00:34.352 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 13:00:50.456 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:00:50.456 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:01:06.559 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:01:06.559 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:01:22.661 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:01:22.661 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:01:38.763 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:01:38.763 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:01:54.867 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:01:54.867 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:02:10.971 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:02:10.971 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:02:27.075 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:02:27.075 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:02:43.180 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:02:43.180 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:02:59.285 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:02:59.285 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:03:15.390 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:03:15.390 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:03:31.496 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:03:31.496 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:03:47.600 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:03:47.601 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:04:03.705 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:04:03.705 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:04:19.812 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:04:19.812 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:04:35.917 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:04:35.917 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:04:52.021 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:04:52.021 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:05:00.014 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 12192
2026-04-25 13:05:00.101 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 13:05:03.744 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 13:05:08.124 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:05:08.124 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:05:24.230 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:05:24.230 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:05:30.086 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 13:05:30.200 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
```

2026-04-25 13:05:33.230 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 12192 terminated with code 0 (NO_ERROR)

2026-04-25 13:05:40.334 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:05:40.334 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:05:56.438 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:05:56.438 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:06:12.542 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:06:12.542 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:06:28.648 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:06:28.648 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:06:44.752 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:06:44.753 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:07:00.858 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:07:00.858 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:07:16.961 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:07:16.961 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:07:33.066 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:07:33.066 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:07:49.171 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:07:49.171 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:08:05.276 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:08:05.276 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:08:21.381 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:08:21.381 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:08:37.487 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:08:37.487 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:08:53.592 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:08:53.592 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:09:09.698 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:09:09.698 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:09:25.804 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:09:25.804 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:09:41.909 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:09:41.909 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:09:58.012 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:09:58.012 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:10:00.022 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 12448
2026-04-25 13:10:00.124 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 6
2026-04-25 13:10:03.517 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 6
2026-04-25 13:10:14.124 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:10:14.124 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:10:22.883 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 12448 terminated with code 0

(NO_ERROR)

```
2026-04-25 13:10:30.034 - debug: javascript.0 (206) script.js.common.go-  
E_V3_Debug: # go-E ampere pv: 16  
2026-04-25 13:10:30.145 - debug: javascript.0 (206) script.js.common.go-  
E_V3_Debug: # go-E allow ampere: 16  
2026-04-25 13:10:30.230 - error: modbus.1 (1202) Request timed out.  
2026-04-25 13:10:30.230 - error: modbus.1 (1202) Client in error state.  
2026-04-25 13:10:46.332 - error: modbus.1 (1202) Request timed out.  
2026-04-25 13:10:46.332 - error: modbus.1 (1202) Client in error state.  
2026-04-25 13:11:02.436 - error: modbus.1 (1202) Request timed out.  
2026-04-25 13:11:02.437 - error: modbus.1 (1202) Client in error state.  
2026-04-25 13:11:18.540 - error: modbus.1 (1202) Request timed out.  
2026-04-25 13:11:18.541 - error: modbus.1 (1202) Client in error state.  
2026-04-25 13:11:34.645 - error: modbus.1 (1202) Request timed out.  
2026-04-25 13:11:34.645 - error: modbus.1 (1202) Client in error state.  
2026-04-25 13:11:50.749 - error: modbus.1 (1202) Request timed out.  
2026-04-25 13:11:50.749 - error: modbus.1 (1202) Client in error state.  
2026-04-25 13:12:06.855 - error: modbus.1 (1202) Request timed out.  
2026-04-25 13:12:06.855 - error: modbus.1 (1202) Client in error state.  
2026-04-25 13:12:22.959 - error: modbus.1 (1202) Request timed out.  
2026-04-25 13:12:22.959 - error: modbus.1 (1202) Client in error state.  
2026-04-25 13:12:39.063 - error: modbus.1 (1202) Request timed out.  
2026-04-25 13:12:39.063 - error: modbus.1 (1202) Client in error state.  
2026-04-25 13:12:55.165 - error: modbus.1 (1202) Request timed out.  
2026-04-25 13:12:55.165 - error: modbus.1 (1202) Client in error state.  
2026-04-25 13:13:11.270 - error: modbus.1 (1202) Request timed out.  
2026-04-25 13:13:11.270 - error: modbus.1 (1202) Client in error state.  
2026-04-25 13:13:27.371 - error: modbus.1 (1202) Request timed out.  
2026-04-25 13:13:27.372 - error: modbus.1 (1202) Client in error state.  
2026-04-25 13:13:43.476 - error: modbus.1 (1202) Request timed out.  
2026-04-25 13:13:43.476 - error: modbus.1 (1202) Client in error state.  
2026-04-25 13:13:59.579 - error: modbus.1 (1202) Request timed out.  
2026-04-25 13:13:59.579 - error: modbus.1 (1202) Client in error state.  
2026-04-25 13:14:15.684 - error: modbus.1 (1202) Request timed out.  
2026-04-25 13:14:15.684 - error: modbus.1 (1202) Client in error state.  
2026-04-25 13:14:31.787 - error: modbus.1 (1202) Request timed out.  
2026-04-25 13:14:31.787 - error: modbus.1 (1202) Client in error state.  
2026-04-25 13:14:47.890 - error: modbus.1 (1202) Request timed out.  
2026-04-25 13:14:47.890 - error: modbus.1 (1202) Client in error state.  
2026-04-25 13:15:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance  
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 12706  
2026-04-25 13:15:00.097 - debug: javascript.0 (206) script.js.common.go-  
E_V3_Debug: # go-E ampere pv: 6  
2026-04-25 13:15:03.996 - error: modbus.1 (1202) Request timed out.  
2026-04-25 13:15:03.996 - error: modbus.1 (1202) Client in error state.  
2026-04-25 13:15:04.037 - debug: javascript.0 (206) script.js.common.go-  
E_V3_Debug: # go-E allow ampere: 6
```

```
2026-04-25 13:15:20.118 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:15:20.118 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:15:30.031 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 13:15:30.137 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 13:15:30.244 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 12706 terminated with code 0
(NO_ERROR)
2026-04-25 13:15:36.221 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:15:36.221 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:15:52.324 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:15:52.324 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:16:08.431 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:16:08.431 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:16:24.534 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:16:24.534 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:16:40.637 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:16:40.637 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:16:56.741 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:16:56.742 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:17:12.849 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:17:12.850 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:17:28.954 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:17:28.954 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:17:45.058 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:17:45.058 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:18:01.163 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:18:01.163 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:18:17.268 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:18:17.268 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:18:33.371 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:18:33.371 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:18:49.475 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:18:49.475 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:19:05.580 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:19:05.580 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:19:21.684 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:19:21.685 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:19:37.789 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:19:37.789 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:19:53.894 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:19:53.894 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:20:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 12962
2026-04-25 13:20:00.095 - debug: javascript.0 (206) script.js.common.go-
```

```
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 13:20:04.325 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 13:20:10.000 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:20:10.001 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:20:22.701 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 12962 terminated with code 0
(NO_ERROR)
2026-04-25 13:20:26.112 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:20:26.112 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:20:30.077 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 13:20:30.205 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 13:20:42.217 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:20:42.217 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:20:58.321 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:20:58.321 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:21:14.426 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:21:14.426 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:21:30.528 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:21:30.528 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:21:46.631 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:21:46.631 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:22:02.734 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:22:02.734 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:22:18.840 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:22:18.840 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:22:34.944 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:22:34.945 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:22:51.048 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:22:51.049 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:23:07.153 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:23:07.153 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:23:23.256 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:23:23.256 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:23:39.360 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:23:39.360 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:23:55.465 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:23:55.465 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:24:11.571 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:24:11.572 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:24:27.674 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:24:27.674 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:24:43.777 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:24:43.777 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:24:59.879 - error: modbus.1 (1202) Request timed out.
```

2026-04-25 13:24:59.879 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:25:00.013 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 13219
2026-04-25 13:25:00.145 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 6
2026-04-25 13:25:04.253 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 6
2026-04-25 13:25:15.488 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 13219 terminated with code 0 (NO_ERROR)
2026-04-25 13:25:15.983 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:25:15.983 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:25:30.032 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 16
2026-04-25 13:25:30.162 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 16
2026-04-25 13:25:32.087 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:25:32.087 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:25:48.192 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:25:48.192 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:26:04.297 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:26:04.297 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:26:20.400 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:26:20.400 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:26:36.504 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:26:36.504 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:26:52.609 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:26:52.609 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:27:08.711 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:27:08.711 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:27:24.816 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:27:24.816 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:27:40.919 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:27:40.919 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:27:57.024 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:27:57.024 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:28:13.129 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:28:13.129 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:28:29.233 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:28:29.233 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:28:45.336 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:28:45.336 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:29:01.441 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:29:01.441 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:29:17.549 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:29:17.549 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:29:33.655 - **error**: modbus.1 (1202) Request timed out.

```
2026-04-25 13:29:33.655 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:29:49.762 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:29:49.762 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:30:00.027 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 13475
2026-04-25 13:30:00.061 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 13:30:04.192 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 13:30:05.866 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:30:05.866 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:30:21.968 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:30:21.968 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:30:29.353 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 13475 terminated with code 0
(NO_ERROR)
2026-04-25 13:30:30.072 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 13:30:30.205 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 13:30:38.071 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:30:38.071 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:30:54.174 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:30:54.174 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:31:10.278 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:31:10.279 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:31:26.386 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:31:26.387 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:31:42.498 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:31:42.498 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:31:58.604 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:31:58.604 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:32:14.709 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:32:14.709 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:32:30.815 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:32:30.815 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:32:46.920 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:32:46.920 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:33:03.023 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:33:03.023 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:33:19.126 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:33:19.126 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:33:35.231 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:33:35.231 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:33:51.335 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:33:51.335 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:34:07.445 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 13:34:07.445 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:34:23.549 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:34:23.549 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:34:39.653 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:34:39.653 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:34:55.755 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:34:55.755 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:35:00.020 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 13729
2026-04-25 13:35:00.103 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 13:35:03.992 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 13:35:11.860 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:35:11.860 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:35:27.963 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:35:27.963 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:35:30.042 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 13:35:30.161 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 13:35:30.565 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 13729 terminated with code 0
(NO_ERROR)
2026-04-25 13:35:44.067 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:35:44.068 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:36:00.170 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:36:00.170 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:36:16.272 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:36:16.272 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:36:32.377 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:36:32.377 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:36:48.482 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:36:48.482 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:37:04.586 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:37:04.586 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:37:20.688 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:37:20.688 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:37:36.794 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:37:36.794 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:37:52.898 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:37:52.898 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:38:08.901 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:38:08.901 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:38:25.007 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:38:25.007 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:38:41.111 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 13:38:41.111 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:38:57.213 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:38:57.213 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:39:13.334 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:39:13.334 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:39:29.438 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:39:29.438 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:39:45.541 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:39:45.541 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:40:00.038 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 13986
2026-04-25 13:40:00.097 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 13:40:01.651 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:40:01.651 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:40:04.235 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 13:40:16.375 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 13986 terminated with code 0
(NO_ERROR)
2026-04-25 13:40:17.756 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:40:17.756 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:40:30.037 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 13:40:30.169 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 13:40:33.860 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:40:33.860 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:40:49.972 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:40:49.972 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:41:06.077 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:41:06.077 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:41:22.181 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:41:22.181 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:41:38.285 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:41:38.286 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:41:54.287 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:41:54.287 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:42:10.391 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:42:10.391 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:42:26.493 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:42:26.493 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:42:42.596 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:42:42.596 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:42:58.703 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:42:58.703 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:43:14.810 - error: modbus.1 (1202) Request timed out.
```

2026-04-25 13:43:14.810 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:43:30.929 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:43:30.929 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:43:47.034 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:43:47.034 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:44:03.139 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:44:03.139 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:44:19.245 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:44:19.245 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:44:35.350 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:44:35.350 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:44:51.454 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:44:51.454 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:45:00.024 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 14230
2026-04-25 13:45:00.126 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 6
2026-04-25 13:45:04.405 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 6
2026-04-25 13:45:07.559 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:45:07.559 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:45:21.172 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 14230 terminated with code 0 (NO_ERROR)
2026-04-25 13:45:23.661 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:45:23.662 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:45:30.035 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 16
2026-04-25 13:45:30.153 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 16
2026-04-25 13:45:39.764 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:45:39.765 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:45:55.867 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:45:55.867 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:46:11.971 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:46:11.971 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:46:28.074 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:46:28.074 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:46:44.180 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:46:44.180 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:47:00.284 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:47:00.284 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:47:16.390 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:47:16.390 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:47:32.495 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 13:47:32.495 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 13:47:48.598 - **error**: modbus.1 (1202) Request timed out.

```
2026-04-25 13:47:48.599 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:48:04.702 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:48:04.702 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:48:20.807 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:48:20.807 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:48:36.911 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:48:36.911 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:48:53.015 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:48:53.015 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:49:09.118 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:49:09.119 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:49:25.224 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:49:25.224 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:49:41.335 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:49:41.335 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:49:57.441 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:49:57.441 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:50:00.015 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 14486
2026-04-25 13:50:00.067 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 13:50:04.210 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 13:50:13.544 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:50:13.544 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:50:20.175 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 14486 terminated with code 0
(NO_ERROR)
2026-04-25 13:50:29.648 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:50:29.648 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:50:30.078 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 13:50:30.196 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 13:50:45.752 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:50:45.752 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:51:01.855 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:51:01.855 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:51:17.959 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:51:17.959 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:51:34.061 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:51:34.061 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:51:50.167 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:51:50.167 - error: modbus.1 (1202) Client in error state.

2026-04-25 13:52:06.272 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:52:06.272 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 13:52:22.375 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:52:22.375 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:52:38.479 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:52:38.479 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:52:54.583 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:52:54.583 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:53:10.688 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:53:10.688 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:53:26.791 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:53:26.791 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:53:42.895 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:53:42.895 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:53:58.999 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:53:58.999 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:54:15.102 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:54:15.103 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:54:31.206 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:54:31.207 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:54:47.310 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:54:47.310 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:55:00.014 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 14742
2026-04-25 13:55:00.097 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 13:55:03.416 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:55:03.416 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:55:04.297 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 13:55:19.522 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:55:19.522 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:55:30.555 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 13:55:30.692 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 13:55:33.806 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 14742 terminated with code 0
(NO_ERROR)
2026-04-25 13:55:35.628 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:55:35.628 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:55:51.733 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:55:51.734 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:56:07.837 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:56:07.837 - error: modbus.1 (1202) Client in error state.

2026-04-25 13:56:23.941 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:56:23.941 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:56:40.044 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 13:56:40.044 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:56:56.147 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:56:56.147 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:57:12.250 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:57:12.250 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:57:28.354 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:57:28.354 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:57:44.459 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:57:44.459 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:58:00.563 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:58:00.563 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:58:16.669 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:58:16.669 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:58:32.775 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:58:32.775 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:58:48.779 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:58:48.779 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:59:04.889 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:59:04.889 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:59:20.993 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:59:20.993 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:59:37.097 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:59:37.097 - error: modbus.1 (1202) Client in error state.
2026-04-25 13:59:53.200 - error: modbus.1 (1202) Request timed out.
2026-04-25 13:59:53.201 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:00:00.020 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 14999
2026-04-25 14:00:00.063 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 14:00:04.123 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 14:00:09.303 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:00:09.303 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:00:23.721 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 14999 terminated with code 0
(NO_ERROR)
2026-04-25 14:00:25.409 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:00:25.409 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:00:30.049 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 14:00:30.168 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 14:00:41.513 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:00:41.513 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:00:57.618 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:00:57.618 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:01:13.727 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 14:01:13.727 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:01:29.834 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:01:29.834 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:01:45.941 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:01:45.941 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:02:02.045 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:02:02.045 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:02:18.148 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:02:18.149 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:02:34.250 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:02:34.250 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:02:50.354 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:02:50.354 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:03:06.458 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:03:06.458 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:03:22.561 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:03:22.562 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:03:38.664 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:03:38.665 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:03:54.769 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:03:54.770 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:04:10.873 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:04:10.873 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:04:26.978 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:04:26.978 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:04:43.084 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:04:43.085 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:04:59.188 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:04:59.188 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:05:00.042 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 15255
2026-04-25 14:05:00.104 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 14:05:04.238 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 14:05:15.290 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:05:15.290 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:05:30.055 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 14:05:30.177 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 14:05:31.333 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 15255 terminated with code 0
(NO_ERROR)
2026-04-25 14:05:31.394 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:05:31.394 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:05:47.497 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 14:05:47.497 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:06:03.601 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:06:03.601 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:06:19.720 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:06:19.720 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:06:35.825 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:06:35.825 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:06:51.929 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:06:51.929 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:07:08.035 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:07:08.035 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:07:24.139 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:07:24.139 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:07:40.143 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:07:40.143 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:07:56.249 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:07:56.249 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:08:12.353 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:08:12.353 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:08:28.457 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:08:28.457 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:08:44.563 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:08:44.563 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:09:00.666 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:09:00.666 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:09:16.769 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:09:16.769 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:09:32.873 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:09:32.873 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:09:48.978 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:09:48.978 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:10:00.016 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 15511
2026-04-25 14:10:00.077 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 14:10:04.152 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 14:10:05.082 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:10:05.082 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:10:11.328 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 15511 terminated with code 0
(NO_ERROR)
2026-04-25 14:10:21.186 - error: modbus.1 (1202) Request timed out.

2026-04-25 14:10:21.186 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:10:30.037 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
```

```
2026-04-25 14:10:30.179 - debug: javascript.0 (206) script.js.common.go-  
E_V3_Debug: # go-E allow ampere: 16  
2026-04-25 14:10:37.291 - error: modbus.1 (1202) Request timed out.  
2026-04-25 14:10:37.291 - error: modbus.1 (1202) Client in error state.  
2026-04-25 14:10:53.395 - error: modbus.1 (1202) Request timed out.  
2026-04-25 14:10:53.395 - error: modbus.1 (1202) Client in error state.  
2026-04-25 14:11:09.500 - error: modbus.1 (1202) Request timed out.  
2026-04-25 14:11:09.500 - error: modbus.1 (1202) Client in error state.  
2026-04-25 14:11:25.603 - error: modbus.1 (1202) Request timed out.  
2026-04-25 14:11:25.604 - error: modbus.1 (1202) Client in error state.  
2026-04-25 14:11:41.713 - error: modbus.1 (1202) Request timed out.  
2026-04-25 14:11:41.714 - error: modbus.1 (1202) Client in error state.  
2026-04-25 14:11:57.816 - error: modbus.1 (1202) Request timed out.  
2026-04-25 14:11:57.816 - error: modbus.1 (1202) Client in error state.  
2026-04-25 14:12:13.920 - error: modbus.1 (1202) Request timed out.  
2026-04-25 14:12:13.920 - error: modbus.1 (1202) Client in error state.  
2026-04-25 14:12:30.026 - error: modbus.1 (1202) Request timed out.  
2026-04-25 14:12:30.026 - error: modbus.1 (1202) Client in error state.  
2026-04-25 14:12:46.131 - error: modbus.1 (1202) Request timed out.  
2026-04-25 14:12:46.131 - error: modbus.1 (1202) Client in error state.  
2026-04-25 14:13:02.237 - error: modbus.1 (1202) Request timed out.  
2026-04-25 14:13:02.237 - error: modbus.1 (1202) Client in error state.  
2026-04-25 14:13:18.342 - error: modbus.1 (1202) Request timed out.  
2026-04-25 14:13:18.342 - error: modbus.1 (1202) Client in error state.  
2026-04-25 14:13:34.447 - error: modbus.1 (1202) Request timed out.  
2026-04-25 14:13:34.447 - error: modbus.1 (1202) Client in error state.  
2026-04-25 14:13:50.552 - error: modbus.1 (1202) Request timed out.  
2026-04-25 14:13:50.552 - error: modbus.1 (1202) Client in error state.  
2026-04-25 14:14:06.655 - error: modbus.1 (1202) Request timed out.  
2026-04-25 14:14:06.655 - error: modbus.1 (1202) Client in error state.  
2026-04-25 14:14:22.758 - error: modbus.1 (1202) Request timed out.  
2026-04-25 14:14:22.758 - error: modbus.1 (1202) Client in error state.  
2026-04-25 14:14:38.861 - error: modbus.1 (1202) Request timed out.  
2026-04-25 14:14:38.862 - error: modbus.1 (1202) Client in error state.  
2026-04-25 14:14:54.964 - error: modbus.1 (1202) Request timed out.  
2026-04-25 14:14:54.964 - error: modbus.1 (1202) Client in error state.  
2026-04-25 14:15:00.011 - info: host.iobroker-iobroker-1-1-1-1 instance  
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 15766  
2026-04-25 14:15:00.095 - debug: javascript.0 (206) script.js.common.go-  
E_V3_Debug: # go-E ampere pv: 6  
2026-04-25 14:15:04.288 - debug: javascript.0 (206) script.js.common.go-  
E_V3_Debug: # go-E allow ampere: 6  
2026-04-25 14:15:11.067 - error: modbus.1 (1202) Request timed out.  
2026-04-25 14:15:11.067 - error: modbus.1 (1202) Client in error state.  
2026-04-25 14:15:27.171 - error: modbus.1 (1202) Request timed out.  
2026-04-25 14:15:27.171 - error: modbus.1 (1202) Client in error state.
```

2026-04-25 14:15:30.167 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 16
2026-04-25 14:15:30.285 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 16
2026-04-25 14:15:32.105 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 15766 terminated with code 0 (NO_ERROR)
2026-04-25 14:15:43.279 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 14:15:43.280 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 14:15:59.383 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 14:15:59.383 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 14:16:15.488 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 14:16:15.488 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 14:16:31.591 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 14:16:31.591 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 14:16:47.693 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 14:16:47.693 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 14:17:03.800 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 14:17:03.800 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 14:17:19.903 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 14:17:19.903 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 14:17:36.006 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 14:17:36.006 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 14:17:52.116 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 14:17:52.117 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 14:18:08.220 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 14:18:08.220 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 14:18:24.324 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 14:18:24.324 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 14:18:40.430 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 14:18:40.430 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 14:18:56.535 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 14:18:56.535 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 14:19:12.638 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 14:19:12.638 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 14:19:28.746 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 14:19:28.746 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 14:19:44.852 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 14:19:44.852 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 14:20:00.011 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 16023
2026-04-25 14:20:00.151 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 6
2026-04-25 14:20:00.954 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 14:20:00.954 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 14:20:04.256 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 6

```
2026-04-25 14:20:17.057 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:20:17.057 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:20:30.071 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 14:20:30.211 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 14:20:31.949 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 16023 terminated with code 0
(NO_ERROR)
2026-04-25 14:20:33.160 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:20:33.160 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:20:49.265 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:20:49.265 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:21:05.369 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:21:05.369 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:21:21.474 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:21:21.474 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:21:37.577 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:21:37.577 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:21:53.683 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:21:53.683 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:22:09.788 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:22:09.788 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:22:25.892 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:22:25.892 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:22:41.997 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:22:41.997 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:22:58.101 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:22:58.101 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:23:14.203 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:23:14.203 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:23:30.307 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:23:30.307 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:23:46.410 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:23:46.410 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:24:02.515 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:24:02.516 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:24:18.620 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:24:18.620 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:24:34.724 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:24:34.724 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:24:50.830 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:24:50.830 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:25:00.011 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 16279
2026-04-25 14:25:00.115 - debug: javascript.0 (206) script.js.common.go-
```

```
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 14:25:04.291 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 14:25:06.934 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:25:06.934 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:25:23.038 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:25:23.038 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:25:27.192 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 16279 terminated with code 0
(NO_ERROR)
2026-04-25 14:25:30.053 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 14:25:30.160 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 14:25:39.141 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:25:39.142 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:25:55.244 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:25:55.244 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:26:11.348 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:26:11.348 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:26:27.451 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:26:27.451 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:26:43.556 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:26:43.556 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:26:59.662 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:26:59.662 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:27:15.767 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:27:15.768 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:27:31.872 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:27:31.872 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:27:47.977 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:27:47.977 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:28:04.083 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:28:04.083 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:28:20.190 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:28:20.190 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:28:36.294 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:28:36.294 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:28:52.397 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:28:52.397 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:29:08.502 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:29:08.502 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:29:24.605 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:29:24.605 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:29:40.709 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:29:40.709 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 14:29:56.814 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:29:56.814 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:30:00.018 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 16524
2026-04-25 14:30:00.307 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 14:30:04.444 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 14:30:12.921 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:30:12.921 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:30:25.836 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 16524 terminated with code 0
(NO_ERROR)
2026-04-25 14:30:29.028 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:30:29.028 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:30:30.086 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 14:30:30.198 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 14:30:45.133 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:30:45.133 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:31:01.239 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:31:01.239 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:31:17.346 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:31:17.346 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:31:33.449 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:31:33.449 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:31:49.558 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:31:49.558 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:32:05.662 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:32:05.662 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:32:21.766 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:32:21.766 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:32:37.868 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:32:37.869 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:32:53.973 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:32:53.973 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:33:10.078 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:33:10.078 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:33:26.182 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:33:26.182 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:33:42.287 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:33:42.287 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:33:58.392 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:33:58.392 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:34:14.497 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:34:14.497 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 14:34:30.600 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:34:30.600 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:34:46.603 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:34:46.603 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:35:00.011 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 16782
2026-04-25 14:35:00.097 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 14:35:02.706 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:35:02.706 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:35:04.263 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 14:35:18.424 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 16782 terminated with code 0
(NO_ERROR)
2026-04-25 14:35:18.809 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:35:18.809 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:35:30.035 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 14:35:30.145 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 14:35:34.912 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:35:34.912 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:35:51.015 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:35:51.015 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:36:07.119 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:36:07.119 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:36:23.224 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:36:23.224 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:36:39.329 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:36:39.329 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:36:55.437 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:36:55.437 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:37:11.542 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:37:11.542 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:37:27.645 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:37:27.645 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:37:43.767 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:37:43.767 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:37:59.869 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:37:59.869 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:38:15.973 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:38:15.973 - error: modbus.1 (1202) Client in error state.

2026-04-25 14:38:32.076 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:38:32.076 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:38:48.180 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 14:38:48.180 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:39:04.284 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:39:04.284 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:39:20.388 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:39:20.389 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:39:36.494 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:39:36.494 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:39:52.597 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:39:52.597 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:40:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 17040
2026-04-25 14:40:00.104 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 14:40:04.301 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 14:40:08.701 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:40:08.701 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:40:21.437 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 17040 terminated with code 0
(NO_ERROR)
2026-04-25 14:40:24.804 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:40:24.804 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:40:30.032 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 14:40:30.144 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 14:40:40.908 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:40:40.908 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:40:57.011 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:40:57.011 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:41:13.115 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:41:13.116 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:41:29.221 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:41:29.221 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:41:45.327 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:41:45.327 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:42:01.432 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:42:01.432 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:42:17.538 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:42:17.538 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:42:33.645 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:42:33.645 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:42:49.753 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:42:49.753 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:43:05.856 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:43:05.856 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:43:21.959 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 14:43:21.959 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:43:38.064 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:43:38.064 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:43:54.169 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:43:54.169 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:44:10.273 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:44:10.273 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:44:26.377 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:44:26.378 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:44:42.483 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:44:42.483 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:44:58.590 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:44:58.590 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:45:00.012 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 17298
2026-04-25 14:45:00.109 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 14:45:04.167 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 14:45:10.709 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 17298 terminated with code 0
(NO_ERROR)
2026-04-25 14:45:14.693 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:45:14.693 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:45:30.038 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 14:45:30.178 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 14:45:30.800 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:45:30.800 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:45:46.904 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:45:46.904 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:46:03.010 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:46:03.010 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:46:19.112 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:46:19.112 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:46:35.214 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:46:35.214 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:46:51.317 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:46:51.317 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:47:07.423 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:47:07.423 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:47:23.527 - error: modbus.1 (1202) Request timed out.

2026-04-25 14:47:23.527 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:47:39.531 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:47:39.531 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 14:47:55.639 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:47:55.639 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:48:11.759 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:48:11.759 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:48:27.761 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:48:27.761 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:48:43.867 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:48:43.867 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:48:59.973 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:48:59.974 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:49:16.078 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:49:16.078 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:49:32.179 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:49:32.179 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:49:48.282 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:49:48.282 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:50:00.049 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 17554
2026-04-25 14:50:00.156 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 14:50:04.350 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 14:50:04.385 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:50:04.385 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:50:19.039 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 17554 terminated with code 0
(NO_ERROR)
2026-04-25 14:50:20.490 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:50:20.490 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:50:30.044 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 14:50:30.159 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 14:50:36.594 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:50:36.594 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:50:52.698 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:50:52.698 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:51:08.802 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:51:08.802 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:51:24.906 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:51:24.906 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:51:41.010 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:51:41.010 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:51:57.114 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:51:57.114 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:52:13.218 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:52:13.218 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 14:52:29.320 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:52:29.320 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:52:45.421 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:52:45.421 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:53:01.525 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:53:01.525 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:53:17.629 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:53:17.629 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:53:33.732 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:53:33.732 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:53:49.836 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:53:49.836 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:54:05.939 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:54:05.939 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:54:22.044 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:54:22.044 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:54:38.154 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:54:38.154 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:54:54.259 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:54:54.259 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:55:00.012 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 17810
2026-04-25 14:55:00.099 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 14:55:04.087 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 14:55:10.361 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:55:10.362 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:55:13.842 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 17810 terminated with code 0
(NO_ERROR)
2026-04-25 14:55:26.463 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:55:26.463 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:55:30.047 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 14:55:30.192 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 14:55:42.566 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:55:42.566 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:55:58.671 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:55:58.671 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:56:14.774 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:56:14.774 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:56:30.879 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:56:30.880 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:56:46.984 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:56:46.984 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 14:57:03.088 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:57:03.088 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:57:19.192 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:57:19.192 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:57:35.299 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:57:35.299 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:57:51.404 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:57:51.404 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:58:07.505 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:58:07.505 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:58:23.608 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:58:23.608 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:58:39.712 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:58:39.712 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:58:55.816 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:58:55.816 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:59:11.920 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:59:11.920 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:59:28.022 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:59:28.022 - error: modbus.1 (1202) Client in error state.
2026-04-25 14:59:44.025 - error: modbus.1 (1202) Request timed out.
2026-04-25 14:59:44.026 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:00:00.012 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 18066
2026-04-25 15:00:00.061 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 15:00:00.132 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:00:00.132 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:00:04.257 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 15:00:16.236 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:00:16.236 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:00:28.760 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 18066 terminated with code 0
(NO_ERROR)
2026-04-25 15:00:30.040 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 15:00:30.162 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 15:00:32.341 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:00:32.341 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:00:48.446 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:00:48.446 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:01:04.550 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:01:04.550 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:01:20.655 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:01:20.655 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 15:01:36.757 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:01:36.757 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:01:52.861 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:01:52.861 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:02:08.968 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:02:08.968 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:02:25.071 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:02:25.072 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:02:41.176 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:02:41.176 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:02:57.282 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:02:57.282 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:03:13.386 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:03:13.386 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:03:29.490 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:03:29.490 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:03:45.493 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:03:45.493 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:04:01.598 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:04:01.598 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:04:17.703 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:04:17.703 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:04:33.807 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:04:33.807 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:04:49.911 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:04:49.911 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:05:00.012 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 18321
2026-04-25 15:05:00.100 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 15:05:04.286 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 15:05:06.017 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:05:06.017 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:05:22.121 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:05:22.121 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:05:29.766 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 18321 terminated with code 0
(NO_ERROR)
2026-04-25 15:05:30.038 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 15:05:30.155 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 15:05:38.223 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:05:38.224 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:05:54.327 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:05:54.327 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 15:06:10.431 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:06:10.431 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:06:26.535 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:06:26.535 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:06:42.640 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:06:42.640 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:06:58.746 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:06:58.746 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:07:14.852 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:07:14.852 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:07:30.953 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:07:30.953 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:07:47.061 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:07:47.061 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:08:03.165 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:08:03.166 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:08:19.268 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:08:19.269 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:08:35.373 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:08:35.373 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:08:51.477 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:08:51.477 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:09:07.580 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:09:07.580 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:09:23.686 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:09:23.686 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:09:39.792 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:09:39.792 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:09:55.897 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:09:55.897 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:10:00.011 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 18578
2026-04-25 15:10:00.121 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 15:10:04.369 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 15:10:12.002 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:10:12.002 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:10:26.566 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 18578 terminated with code 0
(NO_ERROR)
2026-04-25 15:10:28.105 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:10:28.106 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:10:30.071 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 15:10:30.181 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
```

```
2026-04-25 15:10:44.209 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:10:44.209 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:11:00.314 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:11:00.314 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:11:16.418 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:11:16.418 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:11:32.522 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:11:32.523 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:11:48.629 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:11:48.629 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:12:04.737 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:12:04.737 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:12:20.842 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:12:20.842 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:12:36.945 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:12:36.945 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:12:53.050 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:12:53.050 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:13:09.153 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:13:09.153 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:13:25.257 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:13:25.257 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:13:41.362 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:13:41.362 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:13:57.465 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:13:57.465 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:14:13.569 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:14:13.569 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:14:29.674 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:14:29.674 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:14:45.782 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:14:45.782 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:15:00.036 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 18834
2026-04-25 15:15:00.102 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 15:15:01.887 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:15:01.887 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:15:04.191 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 15:15:17.993 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:15:17.993 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:15:30.061 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 15:15:30.189 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
```

```
2026-04-25 15:15:34.097 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:15:34.098 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:15:38.849 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 18834 terminated with code 0
(NO_ERROR)
2026-04-25 15:15:50.200 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:15:50.201 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:16:06.304 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:16:06.304 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:16:22.409 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:16:22.409 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:16:38.511 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:16:38.511 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:16:54.615 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:16:54.616 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:17:10.720 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:17:10.720 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:17:26.824 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:17:26.824 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:17:42.928 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:17:42.928 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:17:59.034 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:17:59.034 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:18:15.140 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:18:15.140 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:18:31.243 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:18:31.243 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:18:47.361 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:18:47.361 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:19:03.466 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:19:03.466 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:19:19.570 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:19:19.570 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:19:35.674 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:19:35.675 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:19:51.779 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:19:51.779 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:20:00.011 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 19090
2026-04-25 15:20:00.104 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 15:20:04.336 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6

2026-04-25 15:20:07.885 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:20:07.885 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:20:23.463 - info: host.iobroker-iobroker-1-1-1-1 instance
```

```
system.adapter.fuelpricemonitor.0 having pid 19090 terminated with code 0
(NO_ERROR)
2026-04-25 15:20:23.990 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:20:23.990 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:20:30.103 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 15:20:30.210 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 15:20:40.100 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:20:40.100 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:20:56.205 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:20:56.205 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:21:12.310 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:21:12.310 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:21:28.414 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:21:28.414 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:21:44.517 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:21:44.517 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:22:00.620 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:22:00.620 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:22:16.723 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:22:16.723 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:22:32.827 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:22:32.827 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:22:48.932 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:22:48.932 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:23:05.034 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:23:05.035 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:23:21.141 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:23:21.141 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:23:37.245 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:23:37.245 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:23:53.355 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:23:53.355 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:24:09.460 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:24:09.460 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:24:25.563 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:24:25.563 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:24:41.667 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:24:41.668 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:24:57.770 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:24:57.770 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:25:00.025 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 19335

2026-04-25 15:25:00.136 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
```

```
2026-04-25 15:25:03.668 - debug: javascript.0 (206) script.js.common.go-  
E_V3_Debug: # go-E allow ampere: 6  
2026-04-25 15:25:13.874 - error: modbus.1 (1202) Request timed out.  
2026-04-25 15:25:13.874 - error: modbus.1 (1202) Client in error state.  
2026-04-25 15:25:29.976 - error: modbus.1 (1202) Request timed out.  
2026-04-25 15:25:29.976 - error: modbus.1 (1202) Client in error state.  
2026-04-25 15:25:30.032 - debug: javascript.0 (206) script.js.common.go-  
E_V3_Debug: # go-E ampere pv: 16  
2026-04-25 15:25:30.184 - debug: javascript.0 (206) script.js.common.go-  
E_V3_Debug: # go-E allow ampere: 16  
2026-04-25 15:25:35.632 - info: host.iobroker-iobroker-1-1-1-1 instance  
system.adapter.fuelpricemonitor.0 having pid 19335 terminated with code 0  
(NO_ERROR)  
2026-04-25 15:25:46.079 - error: modbus.1 (1202) Request timed out.  
2026-04-25 15:25:46.080 - error: modbus.1 (1202) Client in error state.  
2026-04-25 15:26:02.182 - error: modbus.1 (1202) Request timed out.  
2026-04-25 15:26:02.182 - error: modbus.1 (1202) Client in error state.  
2026-04-25 15:26:18.285 - error: modbus.1 (1202) Request timed out.  
2026-04-25 15:26:18.286 - error: modbus.1 (1202) Client in error state.  
2026-04-25 15:26:34.390 - error: modbus.1 (1202) Request timed out.  
2026-04-25 15:26:34.390 - error: modbus.1 (1202) Client in error state.  
2026-04-25 15:26:50.495 - error: modbus.1 (1202) Request timed out.  
2026-04-25 15:26:50.495 - error: modbus.1 (1202) Client in error state.  
2026-04-25 15:27:06.598 - error: modbus.1 (1202) Request timed out.  
2026-04-25 15:27:06.598 - error: modbus.1 (1202) Client in error state.  
2026-04-25 15:27:22.700 - error: modbus.1 (1202) Request timed out.  
2026-04-25 15:27:22.701 - error: modbus.1 (1202) Client in error state.  
2026-04-25 15:27:38.802 - error: modbus.1 (1202) Request timed out.  
2026-04-25 15:27:38.802 - error: modbus.1 (1202) Client in error state.  
2026-04-25 15:27:54.904 - error: modbus.1 (1202) Request timed out.  
2026-04-25 15:27:54.904 - error: modbus.1 (1202) Client in error state.  
2026-04-25 15:28:11.009 - error: modbus.1 (1202) Request timed out.  
2026-04-25 15:28:11.009 - error: modbus.1 (1202) Client in error state.  
2026-04-25 15:28:27.118 - error: modbus.1 (1202) Request timed out.  
2026-04-25 15:28:27.118 - error: modbus.1 (1202) Client in error state.  
2026-04-25 15:28:43.222 - error: modbus.1 (1202) Request timed out.  
2026-04-25 15:28:43.223 - error: modbus.1 (1202) Client in error state.  
2026-04-25 15:28:59.331 - error: modbus.1 (1202) Request timed out.  
2026-04-25 15:28:59.331 - error: modbus.1 (1202) Client in error state.  
2026-04-25 15:29:15.435 - error: modbus.1 (1202) Request timed out.  
2026-04-25 15:29:15.435 - error: modbus.1 (1202) Client in error state.  
2026-04-25 15:29:31.539 - error: modbus.1 (1202) Request timed out.  
2026-04-25 15:29:31.539 - error: modbus.1 (1202) Client in error state.  
  
2026-04-25 15:29:47.643 - error: modbus.1 (1202) Request timed out.  
2026-04-25 15:29:47.643 - error: modbus.1 (1202) Client in error state.  
2026-04-25 15:30:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance
```

```
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 19591
2026-04-25 15:30:00.113 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 15:30:03.747 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:30:03.747 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:30:04.223 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 15:30:12.321 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 19591 terminated with code 0
(NO_ERROR)
2026-04-25 15:30:19.849 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:30:19.849 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:30:30.036 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 15:30:30.163 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 15:30:35.951 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:30:35.951 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:30:52.055 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:30:52.055 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:31:08.158 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:31:08.158 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:31:24.260 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:31:24.261 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:31:40.364 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:31:40.364 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:31:56.469 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:31:56.470 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:32:12.573 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:32:12.573 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:32:28.678 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:32:28.678 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:32:44.783 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:32:44.783 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:33:00.890 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:33:00.890 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:33:16.992 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:33:16.992 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:33:33.097 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:33:33.097 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:33:49.101 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:33:49.101 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:34:05.205 - error: modbus.1 (1202) Request timed out.

2026-04-25 15:34:05.205 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:34:21.309 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:34:21.309 - error: modbus.1 (1202) Client in error state.
```

2026-04-25 15:34:37.413 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 15:34:37.413 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 15:34:53.516 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 15:34:53.517 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 15:35:00.020 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 19848
2026-04-25 15:35:00.105 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 6
2026-04-25 15:35:04.288 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 6
2026-04-25 15:35:09.621 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 15:35:09.621 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 15:35:22.645 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 19848 terminated with code 0 (NO_ERROR)
2026-04-25 15:35:25.725 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 15:35:25.725 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 15:35:30.038 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 16
2026-04-25 15:35:30.228 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 16
2026-04-25 15:35:41.831 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 15:35:41.831 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 15:35:57.935 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 15:35:57.935 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 15:36:14.040 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 15:36:14.040 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 15:36:30.143 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 15:36:30.143 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 15:36:46.247 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 15:36:46.247 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 15:37:02.351 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 15:37:02.351 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 15:37:18.453 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 15:37:18.453 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 15:37:34.558 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 15:37:34.558 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 15:37:50.663 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 15:37:50.663 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 15:38:06.768 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 15:38:06.768 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 15:38:22.876 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 15:38:22.876 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 15:38:38.987 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 15:38:38.987 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 15:38:55.092 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 15:38:55.092 - **error**: modbus.1 (1202) Client in error state.

```
2026-04-25 15:39:11.196 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:39:11.196 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:39:27.300 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:39:27.300 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:39:43.406 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:39:43.406 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:39:59.509 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:39:59.509 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:40:00.146 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 20104
2026-04-25 15:40:00.159 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 15:40:04.332 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 15:40:15.615 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:40:15.615 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:40:20.703 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 20104 terminated with code 0
(NO_ERROR)
2026-04-25 15:40:30.032 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 15:40:30.094 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 15:40:31.719 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:40:31.719 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:40:47.720 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:40:47.720 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:41:03.825 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:41:03.825 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:41:19.931 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:41:19.931 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:41:36.036 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:41:36.036 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:41:52.142 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:41:52.142 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:42:08.247 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:42:08.247 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:42:24.350 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:42:24.351 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:42:40.452 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:42:40.452 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:42:56.557 - error: modbus.1 (1202) Request timed out.

2026-04-25 15:42:56.557 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:43:12.661 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:43:12.661 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:43:28.765 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 15:43:28.765 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:43:44.874 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:43:44.874 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:44:00.978 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:44:00.979 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:44:17.084 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:44:17.084 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:44:33.190 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:44:33.190 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:44:49.296 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:44:49.296 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:45:00.015 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 20360
2026-04-25 15:45:00.063 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 15:45:04.178 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 15:45:05.399 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:45:05.399 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:45:21.502 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:45:21.502 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:45:30.035 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 15:45:30.198 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 20360 terminated with code 0
(NO_ERROR)
2026-04-25 15:45:30.233 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 15:45:37.605 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:45:37.605 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:45:53.708 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:45:53.708 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:46:09.810 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:46:09.810 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:46:25.915 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:46:25.915 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:46:42.018 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:46:42.018 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:46:58.121 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:46:58.121 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:47:14.227 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:47:14.227 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:47:30.331 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:47:30.331 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:47:46.335 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:47:46.335 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:48:02.440 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 15:48:02.440 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:48:18.545 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:48:18.545 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:48:34.647 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:48:34.647 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:48:50.751 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:48:50.752 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:49:06.856 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:49:06.856 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:49:22.962 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:49:22.962 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:49:39.064 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:49:39.065 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:49:55.167 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:49:55.167 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:50:00.014 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 20615
2026-04-25 15:50:00.163 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 15:50:04.325 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 15:50:11.271 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:50:11.271 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:50:19.472 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 20615 terminated with code 0
(NO_ERROR)
2026-04-25 15:50:27.378 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:50:27.378 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:50:30.037 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 15:50:30.147 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 15:50:43.483 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:50:43.483 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:50:59.587 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:50:59.587 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:51:15.690 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:51:15.690 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:51:31.793 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:51:31.794 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:51:47.796 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:51:47.796 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:52:03.900 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:52:03.901 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:52:20.003 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:52:20.003 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:52:36.107 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 15:52:36.108 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:52:52.212 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:52:52.212 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:53:08.316 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:53:08.316 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:53:24.422 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:53:24.422 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:53:40.527 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:53:40.527 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:53:56.632 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:53:56.632 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:54:12.737 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:54:12.737 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:54:28.840 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:54:28.840 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:54:44.944 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:54:44.944 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:55:00.015 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 20871
2026-04-25 15:55:00.134 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 15:55:01.046 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:55:01.046 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:55:04.456 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 15:55:17.150 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:55:17.150 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:55:30.073 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 15:55:30.214 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 15:55:31.876 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 20871 terminated with code 0
(NO_ERROR)
2026-04-25 15:55:33.255 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:55:33.255 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:55:49.257 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:55:49.257 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:56:05.361 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:56:05.361 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:56:21.466 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:56:21.466 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:56:37.570 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:56:37.570 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:56:53.676 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:56:53.676 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:57:09.781 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 15:57:09.782 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:57:25.886 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:57:25.886 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:57:41.989 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:57:41.989 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:57:58.092 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:57:58.092 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:58:14.196 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:58:14.196 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:58:30.301 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:58:30.301 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:58:46.404 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:58:46.405 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:59:02.508 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:59:02.508 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:59:18.613 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:59:18.613 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:59:34.718 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:59:34.718 - error: modbus.1 (1202) Client in error state.
2026-04-25 15:59:50.827 - error: modbus.1 (1202) Request timed out.
2026-04-25 15:59:50.827 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:00:00.017 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 21127
2026-04-25 16:00:00.102 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 16:00:03.589 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 16:00:06.932 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:00:06.932 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:00:23.036 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:00:23.036 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:00:26.778 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 21127 terminated with code 0
(NO_ERROR)
2026-04-25 16:00:30.083 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 16:00:30.195 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 16:00:39.139 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:00:39.139 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:00:55.246 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:00:55.246 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:01:11.349 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:01:11.349 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:01:27.456 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:01:27.456 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:01:43.561 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 16:01:43.561 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:01:59.667 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:01:59.667 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:02:15.772 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:02:15.772 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:02:31.875 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:02:31.875 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:02:47.984 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:02:47.985 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:03:04.088 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:03:04.088 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:03:20.191 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:03:20.191 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:03:36.295 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:03:36.295 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:03:52.398 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:03:52.398 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:04:08.501 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:04:08.502 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:04:24.604 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:04:24.605 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:04:40.708 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:04:40.709 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:04:56.813 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:04:56.813 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:05:00.017 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 21383
2026-04-25 16:05:00.097 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 16:05:04.313 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 16:05:12.917 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:05:12.917 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:05:25.071 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 21383 terminated with code 0
(NO_ERROR)
2026-04-25 16:05:29.026 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:05:29.026 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:05:30.077 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 16:05:30.214 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 16:05:45.134 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:05:45.134 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:06:01.239 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:06:01.239 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:06:17.343 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 16:06:17.343 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:06:33.449 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:06:33.449 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:06:49.553 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:06:49.553 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:07:05.658 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:07:05.658 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:07:21.761 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:07:21.762 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:07:37.865 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:07:37.865 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:07:53.971 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:07:53.971 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:08:10.074 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:08:10.074 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:08:26.178 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:08:26.178 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:08:42.288 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:08:42.288 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:08:58.392 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:08:58.392 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:09:14.495 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:09:14.495 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:09:30.597 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:09:30.597 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:09:46.700 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:09:46.700 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:10:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 21640
2026-04-25 16:10:00.094 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 16:10:02.803 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:10:02.803 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:10:04.327 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 16:10:10.073 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 21640 terminated with code 0
(NO_ERROR)
2026-04-25 16:10:18.908 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:10:18.908 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:10:30.081 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 16:10:30.187 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 16:10:35.011 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:10:35.011 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 16:10:51.115 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:10:51.115 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:11:07.219 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:11:07.219 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:11:23.324 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:11:23.325 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:11:39.428 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:11:39.428 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:11:55.531 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:11:55.531 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:12:11.635 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:12:11.635 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:12:27.739 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:12:27.739 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:12:43.841 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:12:43.841 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:12:59.944 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:12:59.945 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:13:16.048 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:13:16.049 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:13:32.153 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:13:32.154 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:13:48.264 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:13:48.264 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:14:04.368 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:14:04.368 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:14:20.474 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:14:20.474 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:14:36.580 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:14:36.580 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:14:52.683 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:14:52.683 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:15:00.018 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 21885
2026-04-25 16:15:00.173 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 16:15:04.159 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 16:15:08.788 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:15:08.788 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:15:19.603 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 21885 terminated with code 0
(NO_ERROR)
2026-04-25 16:15:24.892 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:15:24.892 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:15:30.034 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
```

```
2026-04-25 16:15:30.143 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 16:15:40.995 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:15:40.996 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:15:57.099 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:15:57.099 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:16:13.201 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:16:13.201 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:16:29.305 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:16:29.305 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:16:45.412 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:16:45.412 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:17:01.517 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:17:01.517 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:17:17.623 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:17:17.623 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:17:33.728 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:17:33.728 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:17:49.832 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:17:49.832 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:18:05.935 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:18:05.935 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:18:22.041 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:18:22.041 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:18:38.145 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:18:38.145 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:18:54.249 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:18:54.249 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:19:10.354 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:19:10.354 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:19:26.460 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:19:26.460 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:19:42.565 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:19:42.565 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:19:58.669 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:19:58.669 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:20:00.012 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 22142
2026-04-25 16:20:00.072 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 16:20:04.185 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 16:20:14.773 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:20:14.773 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:20:19.156 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 22142 terminated with code 0
```

(NO_ERROR)

```
2026-04-25 16:20:30.043 - debug: javascript.0 (206) script.js.common.go-  
E_V3_Debug: # go-E ampere pv: 16  
2026-04-25 16:20:30.105 - debug: javascript.0 (206) script.js.common.go-  
E_V3_Debug: # go-E allow ampere: 16  
2026-04-25 16:20:30.877 - error: modbus.1 (1202) Request timed out.  
2026-04-25 16:20:30.877 - error: modbus.1 (1202) Client in error state.  
2026-04-25 16:20:46.983 - error: modbus.1 (1202) Request timed out.  
2026-04-25 16:20:46.983 - error: modbus.1 (1202) Client in error state.  
2026-04-25 16:21:03.087 - error: modbus.1 (1202) Request timed out.  
2026-04-25 16:21:03.087 - error: modbus.1 (1202) Client in error state.  
2026-04-25 16:21:19.191 - error: modbus.1 (1202) Request timed out.  
2026-04-25 16:21:19.191 - error: modbus.1 (1202) Client in error state.  
2026-04-25 16:21:35.295 - error: modbus.1 (1202) Request timed out.  
2026-04-25 16:21:35.295 - error: modbus.1 (1202) Client in error state.  
2026-04-25 16:21:51.399 - error: modbus.1 (1202) Request timed out.  
2026-04-25 16:21:51.399 - error: modbus.1 (1202) Client in error state.  
2026-04-25 16:22:07.503 - error: modbus.1 (1202) Request timed out.  
2026-04-25 16:22:07.503 - error: modbus.1 (1202) Client in error state.  
2026-04-25 16:22:23.608 - error: modbus.1 (1202) Request timed out.  
2026-04-25 16:22:23.608 - error: modbus.1 (1202) Client in error state.  
2026-04-25 16:22:39.713 - error: modbus.1 (1202) Request timed out.  
2026-04-25 16:22:39.713 - error: modbus.1 (1202) Client in error state.  
2026-04-25 16:22:55.818 - error: modbus.1 (1202) Request timed out.  
2026-04-25 16:22:55.818 - error: modbus.1 (1202) Client in error state.  
2026-04-25 16:23:11.922 - error: modbus.1 (1202) Request timed out.  
2026-04-25 16:23:11.922 - error: modbus.1 (1202) Client in error state.  
2026-04-25 16:23:28.025 - error: modbus.1 (1202) Request timed out.  
2026-04-25 16:23:28.025 - error: modbus.1 (1202) Client in error state.  
2026-04-25 16:23:44.128 - error: modbus.1 (1202) Request timed out.  
2026-04-25 16:23:44.129 - error: modbus.1 (1202) Client in error state.  
2026-04-25 16:24:00.232 - error: modbus.1 (1202) Request timed out.  
2026-04-25 16:24:00.232 - error: modbus.1 (1202) Client in error state.  
2026-04-25 16:24:16.335 - error: modbus.1 (1202) Request timed out.  
2026-04-25 16:24:16.335 - error: modbus.1 (1202) Client in error state.  
2026-04-25 16:24:32.438 - error: modbus.1 (1202) Request timed out.  
2026-04-25 16:24:32.439 - error: modbus.1 (1202) Client in error state.  
2026-04-25 16:24:48.547 - error: modbus.1 (1202) Request timed out.  
2026-04-25 16:24:48.547 - error: modbus.1 (1202) Client in error state.  
2026-04-25 16:25:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance  
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 22399  
2026-04-25 16:25:00.095 - debug: javascript.0 (206) script.js.common.go-  
E_V3_Debug: # go-E ampere pv: 6  
2026-04-25 16:25:04.171 - debug: javascript.0 (206) script.js.common.go-  
E_V3_Debug: # go-E allow ampere: 6  
2026-04-25 16:25:04.651 - error: modbus.1 (1202) Request timed out.
```

2026-04-25 16:25:04.651 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 16:25:20.756 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 16:25:20.756 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 16:25:27.970 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 22399 terminated with code 0 (NO_ERROR)
2026-04-25 16:25:30.073 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E ampere pv: 16
2026-04-25 16:25:30.223 - **debug**: javascript.0 (206) script.js.common.go-E_V3_Debug: # go-E allow ampere: 16
2026-04-25 16:25:36.861 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 16:25:36.861 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 16:25:52.967 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 16:25:52.967 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 16:26:09.072 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 16:26:09.072 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 16:26:25.175 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 16:26:25.175 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 16:26:41.278 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 16:26:41.278 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 16:26:57.381 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 16:26:57.381 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 16:27:13.486 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 16:27:13.486 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 16:27:29.592 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 16:27:29.592 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 16:27:45.596 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 16:27:45.596 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 16:28:01.701 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 16:28:01.701 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 16:28:17.804 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 16:28:17.804 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 16:28:33.910 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 16:28:33.910 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 16:28:50.015 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 16:28:50.015 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 16:29:06.140 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 16:29:06.140 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 16:29:22.244 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 16:29:22.244 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 16:29:38.349 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 16:29:38.349 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 16:29:54.453 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 16:29:54.454 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 16:30:00.015 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 22655
2026-04-25 16:30:00.132 - **debug**: javascript.0 (206) script.js.common.go-

```
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 16:30:04.113 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 16:30:10.559 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:30:10.559 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:30:26.665 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:30:26.666 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:30:27.477 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 22655 terminated with code 0
(NO_ERROR)
2026-04-25 16:30:30.075 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 16:30:30.294 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 16:30:42.769 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:30:42.769 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:30:58.873 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:30:58.873 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:31:14.979 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:31:14.979 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:31:30.982 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:31:30.982 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:31:47.087 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:31:47.088 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:32:03.191 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:32:03.191 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:32:19.294 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:32:19.294 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:32:35.399 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:32:35.399 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:32:51.503 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:32:51.503 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:33:07.606 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:33:07.606 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:33:23.711 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:33:23.711 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:33:39.814 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:33:39.814 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:33:55.918 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:33:55.918 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:34:12.021 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:34:12.021 - error: modbus.1 (1202) Client in error state.

2026-04-25 16:34:28.123 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:34:28.123 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:34:44.230 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:34:44.230 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 16:35:00.019 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 22910
2026-04-25 16:35:00.122 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 16:35:00.333 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:35:00.333 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:35:03.968 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 16:35:16.437 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:35:16.437 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:35:24.543 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 22910 terminated with code 0
(NO_ERROR)
2026-04-25 16:35:30.074 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 16:35:30.213 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 16:35:32.540 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:35:32.540 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:35:48.644 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:35:48.644 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:36:04.746 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:36:04.746 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:36:20.850 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:36:20.850 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:36:36.953 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:36:36.953 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:36:53.058 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:36:53.058 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:37:09.162 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:37:09.162 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:37:25.267 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:37:25.267 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:37:41.375 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:37:41.375 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:37:57.482 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:37:57.482 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:38:13.586 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:38:13.586 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:38:29.687 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:38:29.687 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:38:45.791 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:38:45.791 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:39:01.896 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:39:01.896 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:39:17.998 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:39:17.998 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 16:39:34.106 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:39:34.107 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:39:50.210 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:39:50.211 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:40:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 23166
2026-04-25 16:40:00.087 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 16:40:04.211 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 16:40:06.314 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:40:06.314 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:40:22.419 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:40:22.419 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:40:30.350 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 16:40:30.665 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 16:40:33.766 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 23166 terminated with code 0
(NO_ERROR)
2026-04-25 16:40:38.523 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:40:38.523 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:40:54.628 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:40:54.628 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:41:10.733 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:41:10.733 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:41:26.837 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:41:26.837 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:41:42.940 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:41:42.940 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:41:59.044 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:41:59.044 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:42:15.149 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:42:15.149 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:42:31.253 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:42:31.253 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:42:47.358 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:42:47.358 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:43:03.465 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:43:03.465 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:43:19.568 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:43:19.568 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:43:35.672 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:43:35.672 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:43:51.775 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:43:51.775 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 16:44:07.879 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:44:07.879 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:44:23.982 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:44:23.982 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:44:40.085 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:44:40.085 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:44:56.188 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:44:56.188 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:45:00.011 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 23421
2026-04-25 16:45:00.093 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 16:45:04.105 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 16:45:12.292 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:45:12.292 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:45:17.244 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 23421 terminated with code 0
(NO_ERROR)
2026-04-25 16:45:28.396 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:45:28.396 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:45:30.071 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 16:45:30.161 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 16:45:44.505 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:45:44.505 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:46:00.610 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:46:00.610 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:46:16.715 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:46:16.715 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:46:32.820 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:46:32.820 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:46:48.928 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:46:48.928 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:47:05.031 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:47:05.031 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:47:21.134 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:47:21.134 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:47:37.237 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:47:37.237 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:47:53.343 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:47:53.343 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:48:09.447 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:48:09.448 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:48:25.551 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:48:25.551 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 16:48:41.655 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:48:41.655 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:48:57.760 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:48:57.760 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:49:13.865 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:49:13.865 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:49:29.971 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:49:29.971 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:49:46.076 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:49:46.077 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:50:00.015 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 23676
2026-04-25 16:50:00.096 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 16:50:02.178 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:50:02.178 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:50:04.125 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 16:50:18.281 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:50:18.281 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:50:29.225 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 23676 terminated with code 0
(NO_ERROR)
2026-04-25 16:50:30.086 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 16:50:30.239 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 16:50:34.386 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:50:34.387 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:50:50.491 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:50:50.491 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:51:06.596 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:51:06.596 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:51:22.699 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:51:22.699 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:51:38.803 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:51:38.803 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:51:54.909 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:51:54.909 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:52:11.015 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:52:11.015 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:52:27.119 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:52:27.119 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:52:43.122 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:52:43.122 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:52:59.225 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:52:59.225 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 16:53:15.328 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:53:15.329 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:53:31.431 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:53:31.431 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:53:47.434 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:53:47.435 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:54:03.537 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:54:03.537 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:54:19.639 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:54:19.639 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:54:35.744 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:54:35.745 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:54:51.849 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:54:51.850 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:55:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 23932
2026-04-25 16:55:00.134 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 16:55:04.222 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 16:55:07.953 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:55:07.953 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:55:24.058 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:55:24.058 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:55:30.034 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 16:55:30.344 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 16:55:36.764 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 23932 terminated with code 0
(NO_ERROR)
2026-04-25 16:55:40.163 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:55:40.164 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:55:56.269 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:55:56.269 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:56:12.371 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:56:12.371 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:56:28.474 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:56:28.474 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:56:44.578 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:56:44.578 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:57:00.681 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:57:00.681 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:57:16.786 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:57:16.786 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:57:32.891 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:57:32.891 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 16:57:48.994 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:57:48.994 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:58:05.099 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:58:05.099 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:58:21.204 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:58:21.204 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:58:37.314 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:58:37.314 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:58:53.418 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:58:53.418 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:59:09.521 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:59:09.521 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:59:25.624 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:59:25.624 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:59:41.728 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:59:41.728 - error: modbus.1 (1202) Client in error state.
2026-04-25 16:59:57.831 - error: modbus.1 (1202) Request timed out.
2026-04-25 16:59:57.832 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:00:00.011 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 24189
2026-04-25 17:00:00.152 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 17:00:03.653 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 17:00:13.935 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:00:13.935 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:00:22.039 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 24189 terminated with code 0
(NO_ERROR)
2026-04-25 17:00:30.040 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:00:30.040 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:00:30.045 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 17:00:30.183 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 17:00:46.144 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:00:46.144 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:01:02.249 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:01:02.249 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:01:18.352 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:01:18.353 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:01:34.458 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:01:34.458 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:01:50.463 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:01:50.463 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:02:06.567 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:02:06.568 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 17:02:22.671 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:02:22.671 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:02:38.774 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:02:38.774 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:02:54.775 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:02:54.775 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:03:10.879 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:03:10.880 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:03:26.984 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:03:26.984 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:03:43.088 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:03:43.088 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:03:59.195 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:03:59.195 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:04:15.301 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:04:15.301 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:04:31.406 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:04:31.406 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:04:47.513 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:04:47.513 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:05:00.019 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 24432
2026-04-25 17:05:00.088 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 17:05:03.617 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:05:03.617 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:05:04.329 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 17:05:19.723 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:05:19.723 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:05:30.051 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 17:05:30.169 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 17:05:35.829 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:05:35.829 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:05:36.539 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 24432 terminated with code 0
(NO_ERROR)
2026-04-25 17:05:51.932 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:05:51.932 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:06:08.034 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:06:08.034 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:06:24.136 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:06:24.136 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:06:40.240 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:06:40.241 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 17:06:56.345 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:06:56.345 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:07:12.449 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:07:12.449 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:07:28.554 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:07:28.554 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:07:44.660 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:07:44.660 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:08:00.765 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:08:00.765 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:08:16.868 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:08:16.869 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:08:32.970 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:08:32.970 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:08:49.074 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:08:49.074 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:09:05.178 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:09:05.178 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:09:21.282 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:09:21.282 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:09:37.384 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:09:37.385 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:09:53.489 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:09:53.489 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:10:00.012 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 24688
2026-04-25 17:10:00.090 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 17:10:04.515 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 17:10:09.598 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:10:09.598 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:10:23.010 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 24688 terminated with code 0
(NO_ERROR)
2026-04-25 17:10:25.703 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:10:25.704 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:10:30.048 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 17:10:30.173 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 17:10:41.808 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:10:41.808 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:10:57.915 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:10:57.915 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:11:14.018 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:11:14.018 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 17:11:30.124 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:11:30.124 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:11:46.228 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:11:46.228 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:12:02.333 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:12:02.333 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:12:18.436 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:12:18.436 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:12:34.541 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:12:34.541 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:12:50.646 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:12:50.647 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:13:06.752 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:13:06.752 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:13:22.856 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:13:22.856 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:13:38.960 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:13:38.960 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:13:55.065 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:13:55.065 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:14:11.166 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:14:11.166 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:14:27.269 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:14:27.269 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:14:43.373 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:14:43.373 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:14:59.475 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:14:59.475 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:15:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 24944
2026-04-25 17:15:00.145 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 17:15:04.243 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 17:15:15.580 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:15:15.580 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:15:15.786 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 24944 terminated with code 0
(NO_ERROR)
2026-04-25 17:15:30.036 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 16
2026-04-25 17:15:30.154 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 16
2026-04-25 17:15:31.684 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:15:31.684 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:15:47.790 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 17:15:47.790 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:16:03.894 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:16:03.894 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:16:19.997 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:16:19.997 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:16:36.102 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:16:36.103 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:16:52.207 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:16:52.207 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:17:08.310 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:17:08.310 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:17:24.413 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:17:24.413 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:17:40.517 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:17:40.517 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:17:56.621 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:17:56.621 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:18:12.725 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:18:12.726 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:18:28.831 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:18:28.831 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:18:44.934 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:18:44.934 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:19:01.043 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:19:01.043 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:19:17.147 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:19:17.147 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:19:33.252 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:19:33.252 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:19:49.358 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:19:49.359 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:20:00.015 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 25200
2026-04-25 17:20:00.231 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 17:20:04.367 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 17:20:05.461 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:20:05.461 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:20:13.250 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 25200 terminated with code 0
(NO_ERROR)
2026-04-25 17:20:21.566 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:20:21.566 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:20:30.033 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 15
2026-04-25 17:20:30.151 - debug: javascript.0 (206) script.js.common.go-
```

E_V3_Debug: # go-E allow ampere: 15

```
2026-04-25 17:20:37.669 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:20:37.669 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:20:53.774 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:20:53.774 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:21:09.877 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:21:09.877 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:21:25.984 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:21:25.984 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:21:42.096 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:21:42.096 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:21:58.200 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:21:58.200 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:22:14.306 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:22:14.306 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:22:30.411 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:22:30.411 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:22:46.516 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:22:46.516 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:23:02.619 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:23:02.619 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:23:18.724 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:23:18.724 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:23:34.828 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:23:34.828 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:23:50.934 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:23:50.934 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:24:07.041 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:24:07.041 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:24:23.145 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:24:23.145 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:24:39.250 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:24:39.250 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:24:55.356 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:24:55.356 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:25:00.012 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 25456
2026-04-25 17:25:11.463 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:25:11.463 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:25:27.568 - error: modbus.1 (1202) Request timed out.

2026-04-25 17:25:27.568 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:25:38.395 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 25456 terminated with code 0
(NO_ERROR)
2026-04-25 17:25:43.690 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:25:43.690 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 17:25:59.793 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:25:59.793 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:26:15.896 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:26:15.896 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:26:32.000 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:26:32.000 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:26:48.103 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:26:48.104 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:27:04.207 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:27:04.207 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:27:20.311 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:27:20.311 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:27:36.414 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:27:36.414 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:27:52.519 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:27:52.519 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:28:08.624 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:28:08.624 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:28:24.726 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:28:24.726 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:28:40.835 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:28:40.835 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:28:56.937 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:28:56.937 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:29:13.040 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:29:13.041 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:29:29.144 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:29:29.144 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:29:45.248 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:29:45.248 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:30:00.015 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 25712
2026-04-25 17:30:01.353 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:30:01.353 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:30:17.457 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:30:17.457 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:30:27.807 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 25712 terminated with code 0
(NO_ERROR)
2026-04-25 17:30:33.562 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:30:33.562 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:30:49.667 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:30:49.667 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:31:05.771 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:31:05.771 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:31:21.874 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 17:31:21.874 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:31:37.981 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:31:37.981 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:31:54.102 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:31:54.102 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:32:10.205 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:32:10.205 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:32:26.309 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:32:26.309 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:32:42.413 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:32:42.413 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:32:58.517 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:32:58.517 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:33:14.621 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:33:14.621 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:33:30.726 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:33:30.726 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:33:46.830 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:33:46.830 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:34:02.933 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:34:02.933 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:34:19.037 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:34:19.037 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:34:35.141 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:34:35.141 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:34:51.243 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:34:51.243 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:35:00.025 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 25968
2026-04-25 17:35:07.348 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:35:07.348 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:35:23.454 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:35:23.454 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:35:32.631 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 25968 terminated with code 0
(NO_ERROR)
2026-04-25 17:35:39.559 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:35:39.559 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:35:55.663 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:35:55.663 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:36:11.768 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:36:11.768 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:36:27.872 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:36:27.872 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:36:43.981 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:36:43.981 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 17:37:00.083 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:37:00.084 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:37:16.187 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:37:16.187 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:37:32.291 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:37:32.291 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:37:48.395 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:37:48.395 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:38:04.499 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:38:04.499 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:38:20.604 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:38:20.604 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:38:36.709 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:38:36.709 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:38:52.814 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:38:52.814 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:39:08.919 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:39:08.919 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:39:25.025 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:39:25.025 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:39:41.134 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:39:41.134 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:39:57.237 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:39:57.237 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:40:00.031 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 26223
2026-04-25 17:40:13.082 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 26223 terminated with code 0
(NO_ERROR)
2026-04-25 17:40:13.341 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:40:13.341 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:40:29.445 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:40:29.445 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:40:45.548 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:40:45.548 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:41:01.652 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:41:01.652 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:41:17.757 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:41:17.757 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:41:33.861 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:41:33.861 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:41:49.965 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:41:49.965 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:42:06.070 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:42:06.070 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:42:22.177 - error: modbus.1 (1202) Request timed out.
```

2026-04-25 17:42:22.177 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 17:42:38.279 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 17:42:38.279 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 17:42:54.381 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 17:42:54.381 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 17:43:10.484 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 17:43:10.484 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 17:43:26.588 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 17:43:26.588 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 17:43:42.690 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 17:43:42.691 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 17:43:58.797 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 17:43:58.797 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 17:44:14.902 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 17:44:14.902 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 17:44:31.007 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 17:44:31.007 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 17:44:47.112 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 17:44:47.112 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 17:45:00.015 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 26480
2026-04-25 17:45:03.217 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 17:45:03.217 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 17:45:19.321 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 17:45:19.321 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 17:45:32.938 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 26480 terminated with code 0 (NO_ERROR)
2026-04-25 17:45:35.426 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 17:45:35.426 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 17:45:51.528 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 17:45:51.528 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 17:46:07.632 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 17:46:07.632 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 17:46:23.739 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 17:46:23.739 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 17:46:39.842 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 17:46:39.842 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 17:46:55.947 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 17:46:55.948 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 17:47:12.052 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 17:47:12.052 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 17:47:28.155 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 17:47:28.155 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 17:47:44.259 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 17:47:44.259 - **error**: modbus.1 (1202) Client in error state.

```
2026-04-25 17:48:00.365 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:48:00.365 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:48:16.468 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:48:16.468 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:48:32.572 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:48:32.572 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:48:48.676 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:48:48.676 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:49:04.781 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:49:04.781 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:49:20.885 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:49:20.885 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:49:36.989 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:49:36.990 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:49:53.093 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:49:53.093 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:50:00.015 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 26734
2026-04-25 17:50:09.198 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:50:09.198 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:50:20.509 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 26734 terminated with code 0
(NO_ERROR)
2026-04-25 17:50:25.303 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:50:25.304 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:50:41.409 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:50:41.409 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:50:57.514 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:50:57.514 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:51:13.619 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:51:13.619 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:51:29.724 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:51:29.724 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:51:45.832 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:51:45.832 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:52:01.936 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:52:01.936 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:52:18.039 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:52:18.039 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:52:34.144 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:52:34.145 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:52:50.249 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:52:50.249 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:53:06.353 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:53:06.353 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:53:22.459 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 17:53:22.459 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:53:38.565 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:53:38.565 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:53:54.670 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:53:54.670 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:54:10.774 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:54:10.774 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:54:26.877 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:54:26.877 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:54:42.986 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:54:42.986 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:54:59.092 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:54:59.092 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:55:00.015 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 26990
2026-04-25 17:55:15.197 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:55:15.197 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:55:25.530 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 26990 terminated with code 0
(NO_ERROR)
2026-04-25 17:55:31.303 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:55:31.303 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:55:47.407 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:55:47.407 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:56:03.511 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:56:03.511 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:56:19.616 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:56:19.616 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:56:35.721 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:56:35.721 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:56:51.827 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:56:51.827 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:57:07.930 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:57:07.930 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:57:24.034 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:57:24.034 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:57:40.141 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:57:40.141 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:57:56.245 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:57:56.245 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:58:12.348 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:58:12.348 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:58:28.451 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:58:28.452 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:58:44.557 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:58:44.557 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 17:59:00.663 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:59:00.663 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:59:16.768 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:59:16.768 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:59:32.874 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:59:32.874 - error: modbus.1 (1202) Client in error state.
2026-04-25 17:59:48.979 - error: modbus.1 (1202) Request timed out.
2026-04-25 17:59:48.979 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:00:00.016 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 27235
2026-04-25 18:00:05.083 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:00:05.083 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:00:21.187 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:00:21.187 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:00:34.834 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 27235 terminated with code 0
(NO_ERROR)
2026-04-25 18:00:37.289 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:00:37.289 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:00:53.393 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:00:53.393 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:01:09.497 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:01:09.497 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:01:25.601 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:01:25.601 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:01:41.710 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:01:41.710 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:01:57.817 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:01:57.817 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:02:13.922 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:02:13.922 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:02:30.028 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:02:30.028 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:02:46.139 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:02:46.139 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:03:02.242 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:03:02.242 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:03:18.345 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:03:18.345 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:03:34.448 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:03:34.448 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:03:50.555 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:03:50.555 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:04:06.658 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:04:06.659 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:04:22.763 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 18:04:22.763 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:04:38.870 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:04:38.870 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:04:54.977 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:04:54.977 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:05:00.016 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 27490
2026-04-25 18:05:11.080 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:05:11.080 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:05:27.185 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:05:27.185 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:05:37.987 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 27490 terminated with code 0
(NO_ERROR)
2026-04-25 18:05:43.287 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:05:43.288 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:05:59.390 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:05:59.390 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:06:15.493 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:06:15.493 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:06:31.596 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:06:31.597 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:06:47.699 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:06:47.699 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:07:03.804 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:07:03.804 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:07:19.909 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:07:19.909 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:07:36.013 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:07:36.013 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:07:52.134 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:07:52.134 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:08:08.238 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:08:08.238 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:08:24.342 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:08:24.342 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:08:40.445 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:08:40.445 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:08:56.548 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:08:56.548 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:09:12.650 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:09:12.650 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:09:28.755 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:09:28.755 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:09:44.857 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:09:44.858 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 18:10:00.015 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 27747
2026-04-25 18:10:00.961 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:10:00.961 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:10:16.109 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 27747 terminated with code 0
(NO_ERROR)
2026-04-25 18:10:17.064 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:10:17.064 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:10:33.168 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:10:33.168 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:10:49.274 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:10:49.274 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:11:05.380 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:11:05.381 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:11:21.486 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:11:21.486 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:11:37.487 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:11:37.487 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:11:53.590 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:11:53.590 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:12:09.692 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:12:09.692 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:12:25.795 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:12:25.795 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:12:41.899 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:12:41.899 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:12:58.002 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:12:58.002 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:13:14.106 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:13:14.106 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:13:30.211 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:13:30.212 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:13:46.316 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:13:46.316 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:14:02.421 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:14:02.421 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:14:18.530 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:14:18.530 - error: modbus.1 (1202) Client in error state.

2026-04-25 18:14:34.632 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:14:34.632 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:14:50.736 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:14:50.736 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:15:00.024 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 28004
2026-04-25 18:15:06.840 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 18:15:06.840 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:15:22.947 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:15:22.947 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:15:25.852 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 28004 terminated with code 0
(NO_ERROR)
2026-04-25 18:15:39.055 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:15:39.055 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:15:55.160 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:15:55.160 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:16:11.265 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:16:11.265 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:16:27.370 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:16:27.370 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:16:43.473 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:16:43.473 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:16:59.580 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:16:59.580 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:17:15.685 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:17:15.685 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:17:31.789 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:17:31.789 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:17:47.894 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:17:47.894 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:18:03.995 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:18:03.995 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:18:20.099 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:18:20.099 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:18:36.204 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:18:36.204 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:18:52.309 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:18:52.309 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:19:08.414 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:19:08.414 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:19:24.520 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:19:24.520 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:19:40.624 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:19:40.624 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:19:56.729 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:19:56.729 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:20:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 28261
2026-04-25 18:20:12.834 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:20:12.834 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:20:28.938 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:20:28.938 - error: modbus.1 (1202) Client in error state.
```

2026-04-25 18:20:29.097 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 28261 terminated with code 0 (NO_ERROR)

2026-04-25 18:20:45.042 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 18:20:45.042 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 18:21:01.146 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 18:21:01.147 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 18:21:17.248 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 18:21:17.248 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 18:21:33.350 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 18:21:33.351 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 18:21:49.454 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 18:21:49.454 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 18:22:05.559 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 18:22:05.559 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 18:22:21.663 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 18:22:21.663 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 18:22:37.769 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 18:22:37.769 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 18:22:53.875 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 18:22:53.875 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 18:23:09.978 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 18:23:09.978 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 18:23:26.080 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 18:23:26.080 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 18:23:42.189 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 18:23:42.189 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 18:23:58.292 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 18:23:58.293 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 18:24:14.395 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 18:24:14.396 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 18:24:30.499 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 18:24:30.500 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 18:24:46.603 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 18:24:46.604 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 18:25:00.516 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 28517

2026-04-25 18:25:02.707 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 18:25:02.707 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 18:25:12.026 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 28517 terminated with code 0 (NO_ERROR)

2026-04-25 18:25:18.811 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 18:25:18.811 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 18:25:34.920 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 18:25:34.920 - **error**: modbus.1 (1202) Client in error state.

```
2026-04-25 18:25:51.027 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:25:51.027 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:26:07.130 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:26:07.130 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:26:23.232 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:26:23.232 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:26:39.339 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:26:39.339 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:26:55.443 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:26:55.443 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:27:11.547 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:27:11.547 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:27:27.650 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:27:27.650 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:27:43.754 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:27:43.754 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:27:59.861 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:27:59.861 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:28:15.967 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:28:15.967 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:28:32.072 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:28:32.072 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:28:48.177 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:28:48.177 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:29:04.280 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:29:04.280 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:29:20.384 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:29:20.384 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:29:36.490 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:29:36.490 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:29:52.593 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:29:52.594 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:30:00.019 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 28772
2026-04-25 18:30:08.698 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:30:08.698 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:30:24.801 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:30:24.801 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:30:27.250 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 28772 terminated with code 0
(NO_ERROR)
2026-04-25 18:30:40.805 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:30:40.805 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:30:56.909 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:30:56.909 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:31:13.013 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 18:31:13.013 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:31:29.118 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:31:29.118 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:31:45.222 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:31:45.222 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:32:01.333 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:32:01.333 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:32:17.445 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:32:17.445 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:32:33.552 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:32:33.552 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:32:49.655 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:32:49.655 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:33:05.759 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:33:05.760 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:33:21.862 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:33:21.862 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:33:37.966 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:33:37.966 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:33:54.071 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:33:54.071 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:34:10.174 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:34:10.174 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:34:26.278 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:34:26.278 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:34:42.382 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:34:42.382 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:34:58.484 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:34:58.485 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:35:00.014 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 29029
2026-04-25 18:35:14.587 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:35:14.588 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:35:23.293 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 29029 terminated with code 0
(NO_ERROR)
2026-04-25 18:35:30.689 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:35:30.690 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:35:46.793 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:35:46.794 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:36:02.898 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:36:02.898 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:36:19.004 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:36:19.004 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:36:35.109 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:36:35.109 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 18:36:51.214 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:36:51.214 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:37:07.318 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:37:07.318 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:37:23.421 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:37:23.421 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:37:39.525 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:37:39.525 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:37:55.628 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:37:55.628 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:38:11.732 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:38:11.732 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:38:27.836 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:38:27.836 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:38:43.939 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:38:43.939 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:39:00.044 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:39:00.044 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:39:16.149 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:39:16.149 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:39:32.252 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:39:32.252 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:39:48.358 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:39:48.358 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:40:00.028 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 29284
2026-04-25 18:40:04.466 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:40:04.466 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:40:20.579 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:40:20.579 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:40:36.683 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:40:36.683 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:40:38.937 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 29284 terminated with code 0
(NO_ERROR)
2026-04-25 18:40:52.787 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:40:52.787 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:41:08.889 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:41:08.889 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:41:24.993 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:41:24.993 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:41:41.096 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:41:41.096 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:41:57.200 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:41:57.200 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:42:13.304 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 18:42:13.304 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:42:29.410 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:42:29.410 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:42:45.513 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:42:45.513 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:43:01.618 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:43:01.618 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:43:17.724 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:43:17.724 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:43:33.828 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:43:33.828 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:43:49.931 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:43:49.931 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:44:06.035 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:44:06.035 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:44:22.139 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:44:22.139 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:44:38.245 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:44:38.245 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:44:54.349 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:44:54.350 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:45:00.016 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 29528
2026-04-25 18:45:09.931 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 29528 terminated with code 0
(NO_ERROR)
2026-04-25 18:45:10.453 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:45:10.453 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:45:26.576 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:45:26.576 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:45:42.681 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:45:42.681 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:45:58.786 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:45:58.786 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:46:14.890 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:46:14.890 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:46:30.994 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:46:30.994 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:46:47.099 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:46:47.099 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:47:03.203 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:47:03.203 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:47:19.306 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:47:19.307 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:47:35.409 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:47:35.410 - error: modbus.1 (1202) Client in error state.
```

2026-04-25 18:47:51.514 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 18:47:51.514 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 18:48:07.618 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 18:48:07.618 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 18:48:23.724 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 18:48:23.724 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 18:48:39.828 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 18:48:39.829 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 18:48:55.933 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 18:48:55.933 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 18:49:12.036 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 18:49:12.037 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 18:49:28.141 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 18:49:28.141 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 18:49:44.244 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 18:49:44.244 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 18:50:00.013 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 29786
2026-04-25 18:50:00.348 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 18:50:00.348 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 18:50:16.453 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 18:50:16.453 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 18:50:22.936 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 29786 terminated with code 0 (NO_ERROR)
2026-04-25 18:50:32.571 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 18:50:32.571 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 18:50:48.674 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 18:50:48.674 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 18:51:04.780 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 18:51:04.780 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 18:51:20.887 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 18:51:20.887 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 18:51:36.993 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 18:51:36.993 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 18:51:53.098 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 18:51:53.098 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 18:52:09.201 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 18:52:09.201 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 18:52:25.305 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 18:52:25.305 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 18:52:41.408 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 18:52:41.408 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 18:52:57.512 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 18:52:57.512 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 18:53:13.614 - **error**: modbus.1 (1202) Request timed out.

```
2026-04-25 18:53:13.614 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:53:19.051 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 6
2026-04-25 18:53:19.126 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow ampere: 6
2026-04-25 18:53:29.719 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:53:29.719 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:53:45.823 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:53:45.823 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:54:01.928 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:54:01.928 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:54:18.032 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:54:18.032 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:54:34.137 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:54:34.137 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:54:50.241 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:54:50.241 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:55:00.017 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 30042
2026-04-25 18:55:06.345 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:55:06.345 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:55:22.452 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:55:22.452 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:55:27.928 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 30042 terminated with code 0
(NO_ERROR)
2026-04-25 18:55:38.569 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:55:38.569 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:55:54.672 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:55:54.672 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:56:10.776 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:56:10.776 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:56:26.880 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:56:26.881 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:56:42.984 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:56:42.985 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:56:59.089 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:56:59.089 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:57:15.193 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:57:15.193 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:57:31.299 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:57:31.299 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:57:47.404 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:57:47.405 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:58:03.507 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:58:03.507 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 18:58:19.611 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:58:19.611 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:58:35.716 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:58:35.716 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:58:51.819 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:58:51.819 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:59:07.922 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:59:07.922 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:59:24.026 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:59:24.026 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:59:40.131 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:59:40.131 - error: modbus.1 (1202) Client in error state.
2026-04-25 18:59:56.237 - error: modbus.1 (1202) Request timed out.
2026-04-25 18:59:56.237 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:00:00.016 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 30298
2026-04-25 19:00:12.342 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:00:12.342 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:00:17.776 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 30298 terminated with code 0
(NO_ERROR)
2026-04-25 19:00:28.447 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:00:28.447 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:00:44.552 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:00:44.552 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:01:00.654 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:01:00.654 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:01:16.760 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:01:16.760 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:01:32.863 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:01:32.863 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:01:48.971 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:01:48.971 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:02:05.076 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:02:05.076 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:02:21.182 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:02:21.182 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:02:37.287 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:02:37.287 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:02:53.391 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:02:53.392 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:03:09.504 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:03:09.504 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:03:25.609 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:03:25.609 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:03:41.712 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 19:03:41.712 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:03:57.815 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:03:57.815 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:04:13.919 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:04:13.919 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:04:30.022 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:04:30.022 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:04:46.125 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:04:46.126 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:05:00.014 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 30555
2026-04-25 19:05:02.229 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:05:02.230 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:05:18.059 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 30555 terminated with code 0
(NO_ERROR)
2026-04-25 19:05:18.332 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:05:18.332 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:05:34.437 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:05:34.437 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:05:50.544 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:05:50.544 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:06:06.648 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:06:06.648 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:06:22.751 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:06:22.751 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:06:38.854 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:06:38.854 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:06:54.961 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:06:54.961 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:07:10.963 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:07:10.964 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:07:27.067 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:07:27.068 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:07:43.170 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:07:43.170 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:07:59.274 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:07:59.274 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:08:15.383 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:08:15.384 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:08:31.489 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:08:31.489 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:08:47.594 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:08:47.594 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:09:03.699 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:09:03.699 - error: modbus.1 (1202) Client in error state.
```

2026-04-25 19:09:19.804 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:09:19.804 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:09:35.908 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:09:35.908 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:09:52.011 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:09:52.011 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:10:00.014 - **info**: host.iobroker-iobroker-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 30811
2026-04-25 19:10:08.013 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:10:08.013 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:10:23.034 - **info**: host.iobroker-iobroker-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 30811 terminated with code 0 (NO_ERROR)
2026-04-25 19:10:24.118 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:10:24.118 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:10:40.222 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:10:40.222 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:10:56.326 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:10:56.326 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:11:12.429 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:11:12.429 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:11:19.279 - **debug**: javascript.0 (206) script.js.common.Pool: , P-Fronius: 2684, Überschuss: 194.7
2026-04-25 19:11:19.279 - **debug**: javascript.0 (206) script.js.common.Pool: Pool - PV hat NICHT genug Überschuss für die Pumpe, PVFroniusÜ: 194.7, PVFronius: 2684
2026-04-25 19:11:20.279 - **debug**: javascript.0 (206) script.js.common.Pool: , P-Fronius: 2681, Überschuss: 351.1
2026-04-25 19:11:20.280 - **debug**: javascript.0 (206) script.js.common.Pool: Pool - PV hat NICHT genug Überschuss für die Heizung, PVFroniusÜ: 351.1, PVFronius: 2681
2026-04-25 19:11:28.530 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:11:28.531 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:11:44.639 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:11:44.639 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:12:00.743 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:12:00.743 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:12:16.846 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:12:16.846 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:12:32.951 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:12:32.951 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:12:49.055 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:12:49.055 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:13:05.159 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:13:05.159 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:13:21.262 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:13:21.262 - **error**: modbus.1 (1202) Client in error state.

```
2026-04-25 19:13:37.365 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:13:37.365 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:13:53.467 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:13:53.467 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:14:09.572 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:14:09.573 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:14:25.676 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:14:25.676 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:14:41.783 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:14:41.783 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:14:57.886 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:14:57.886 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:15:00.012 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 31067
2026-04-25 19:15:13.890 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:15:13.890 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:15:21.524 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 31067 terminated with code 0
(NO_ERROR)
2026-04-25 19:15:29.995 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:15:29.995 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:15:46.100 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:15:46.101 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:16:02.204 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:16:02.204 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:16:18.307 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:16:18.307 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:16:19.421 - debug: javascript.0 (206) script.js.common.Pool: , P-
Fronius: 2216, Überschuss: 1985
2026-04-25 19:16:19.421 - debug: javascript.0 (206) script.js.common.Pool: Pool
- PV hat genug Überschuss für die Pumpe
2026-04-25 19:16:34.410 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:16:34.410 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:16:50.513 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:16:50.513 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:17:06.618 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:17:06.618 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:17:22.722 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:17:22.722 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:17:38.829 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:17:38.829 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:17:54.934 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:17:54.934 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:18:10.939 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:18:10.939 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:18:27.043 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 19:18:27.043 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:18:43.147 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:18:43.147 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:18:59.252 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:18:59.252 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:19:15.355 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:19:15.356 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:19:31.459 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:19:31.459 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:19:47.564 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:19:47.564 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:20:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 31324
2026-04-25 19:20:03.670 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:20:03.670 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:20:19.778 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:20:19.778 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:20:28.709 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 31324 terminated with code 0
(NO_ERROR)
2026-04-25 19:20:35.883 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:20:35.883 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:20:51.986 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:20:51.986 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:21:08.092 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:21:08.092 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:21:24.196 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:21:24.196 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:21:40.302 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:21:40.303 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:21:47.225 - debug: javascript.0 (206) script.js.common.Pool: , P-
Fronius: 1591, Überschuss: 176.5
2026-04-25 19:21:47.225 - debug: javascript.0 (206) script.js.common.Pool: Pool
- PV hat NICHT genug Überschuss für die Pumpe, PVFroniusÜ: 176.5, PVFronius:
1591
2026-04-25 19:21:56.406 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:21:56.406 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:22:12.509 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:22:12.509 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:22:28.614 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:22:28.614 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:22:44.718 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:22:44.718 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:23:00.822 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:23:00.822 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:23:16.926 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:23:16.926 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 19:23:33.030 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:23:33.031 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:23:49.134 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:23:49.134 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:24:05.239 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:24:05.239 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:24:21.345 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:24:21.345 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:24:30.021 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E access state: 1
2026-04-25 19:24:30.023 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E allow charging: 0
2026-04-25 19:24:30.138 - debug: javascript.0 (206) script.js.common.go-
E_V3_Debug: # go-E ampere pv: 0
2026-04-25 19:24:37.451 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:24:37.451 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:24:53.556 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:24:53.556 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:25:00.032 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 31580
2026-04-25 19:25:09.559 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:25:09.559 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:25:25.048 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 31580 terminated with code 0
(NO_ERROR)
2026-04-25 19:25:25.664 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:25:25.664 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:25:41.766 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:25:41.766 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:25:57.869 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:25:57.870 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:26:13.973 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:26:13.973 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:26:30.077 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:26:30.077 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:26:46.182 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:26:46.182 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:27:02.288 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:27:02.288 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:27:18.392 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:27:18.392 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:27:34.497 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:27:34.497 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:27:50.600 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:27:50.600 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:28:06.704 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:28:06.704 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 19:28:22.808 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:28:22.808 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:28:38.912 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:28:38.912 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:28:55.017 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:28:55.017 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:29:11.122 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:29:11.122 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:29:27.227 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:29:27.227 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:29:43.329 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:29:43.329 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:29:59.434 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:29:59.434 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:30:00.015 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 31837
2026-04-25 19:30:15.541 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:30:15.541 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:30:31.646 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:30:31.646 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:30:33.605 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 31837 terminated with code 0
(NO_ERROR)
2026-04-25 19:30:47.752 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:30:47.752 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:31:03.860 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:31:03.860 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:31:19.963 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:31:19.963 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:31:36.065 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:31:36.065 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:31:52.168 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:31:52.169 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:32:08.272 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:32:08.273 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:32:24.377 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:32:24.377 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:32:40.482 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:32:40.482 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:32:56.587 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:32:56.587 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:33:12.591 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:33:12.591 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:33:28.695 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:33:28.695 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:33:44.800 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 19:33:44.800 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:34:00.904 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:34:00.904 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:34:17.008 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:34:17.008 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:34:33.111 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:34:33.111 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:34:49.215 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:34:49.215 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:35:00.024 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 32083
2026-04-25 19:35:05.321 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:35:05.321 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:35:21.424 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:35:21.425 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:35:34.968 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 32083 terminated with code 0
(NO_ERROR)
2026-04-25 19:35:37.529 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:35:37.529 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:35:53.634 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:35:53.634 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:36:09.740 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:36:09.740 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:36:25.846 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:36:25.846 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:36:41.951 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:36:41.951 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:36:58.054 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:36:58.054 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:37:14.156 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:37:14.156 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:37:30.258 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:37:30.259 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:37:46.361 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:37:46.361 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:38:02.465 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:38:02.465 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:38:18.468 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:38:18.468 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:38:34.573 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:38:34.573 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:38:50.676 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:38:50.676 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:39:06.780 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:39:06.780 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 19:39:22.884 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:39:22.884 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:39:38.990 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:39:38.990 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:39:55.093 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:39:55.093 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:40:00.016 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 32339
2026-04-25 19:40:11.196 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:40:11.196 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:40:23.573 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 32339 terminated with code 0
(NO_ERROR)
2026-04-25 19:40:27.299 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:40:27.299 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:40:43.402 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:40:43.403 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:40:59.506 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:40:59.506 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:41:15.610 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:41:15.610 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:41:31.714 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:41:31.714 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:41:47.819 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:41:47.819 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:42:03.924 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:42:03.924 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:42:20.028 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:42:20.028 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:42:36.132 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:42:36.132 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:42:52.238 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:42:52.238 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:43:08.341 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:43:08.341 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:43:24.343 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:43:24.343 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:43:40.447 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:43:40.447 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:43:56.551 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:43:56.551 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:44:12.654 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:44:12.654 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:44:28.761 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:44:28.761 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:44:44.866 - error: modbus.1 (1202) Request timed out.
```

2026-04-25 19:44:44.866 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:45:00.012 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 32595
2026-04-25 19:45:00.970 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:45:00.970 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:45:17.075 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:45:17.075 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:45:33.179 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:45:33.179 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:45:38.196 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 32595 terminated with code 0 (NO_ERROR)
2026-04-25 19:45:49.285 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:45:49.286 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:46:05.390 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:46:05.390 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:46:21.493 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:46:21.493 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:46:37.595 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:46:37.595 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:46:53.699 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:46:53.700 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:47:09.804 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:47:09.804 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:47:25.911 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:47:25.911 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:47:42.016 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:47:42.016 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:47:58.118 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:47:58.118 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:48:14.223 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:48:14.223 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:48:30.326 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:48:30.326 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:48:46.430 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:48:46.430 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:49:02.536 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:49:02.536 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:49:18.640 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:49:18.640 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:49:34.744 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:49:34.744 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:49:50.846 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 19:49:50.846 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 19:50:00.014 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 448

```
2026-04-25 19:50:06.949 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:50:06.949 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:50:18.318 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 448 terminated with code 0
(NO_ERROR)
2026-04-25 19:50:23.053 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:50:23.053 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:50:39.158 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:50:39.158 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:50:55.264 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:50:55.264 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:51:11.369 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:51:11.369 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:51:27.373 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:51:27.373 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:51:43.477 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:51:43.477 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:51:59.584 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:51:59.584 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:52:15.687 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:52:15.687 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:52:31.792 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:52:31.792 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:52:47.895 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:52:47.895 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:53:03.999 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:53:04.000 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:53:20.104 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:53:20.104 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:53:36.209 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:53:36.210 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:53:52.314 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:53:52.314 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:54:08.417 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:54:08.417 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:54:24.522 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:54:24.522 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:54:40.628 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:54:40.628 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:54:56.732 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:54:56.732 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:55:00.018 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 782
2026-04-25 19:55:12.834 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:55:12.834 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:55:25.825 - info: host.iobroker-iobroker-1-1-1-1 instance
```

```
system.adapter.fuelpricemonitor.0 having pid 782 terminated with code 0
(NO_ERROR)
2026-04-25 19:55:28.942 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:55:28.942 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:55:45.046 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:55:45.046 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:56:01.149 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:56:01.149 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:56:17.253 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:56:17.254 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:56:33.356 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:56:33.356 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:56:49.459 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:56:49.459 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:57:05.563 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:57:05.563 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:57:21.668 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:57:21.668 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:57:37.773 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:57:37.773 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:57:53.880 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:57:53.880 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:58:09.984 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:58:09.984 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:58:26.087 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:58:26.087 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:58:42.205 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:58:42.206 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:58:58.308 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:58:58.308 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:59:14.414 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:59:14.414 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:59:30.519 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:59:30.519 - error: modbus.1 (1202) Client in error state.
2026-04-25 19:59:46.623 - error: modbus.1 (1202) Request timed out.
2026-04-25 19:59:46.623 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:00:00.022 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 1038
2026-04-25 20:00:02.727 - error: modbus.1 (1202) Request timed out.

2026-04-25 20:00:02.727 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:00:18.831 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:00:18.831 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:00:34.769 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 1038 terminated with code 0
(NO_ERROR)
2026-04-25 20:00:34.936 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 20:00:34.936 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:00:51.038 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:00:51.038 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:01:07.141 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:01:07.141 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:01:23.245 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:01:23.245 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:01:39.351 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:01:39.351 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:01:55.456 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:01:55.456 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:02:11.561 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:02:11.562 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:02:27.564 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:02:27.565 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:02:43.669 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:02:43.669 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:02:59.775 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:02:59.775 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:03:15.880 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:03:15.880 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:03:31.986 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:03:31.986 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:03:48.090 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:03:48.090 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:04:04.199 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:04:04.199 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:04:20.303 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:04:20.303 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:04:36.406 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:04:36.406 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:04:52.510 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:04:52.510 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:05:00.017 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 1304
2026-04-25 20:05:08.616 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:05:08.617 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:05:24.723 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:05:24.723 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:05:34.238 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 1304 terminated with code 0
(NO_ERROR)
2026-04-25 20:05:40.828 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:05:40.828 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:05:56.933 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:05:56.934 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 20:06:13.036 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:06:13.036 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:06:29.141 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:06:29.141 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:06:45.246 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:06:45.246 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:07:01.349 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:07:01.349 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:07:17.453 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:07:17.454 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:07:33.556 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:07:33.556 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:07:49.660 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:07:49.660 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:08:05.764 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:08:05.764 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:08:21.867 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:08:21.867 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:08:37.971 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:08:37.971 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:08:54.081 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:08:54.081 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:09:10.193 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:09:10.193 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:09:26.298 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:09:26.298 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:09:42.400 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:09:42.400 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:09:58.503 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:09:58.504 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:10:00.018 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 1561
2026-04-25 20:10:10.107 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 1561 terminated with code 0
(NO_ERROR)
2026-04-25 20:10:14.607 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:10:14.607 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:10:30.711 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:10:30.711 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:10:46.815 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:10:46.815 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:11:02.921 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:11:02.921 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:11:19.024 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:11:19.024 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:11:35.128 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 20:11:35.128 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:11:51.234 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:11:51.234 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:12:07.339 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:12:07.339 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:12:23.444 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:12:23.444 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:12:39.550 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:12:39.550 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:12:55.652 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:12:55.652 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:13:11.753 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:13:11.753 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:13:27.857 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:13:27.857 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:13:43.963 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:13:43.963 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:14:00.069 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:14:00.070 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:14:16.186 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:14:16.186 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:14:32.291 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:14:32.291 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:14:48.396 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:14:48.396 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:15:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 1817
2026-04-25 20:15:04.501 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:15:04.502 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:15:20.505 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:15:20.505 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:15:21.964 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 1817 terminated with code 0
(NO_ERROR)
2026-04-25 20:15:36.609 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:15:36.609 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:15:52.712 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:15:52.712 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:16:08.815 - error: modbus.1 (1202) Request timed out.

2026-04-25 20:16:08.816 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:16:24.919 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:16:24.920 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:16:41.026 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:16:41.026 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:16:57.130 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:16:57.130 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 20:17:13.233 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:17:13.233 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:17:29.338 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:17:29.338 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:17:45.442 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:17:45.442 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:18:01.546 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:18:01.547 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:18:17.650 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:18:17.650 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:18:33.753 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:18:33.753 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:18:49.856 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:18:49.856 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:19:05.960 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:19:05.960 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:19:22.067 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:19:22.067 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:19:38.179 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:19:38.179 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:19:54.284 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:19:54.284 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:20:00.015 - info: host.iobroker-iobroker-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 2061
2026-04-25 20:20:10.388 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:20:10.388 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:20:26.493 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:20:26.493 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:20:37.892 - info: host.iobroker-iobroker-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 2061 terminated with code 0
(NO_ERROR)
2026-04-25 20:20:42.598 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:20:42.598 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:20:58.703 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:20:58.703 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:21:14.807 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:21:14.807 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:21:30.910 - error: modbus.1 (1202) Request timed out.

2026-04-25 20:21:30.910 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:21:47.015 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:21:47.015 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:22:03.118 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:22:03.118 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:22:19.222 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:22:19.222 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 20:22:35.325 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:22:35.325 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:22:51.429 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:22:51.430 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:23:07.533 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:23:07.533 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:23:23.641 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:23:23.641 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:23:39.745 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:23:39.745 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:23:55.853 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:23:55.853 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:24:11.956 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:24:11.956 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:24:28.060 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:24:28.060 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:24:44.163 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:24:44.163 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:25:00.014 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 2316
2026-04-25 20:25:00.269 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:25:00.270 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:25:15.228 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 2316 terminated with code 0
(NO_ERROR)
2026-04-25 20:25:16.373 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:25:16.374 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:25:32.479 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:25:32.479 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:25:48.583 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:25:48.583 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:26:04.686 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:26:04.686 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:26:20.797 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:26:20.797 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:26:36.901 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:26:36.901 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:26:53.007 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:26:53.007 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:27:09.109 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:27:09.109 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:27:25.212 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:27:25.212 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:27:41.315 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:27:41.315 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:27:57.420 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 20:27:57.420 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:28:13.523 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:28:13.524 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:28:29.627 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:28:29.627 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:28:45.732 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:28:45.732 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:29:01.835 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:29:01.835 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:29:17.939 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:29:17.939 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:29:34.047 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:29:34.047 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:29:50.153 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:29:50.153 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:30:00.015 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 2572
2026-04-25 20:30:06.256 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:30:06.256 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:30:16.373 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 2572 terminated with code 0
(NO_ERROR)
2026-04-25 20:30:22.258 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:30:22.258 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:30:38.363 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:30:38.363 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:30:54.465 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:30:54.466 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:31:10.575 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:31:10.575 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:31:26.680 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:31:26.680 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:31:42.783 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:31:42.783 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:31:58.888 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:31:58.888 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:32:14.993 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:32:14.993 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:32:31.098 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:32:31.098 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:32:47.203 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:32:47.203 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:33:03.306 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:33:03.306 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:33:19.309 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:33:19.309 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 20:33:35.413 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:33:35.413 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:33:51.514 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:33:51.514 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:34:07.617 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:34:07.617 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:34:23.724 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:34:23.724 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:34:39.826 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:34:39.827 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:34:55.931 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:34:55.931 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:35:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 2828
2026-04-25 20:35:12.037 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:35:12.037 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:35:19.146 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 2828 terminated with code 0
(NO_ERROR)
2026-04-25 20:35:28.141 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:35:28.141 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:35:44.246 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:35:44.246 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:36:00.351 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:36:00.351 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:36:16.456 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:36:16.456 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:36:32.559 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:36:32.559 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:36:48.663 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:36:48.663 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:37:04.767 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:37:04.767 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:37:20.872 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:37:20.872 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:37:36.976 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:37:36.977 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:37:53.082 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:37:53.082 - error: modbus.1 (1202) Client in error state.

2026-04-25 20:38:09.185 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:38:09.185 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:38:25.290 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:38:25.290 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:38:41.395 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:38:41.395 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:38:57.500 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 20:38:57.500 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:39:13.604 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:39:13.604 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:39:29.707 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:39:29.707 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:39:45.811 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:39:45.811 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:40:00.016 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 3084
2026-04-25 20:40:01.915 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:40:01.916 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:40:10.057 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 3084 terminated with code 0
(NO_ERROR)
2026-04-25 20:40:18.018 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:40:18.019 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:40:34.123 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:40:34.123 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:40:50.234 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:40:50.235 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:41:06.340 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:41:06.340 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:41:22.446 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:41:22.446 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:41:23.176 - error: javascript.0 (206)
script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec
Pack 2
2026-04-25 20:41:32.148 - error: javascript.0 (206)
script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec
Pack 3
2026-04-25 20:41:38.550 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:41:38.550 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:41:41.166 - error: javascript.0 (206)
script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec
Pack 4
2026-04-25 20:41:54.653 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:41:54.653 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:42:10.756 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:42:10.756 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:42:26.859 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:42:26.859 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:42:31.164 - error: javascript.0 (206)
script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec
Pack 2
2026-04-25 20:42:42.963 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:42:42.963 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:42:59.068 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 20:42:59.068 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:43:15.172 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:43:15.172 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:43:31.275 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:43:31.275 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:43:47.379 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:43:47.379 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:44:03.482 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:44:03.482 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:44:07.190 - error: javascript.0 (206)
script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec
Pack 4
2026-04-25 20:44:19.586 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:44:19.586 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:44:35.691 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:44:35.691 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:44:51.797 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:44:51.797 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:45:00.025 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 3340
2026-04-25 20:45:07.901 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:45:07.901 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:45:10.003 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 3340 terminated with code 0
(NO_ERROR)
2026-04-25 20:45:24.008 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:45:24.008 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:45:40.115 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:45:40.115 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:45:56.226 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:45:56.226 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:46:12.331 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:46:12.331 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:46:28.433 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:46:28.433 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:46:44.539 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:46:44.539 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:47:00.643 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:47:00.643 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:47:16.647 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:47:16.647 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:47:22.186 - error: javascript.0 (206)
script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec
Pack 3
2026-04-25 20:47:32.753 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:47:32.753 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:47:48.857 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 20:47:48.858 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:48:04.959 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:48:04.959 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:48:21.064 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:48:21.064 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:48:37.168 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:48:37.168 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:48:53.272 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:48:53.272 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:49:09.377 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:49:09.377 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:49:25.482 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:49:25.482 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:49:41.587 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:49:41.588 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:49:57.693 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:49:57.693 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:50:00.014 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 3596
2026-04-25 20:50:13.803 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:50:13.803 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:50:29.434 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 3596 terminated with code 0
(NO_ERROR)
2026-04-25 20:50:29.909 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:50:29.909 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:50:46.012 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:50:46.012 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:50:47.614 - error: javascript.0 (206) Invalid read function for
"alias.0.Fronius.AC-Power": "Math.round(JSON.parse(val).value * 100) / 100" =>
Cannot read properties of null (reading 'value')
2026-04-25 20:50:47.615 - error: influxdb.0 (259) Invalid read function for
"alias.0.Fronius.AC-Power": "Math.round(JSON.parse(val).value * 100) / 100" =>
Cannot read properties of null (reading 'value')
2026-04-25 20:50:47.615 - error: web.0 (539) Invalid read function for
"alias.0.Fronius.AC-Power": "Math.round(JSON.parse(val).value * 100) / 100" =>
Cannot read properties of null (reading 'value')
2026-04-25 20:51:02.115 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:51:02.115 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:51:18.220 - error: modbus.1 (1202) Request timed out.

2026-04-25 20:51:18.221 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:51:34.323 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:51:34.323 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:51:50.429 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:51:50.429 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:52:06.534 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:52:06.534 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 20:52:22.637 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:52:22.638 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:52:38.742 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:52:38.742 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:52:54.847 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:52:54.847 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:53:10.952 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:53:10.952 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:53:27.057 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:53:27.057 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:53:43.159 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:53:43.159 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:53:59.261 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:53:59.261 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:54:15.370 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:54:15.370 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:54:31.474 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:54:31.474 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:54:47.578 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:54:47.578 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:55:00.012 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 3850
2026-04-25 20:55:03.683 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:55:03.683 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:55:10.616 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 3850 terminated with code 0
(NO_ERROR)
2026-04-25 20:55:19.788 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:55:19.788 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:55:35.891 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:55:35.891 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:55:51.996 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:55:51.996 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:56:08.101 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:56:08.101 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:56:24.204 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:56:24.204 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:56:40.307 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:56:40.308 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:56:56.410 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:56:56.410 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:57:12.514 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:57:12.515 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:57:28.617 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:57:28.618 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:57:44.723 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 20:57:44.723 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:58:00.826 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:58:00.826 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:58:16.929 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:58:16.929 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:58:33.041 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:58:33.042 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:58:49.145 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:58:49.145 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:59:05.250 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:59:05.250 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:59:21.356 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:59:21.357 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:59:32.044 - error: web.0 (539) Invalid read function for
"alias.0.Fronius.AC-Power": "Math.round(JSON.parse(val).value * 100) / 100" =>
Cannot read properties of null (reading 'value')
2026-04-25 20:59:37.459 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:59:37.460 - error: modbus.1 (1202) Client in error state.
2026-04-25 20:59:53.563 - error: modbus.1 (1202) Request timed out.
2026-04-25 20:59:53.563 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:00:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 4105
2026-04-25 21:00:09.666 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:00:09.666 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:00:25.770 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:00:25.770 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:00:38.446 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 4105 terminated with code 0
(NO_ERROR)
2026-04-25 21:00:41.873 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:00:41.874 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:00:57.978 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:00:57.978 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:01:14.082 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:01:14.082 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:01:30.187 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:01:30.187 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:01:46.291 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:01:46.291 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:02:02.396 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:02:02.396 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:02:18.503 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:02:18.503 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:02:34.605 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:02:34.605 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:02:50.710 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:02:50.710 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 21:03:06.814 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:03:06.814 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:03:22.917 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:03:22.917 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:03:39.034 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:03:39.035 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:03:55.139 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:03:55.139 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:04:11.243 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:04:11.243 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:04:27.348 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:04:27.348 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:04:43.451 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:04:43.451 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:04:59.555 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:04:59.555 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:05:00.012 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 4362
2026-04-25 21:05:15.558 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:05:15.558 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:05:24.275 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 4362 terminated with code 0
(NO_ERROR)
2026-04-25 21:05:31.663 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:05:31.663 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:05:47.766 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:05:47.766 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:06:03.869 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:06:03.870 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:06:19.971 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:06:19.971 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:06:36.075 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:06:36.075 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:06:52.180 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:06:52.180 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:07:08.284 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:07:08.284 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:07:24.388 - error: modbus.1 (1202) Request timed out.

2026-04-25 21:07:24.388 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:07:40.493 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:07:40.493 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:07:43.205 - error: javascript.0 (206)
script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec
Pack 2
2026-04-25 21:07:56.598 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:07:56.598 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 21:08:12.702 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:08:12.702 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:08:28.806 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:08:28.806 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:08:44.910 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:08:44.910 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:08:50.208 - error: javascript.0 (206)
script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec
Pack 2
2026-04-25 21:09:01.016 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:09:01.016 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:09:17.123 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:09:17.123 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:09:33.227 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:09:33.227 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:09:49.333 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:09:49.333 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:10:00.011 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 4608
2026-04-25 21:10:05.438 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:10:05.439 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:10:17.375 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 4608 terminated with code 0
(NO_ERROR)
2026-04-25 21:10:21.543 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:10:21.543 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:10:37.650 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:10:37.650 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:10:53.755 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:10:53.755 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:11:09.859 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:11:09.859 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:11:25.961 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:11:25.961 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:11:42.066 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:11:42.066 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:11:58.167 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:11:58.167 - error: modbus.1 (1202) Client in error state.

2026-04-25 21:12:14.271 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:12:14.271 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:12:30.374 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:12:30.374 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:12:46.480 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:12:46.480 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:13:02.584 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:13:02.585 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 21:13:18.687 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:13:18.687 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:13:34.790 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:13:34.790 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:13:50.895 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:13:50.895 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:14:06.998 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:14:06.998 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:14:23.105 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:14:23.105 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:14:39.208 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:14:39.208 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:14:55.311 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:14:55.311 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:15:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 4865
2026-04-25 21:15:11.430 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:15:11.430 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:15:27.535 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:15:27.535 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:15:27.976 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 4865 terminated with code 0
(NO_ERROR)
2026-04-25 21:15:43.638 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:15:43.638 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:15:59.743 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:15:59.743 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:16:15.853 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:16:15.853 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:16:31.959 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:16:31.959 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:16:48.064 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:16:48.064 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:17:04.169 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:17:04.169 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:17:20.273 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:17:20.273 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:17:36.377 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:17:36.377 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:17:52.480 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:17:52.480 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:18:08.585 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:18:08.585 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:18:24.689 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:18:24.689 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:18:40.795 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 21:18:40.795 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:18:56.899 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:18:56.899 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:19:13.006 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:19:13.006 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:19:29.112 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:19:29.112 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:19:45.218 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:19:45.218 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:20:00.012 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 5121
2026-04-25 21:20:01.320 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:20:01.320 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:20:17.425 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:20:17.425 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:20:30.421 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 5121 terminated with code 0
(NO_ERROR)
2026-04-25 21:20:33.528 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:20:33.528 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:20:49.634 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:20:49.634 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:21:05.739 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:21:05.739 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:21:21.842 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:21:21.842 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:21:37.944 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:21:37.944 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:21:54.048 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:21:54.048 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:22:10.151 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:22:10.152 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:22:26.254 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:22:26.254 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:22:42.358 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:22:42.358 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:22:58.460 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:22:58.460 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:23:14.462 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:23:14.462 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:23:30.566 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:23:30.566 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:23:46.670 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:23:46.670 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:24:02.775 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:24:02.775 - error: modbus.1 (1202) Client in error state.
```

2026-04-25 21:24:18.880 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:24:18.880 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:24:34.982 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:24:34.982 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:24:51.087 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:24:51.087 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:25:00.015 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 5379
2026-04-25 21:25:07.191 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:25:07.192 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:25:23.296 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:25:23.296 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:25:29.900 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 5379 terminated with code 0 (NO_ERROR)
2026-04-25 21:25:39.399 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:25:39.399 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:25:55.504 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:25:55.504 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:26:11.608 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:26:11.608 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:26:27.711 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:26:27.711 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:26:43.817 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:26:43.817 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:26:59.920 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:26:59.921 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:27:16.024 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:27:16.024 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:27:32.129 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:27:32.129 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:27:48.234 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:27:48.234 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:28:04.340 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:28:04.340 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:28:20.445 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:28:20.445 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:28:36.550 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:28:36.550 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:28:52.653 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:28:52.654 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:29:08.757 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:29:08.757 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:29:24.862 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:29:24.862 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:29:40.965 - **error**: modbus.1 (1202) Request timed out.

```
2026-04-25 21:29:40.965 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:29:57.069 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:29:57.069 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:30:00.016 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 5635
2026-04-25 21:30:13.173 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:30:13.173 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:30:15.965 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 5635 terminated with code 0
(NO_ERROR)
2026-04-25 21:30:29.279 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:30:29.279 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:30:45.384 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:30:45.384 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:31:01.490 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:31:01.490 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:31:17.493 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:31:17.493 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:31:33.600 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:31:33.600 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:31:49.705 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:31:49.705 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:32:05.806 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:32:05.806 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:32:10.887 - error: web.0 (539) Invalid read function for
"alias.0.Fronius.AC-Power": "Math.round(JSON.parse(val).value * 100) / 100" =>
Cannot read properties of null (reading 'value')
2026-04-25 21:32:21.909 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:32:21.909 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:32:38.013 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:32:38.013 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:32:54.115 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:32:54.115 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:33:04.291 - error: javascript.0 (206)
script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec
Pack 1
2026-04-25 21:33:10.219 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:33:10.220 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:33:26.323 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:33:26.323 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:33:42.430 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:33:42.430 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:33:58.532 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:33:58.532 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:34:13.196 - error: javascript.0 (206)
script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec
Pack 1
```

```
2026-04-25 21:34:14.638 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:34:14.638 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:34:30.741 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:34:30.741 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:34:46.848 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:34:46.848 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:35:00.018 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 5891
2026-04-25 21:35:02.952 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:35:02.952 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:35:19.055 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:35:19.055 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:35:33.855 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 5891 terminated with code 0
(NO_ERROR)
2026-04-25 21:35:35.158 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:35:35.158 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:35:51.260 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:35:51.260 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:36:07.364 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:36:07.364 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:36:23.468 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:36:23.468 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:36:39.572 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:36:39.572 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:36:55.677 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:36:55.677 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:37:11.781 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:37:11.781 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:37:27.886 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:37:27.886 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:37:43.989 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:37:43.989 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:38:00.093 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:38:00.093 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:38:16.195 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:38:16.195 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:38:32.299 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:38:32.299 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:38:48.401 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:38:48.402 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:39:04.505 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:39:04.506 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:39:20.610 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:39:20.610 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:39:36.714 - error: modbus.1 (1202) Request timed out.
```

2026-04-25 21:39:36.714 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:39:52.819 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:39:52.819 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:40:00.013 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 6146
2026-04-25 21:40:08.928 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:40:08.928 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:40:23.185 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 6146 terminated with code 0 (NO_ERROR)
2026-04-25 21:40:25.039 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:40:25.040 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:40:41.143 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:40:41.143 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:40:57.245 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:40:57.245 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:41:13.348 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:41:13.348 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:41:29.351 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:41:29.351 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:41:45.455 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:41:45.455 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:42:01.557 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:42:01.557 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:42:17.661 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:42:17.662 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:42:33.766 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:42:33.766 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:42:49.870 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:42:49.870 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:43:05.975 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:43:05.975 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:43:22.080 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:43:22.080 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:43:38.185 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:43:38.185 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:43:54.289 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:43:54.289 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 21:44:10.392 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:44:10.392 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:44:26.498 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:44:26.498 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:44:42.601 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:44:42.601 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:44:58.704 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 21:44:58.704 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:45:00.017 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 6402
2026-04-25 21:45:14.808 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:45:14.808 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:45:28.188 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 6402 terminated with code 0 (NO_ERROR)
2026-04-25 21:45:30.911 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:45:30.911 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:45:47.016 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:45:47.016 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:46:03.124 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:46:03.124 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:46:19.228 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:46:19.229 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:46:35.333 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:46:35.333 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:46:51.437 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:46:51.437 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:47:07.540 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:47:07.540 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:47:23.644 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:47:23.644 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:47:39.748 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:47:39.748 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:47:55.850 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:47:55.851 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:48:11.954 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:48:11.954 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:48:28.060 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:48:28.060 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:48:44.165 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:48:44.165 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:49:00.270 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:49:00.270 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:49:16.374 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:49:16.374 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:49:32.477 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:49:32.477 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:49:48.580 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:49:48.580 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:50:00.019 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 6658
2026-04-25 21:50:04.684 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:50:04.684 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 21:50:20.789 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:50:20.789 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:50:28.883 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 6658 terminated with code 0 (NO_ERROR)
2026-04-25 21:50:36.792 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:50:36.792 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:50:52.895 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:50:52.895 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:51:08.999 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:51:08.999 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:51:25.104 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:51:25.104 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:51:41.209 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:51:41.209 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:51:57.316 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:51:57.316 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:52:13.428 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:52:13.428 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:52:29.539 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:52:29.540 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:52:45.643 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:52:45.643 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:53:01.744 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:53:01.744 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:53:17.848 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:53:17.848 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:53:33.955 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:53:33.955 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:53:50.058 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:53:50.059 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:54:06.163 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:54:06.163 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:54:22.266 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:54:22.266 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:54:38.370 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:54:38.370 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:54:54.474 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:54:54.474 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:55:00.013 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 6904
2026-04-25 21:55:10.579 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:55:10.579 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:55:26.683 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 21:55:26.683 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 21:55:32.660 - **info**: host.iobroker-iobroker-1-1-1-1 instance

```
system.adapter.fuelpricemonitor.0 having pid 6904 terminated with code 0
(NO_ERROR)
2026-04-25 21:55:42.787 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:55:42.787 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:55:58.891 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:55:58.891 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:56:14.995 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:56:14.995 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:56:31.099 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:56:31.100 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:56:47.204 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:56:47.205 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:57:03.309 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:57:03.309 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:57:19.416 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:57:19.416 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:57:35.523 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:57:35.523 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:57:51.629 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:57:51.629 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:58:07.733 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:58:07.733 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:58:23.836 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:58:23.836 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:58:39.939 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:58:39.939 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:58:56.044 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:58:56.044 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:59:12.147 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:59:12.147 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:59:28.251 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:59:28.251 - error: modbus.1 (1202) Client in error state.
2026-04-25 21:59:44.357 - error: modbus.1 (1202) Request timed out.
2026-04-25 21:59:44.357 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:00:00.020 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 7161
2026-04-25 22:00:00.462 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:00:00.462 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:00:10.033 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 7161 terminated with code 0
(NO_ERROR)
2026-04-25 22:00:16.567 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:00:16.567 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:00:32.572 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:00:32.572 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:00:48.677 - error: modbus.1 (1202) Request timed out.
```

```
2026-04-25 22:00:48.677 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:01:04.781 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:01:04.781 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:01:20.886 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:01:20.886 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:01:36.989 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:01:36.989 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:01:53.095 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:01:53.095 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:02:09.197 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:02:09.198 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:02:17.280 - error: javascript.0 (206)
script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec
Pack 2
2026-04-25 22:02:25.300 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:02:25.300 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:02:39.464 - error: web.0 (539) Invalid read function for
"alias.0.Fronius.AC-Power": "Math.round(JSON.parse(val).value * 100) / 100" =>
Cannot read properties of null (reading 'value')
2026-04-25 22:02:41.404 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:02:41.404 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:02:57.509 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:02:57.509 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:03:13.611 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:03:13.611 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:03:15.155 - error: javascript.0 (206)
script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec
Pack 1
2026-04-25 22:03:29.718 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:03:29.718 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:03:45.830 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:03:45.830 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:04:01.934 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:04:01.935 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:04:18.038 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:04:18.038 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:04:34.143 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:04:34.143 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:04:37.162 - error: javascript.0 (206)
script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec
Pack 3
2026-04-25 22:04:50.245 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:04:50.245 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:05:00.019 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 7417
2026-04-25 22:05:06.347 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:05:06.347 - error: modbus.1 (1202) Client in error state.
```

2026-04-25 22:05:22.450 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:05:22.451 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:05:36.181 - **error**: javascript.0 (206)
script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec
Pack 2
2026-04-25 22:05:38.554 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:05:38.554 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:05:38.952 - **info**: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 7417 terminated with code 0
(NO_ERROR)
2026-04-25 22:05:46.187 - **error**: javascript.0 (206)
script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec
Pack 3
2026-04-25 22:05:54.659 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:05:54.659 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:06:10.765 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:06:10.765 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:06:26.868 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:06:26.868 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:06:35.179 - **error**: javascript.0 (206)
script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec
Pack 1
2026-04-25 22:06:42.976 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:06:42.976 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:06:59.078 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:06:59.079 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:07:15.181 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:07:15.181 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:07:31.283 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:07:31.283 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:07:47.386 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:07:47.386 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:08:03.489 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:08:03.490 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:08:19.592 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:08:19.592 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:08:35.696 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:08:35.696 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:08:51.799 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:08:51.799 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:09:07.904 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:09:07.904 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:09:24.006 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:09:24.006 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:09:40.112 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:09:40.112 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:09:56.232 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 22:09:56.232 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:10:00.018 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 7673
2026-04-25 22:10:12.335 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:10:12.336 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:10:14.993 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 7673 terminated with code 0 (NO_ERROR)
2026-04-25 22:10:28.438 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:10:28.438 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:10:44.542 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:10:44.542 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:11:00.645 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:11:00.645 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:11:16.748 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:11:16.748 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:11:32.854 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:11:32.854 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:11:48.957 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:11:48.957 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:12:05.060 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:12:05.060 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:12:13.395 - **debug**: javascript.0 (206) script.js.common.go-E_V3_GridOffset: go-E Wolkenzähler hat GridOffset angepasst auf: 4500
2026-04-25 22:12:21.165 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:12:21.165 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:12:37.270 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:12:37.270 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:12:53.374 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:12:53.374 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:13:09.477 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:13:09.477 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:13:25.581 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:13:25.581 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:13:41.685 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:13:41.685 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:13:57.788 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:13:57.788 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:14:13.893 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:14:13.893 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:14:29.998 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:14:29.998 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:14:38.028 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:14:38.028 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot

```
read properties of null (reading 'value')
2026-04-25 22:14:38.029 - error: web.0 (539) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 22:14:46.001 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:14:46.001 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:15:00.014 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 7929
2026-04-25 22:15:00.124 - debug: javascript.0 (206) script.js.common.go-
E_V3_GridOffset: go-E Wolkenzähler hat GridOffset angepasst auf: 1500
2026-04-25 22:15:02.103 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:15:02.103 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:15:18.208 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:15:18.208 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:15:20.561 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 7929 terminated with code 0
(NO_ERROR)
2026-04-25 22:15:34.314 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:15:34.314 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:15:50.419 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:15:50.419 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:16:06.524 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:16:06.524 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:16:22.627 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:16:22.627 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:16:38.730 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:16:38.730 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:16:54.835 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:16:54.835 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:17:10.939 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:17:10.939 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:17:16.030 - error: javascript.0 (206) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 22:17:16.030 - error: influxdb.0 (259) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 22:17:16.031 - error: web.0 (539) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 22:17:27.043 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:17:27.043 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:17:43.147 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:17:43.147 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:17:59.251 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:17:59.251 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:18:15.356 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:18:15.356 - error: modbus.1 (1202) Client in error state.
```

```
2026-04-25 22:18:31.461 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:18:31.461 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:18:32.001 - error: javascript.0 (206) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 22:18:32.001 - error: influxdb.0 (259) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 22:18:32.001 - error: web.0 (539) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 22:18:47.572 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:18:47.572 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:19:03.675 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:19:03.676 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:19:19.779 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:19:19.779 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:19:35.883 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:19:35.883 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:19:47.990 - error: javascript.0 (206) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 22:19:47.990 - error: influxdb.0 (259) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 22:19:47.991 - error: web.0 (539) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 22:19:51.988 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:19:51.988 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:20:00.021 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 8185
2026-04-25 22:20:08.093 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:20:08.093 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:20:24.198 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:20:24.198 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:20:37.757 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 8185 terminated with code 0
(NO_ERROR)
2026-04-25 22:20:40.307 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:20:40.307 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:20:56.413 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:20:56.413 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:21:12.518 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:21:12.518 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:21:28.622 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:21:28.622 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:21:44.626 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:21:44.626 - error: modbus.1 (1202) Client in error state.
```

2026-04-25 22:22:00.730 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:22:00.730 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:22:16.833 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:22:16.833 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:22:23.031 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:22:23.031 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:22:23.031 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:22:32.937 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:22:32.937 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:22:49.039 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:22:49.039 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:23:05.143 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:23:05.143 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:23:21.246 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:23:21.246 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:23:36.988 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:23:36.988 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:23:36.988 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:23:37.351 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:23:37.352 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:23:53.455 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:23:53.456 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:24:09.560 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:24:09.560 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:24:25.664 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:24:25.664 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:24:41.769 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:24:41.769 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:24:55.031 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:24:55.031 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:24:55.032 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 22:24:57.874 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:24:57.874 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:25:00.015 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 8442
2026-04-25 22:25:13.978 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:25:13.978 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:25:30.081 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:25:30.081 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:25:36.418 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 8442 terminated with code 0 (NO_ERROR)
2026-04-25 22:25:46.186 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:25:46.186 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:26:02.290 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:26:02.290 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:26:13.995 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:26:13.996 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:26:13.996 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:26:18.394 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:26:18.394 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:26:34.499 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:26:34.499 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:26:50.611 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:26:50.611 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:27:06.718 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:27:06.719 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:27:22.822 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:27:22.822 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:27:33.031 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:27:33.031 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:27:33.032 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:27:38.926 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:27:38.926 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:27:55.030 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:27:55.030 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:28:11.131 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 22:28:11.131 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:28:27.234 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:28:27.234 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:28:43.337 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:28:43.337 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:28:52.048 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:28:52.048 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:28:52.049 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:28:59.442 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:28:59.442 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:29:15.546 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:29:15.546 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:29:31.650 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:29:31.650 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:29:47.755 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:29:47.755 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:30:00.012 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 8699
2026-04-25 22:30:03.781 - **error**: web.0 (539) Invalid read function for "alias.0.Fronius.AC-Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:30:03.859 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:30:03.860 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:30:19.965 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:30:19.965 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:30:35.855 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 8699 terminated with code 0 (NO_ERROR)
2026-04-25 22:30:36.072 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:30:36.072 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:30:52.178 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:30:52.178 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:31:08.281 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:31:08.281 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:31:24.383 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:31:24.383 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:31:29.996 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:31:29.997 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:31:29.997 - **error**: web.0 (539) Invalid read function for

```
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 22:31:40.488 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:31:40.488 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:31:56.605 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:31:56.606 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:32:12.709 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:32:12.709 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:32:28.811 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:32:28.811 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:32:44.916 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:32:44.916 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:32:49.035 - error: javascript.0 (206) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 22:32:49.035 - error: influxdb.0 (259) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 22:32:49.035 - error: web.0 (539) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 22:33:01.022 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:33:01.022 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:33:17.128 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:33:17.128 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:33:33.233 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:33:33.234 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:33:49.336 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:33:49.336 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:34:05.438 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:34:05.438 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:34:21.542 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:34:21.543 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:34:37.646 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:34:37.646 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:34:45.141 - error: javascript.0 (206)
script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec
Pack 4
2026-04-25 22:34:53.750 - error: modbus.1 (1202) Request timed out.

2026-04-25 22:34:53.750 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:35:00.016 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 8956
2026-04-25 22:35:09.855 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:35:09.855 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:35:10.272 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 8956 terminated with code 0
(NO_ERROR)
```



```
read properties of null (reading 'value')
2026-04-25 22:38:05.028 - error: influxdb.0 (259) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 22:38:05.028 - error: web.0 (539) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 22:38:06.916 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:38:06.916 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:38:23.020 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:38:23.021 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:38:39.126 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:38:39.126 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:38:55.234 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:38:55.234 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:39:11.340 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:39:11.340 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:39:27.446 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:39:27.446 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:39:43.549 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:39:43.549 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:39:59.653 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:39:59.654 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:40:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 9213
2026-04-25 22:40:15.758 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:40:15.758 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:40:25.479 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 9213 terminated with code 0
(NO_ERROR)
2026-04-25 22:40:31.862 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:40:31.862 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:40:44.030 - error: javascript.0 (206) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 22:40:44.031 - error: web.0 (539) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 22:40:44.030 - error: influxdb.0 (259) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 22:40:47.965 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:40:47.966 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:41:04.070 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:41:04.071 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:41:20.176 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:41:20.176 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:41:36.280 - error: modbus.1 (1202) Request timed out.
```

2026-04-25 22:41:36.280 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:41:52.385 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:41:52.385 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:42:03.267 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:42:03.267 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:42:03.267 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:42:08.489 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:42:08.489 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:42:24.593 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:42:24.593 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:42:40.698 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:42:40.698 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:42:56.800 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:42:56.800 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:43:12.903 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:43:12.903 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:43:21.035 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:43:21.035 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:43:21.035 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:43:29.016 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:43:29.016 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:43:45.121 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:43:45.121 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:44:01.224 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:44:01.224 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:44:17.330 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:44:17.330 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:44:33.434 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 22:44:33.434 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:44:49.538 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:44:49.538 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:45:00.012 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 9457
2026-04-25 22:45:05.644 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:45:05.644 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 22:45:12.844 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 9457 terminated with code 0 (NO_ERROR)

2026-04-25 22:45:21.748 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:45:21.748 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 22:45:37.850 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:45:37.850 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 22:45:53.953 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:45:53.953 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 22:45:59.032 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 22:45:59.032 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 22:45:59.032 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 22:46:10.055 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:46:10.055 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 22:46:26.160 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:46:26.160 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 22:46:42.264 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:46:42.265 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 22:46:58.367 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:46:58.367 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 22:47:14.471 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:47:14.471 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 22:47:18.034 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 22:47:18.034 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 22:47:18.035 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 22:47:30.577 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:47:30.577 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 22:47:46.687 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:47:46.687 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 22:48:02.791 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:48:02.791 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 22:48:18.897 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:48:18.897 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 22:48:35.001 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:48:35.001 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 22:48:51.104 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 22:48:51.104 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:49:07.208 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:49:07.208 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:49:23.312 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:49:23.312 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:49:39.416 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:49:39.416 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:49:55.522 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:49:55.522 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:49:56.030 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:49:56.030 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:49:56.030 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:50:00.012 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 9714
2026-04-25 22:50:11.628 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:50:11.629 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:50:17.808 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 9714 terminated with code 0 (NO_ERROR)
2026-04-25 22:50:27.732 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:50:27.732 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:50:43.837 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:50:43.837 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:50:59.941 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:50:59.941 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:51:15.012 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:51:15.012 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:51:15.012 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:51:16.044 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:51:16.045 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:51:32.146 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:51:32.146 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:51:48.248 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:51:48.248 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:52:04.352 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:52:04.353 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 22:52:20.456 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:52:20.456 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:52:36.560 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:52:36.560 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:52:52.664 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:52:52.664 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:53:08.767 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:53:08.767 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:53:24.872 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:53:24.872 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:53:40.976 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:53:40.977 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:53:53.029 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:53:53.029 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:53:53.029 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:53:57.080 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:53:57.080 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:54:13.185 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:54:13.185 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:54:29.288 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:54:29.288 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:54:45.390 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:54:45.390 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:55:00.021 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 9972
2026-04-25 22:55:01.493 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:55:01.493 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:55:12.026 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:55:12.026 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 22:55:12.026 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 22:55:17.598 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 22:55:17.598 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 22:55:25.889 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 9972 terminated with code 0 (NO_ERROR)
2026-04-25 22:55:33.703 - **error**: modbus.1 (1202) Request timed out.

```
2026-04-25 22:55:33.703 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:55:49.807 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:55:49.807 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:56:05.911 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:56:05.911 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:56:22.017 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:56:22.017 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:56:38.122 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:56:38.122 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:56:54.225 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:56:54.225 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:57:10.329 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:57:10.329 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:57:26.433 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:57:26.433 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:57:42.537 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:57:42.538 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:57:51.030 - error: javascript.0 (206) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 22:57:51.030 - error: influxdb.0 (259) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 22:57:51.030 - error: web.0 (539) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 22:57:58.641 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:57:58.641 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:58:14.746 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:58:14.746 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:58:30.849 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:58:30.849 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:58:37.817 - error: javascript.0 (206)
script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec
Pack 2
2026-04-25 22:58:46.954 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:58:46.954 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:59:03.059 - error: modbus.1 (1202) Request timed out.
2026-04-25 22:59:03.059 - error: modbus.1 (1202) Client in error state.
2026-04-25 22:59:03.508 - error: javascript.0 (206)
script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec
Pack 4
2026-04-25 22:59:10.006 - error: javascript.0 (206) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 22:59:10.007 - error: influxdb.0 (259) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
```

2026-04-25 22:59:10.007 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 22:59:19.163 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 22:59:19.163 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 22:59:35.268 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 22:59:35.269 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 22:59:41.135 - **error**: javascript.0 (206)
script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec Pack 1

2026-04-25 22:59:51.371 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 22:59:51.371 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 22:59:59.164 - **error**: javascript.0 (206)
script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec Pack 3

2026-04-25 23:00:00.013 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 10228

2026-04-25 23:00:07.474 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:00:07.474 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:00:23.579 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:00:23.579 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:00:24.343 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 10228 terminated with code 0 (NO_ERROR)

2026-04-25 23:00:39.682 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:00:39.682 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:00:55.785 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:00:55.786 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:01:11.890 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:01:11.890 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:01:27.994 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:01:27.994 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:01:44.096 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:01:44.096 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:01:48.026 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 23:01:48.026 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 23:02:00.202 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:02:00.203 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:02:16.305 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:02:16.305 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:02:32.409 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:02:32.409 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:02:48.513 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:02:48.513 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:03:04.616 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:03:04.616 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:03:07.032 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:03:07.033 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:03:20.719 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:03:20.719 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:03:36.824 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:03:36.824 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:03:52.438 - **error**: web.0 (539) Invalid read function for "alias.0.Fronius.AC-Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:03:52.933 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:03:52.933 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:04:08.935 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:04:08.936 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:04:25.040 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:04:25.041 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:04:41.146 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:04:41.146 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:04:57.250 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:04:57.250 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:05:00.011 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 10485
2026-04-25 23:05:13.252 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:05:13.252 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:05:29.357 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:05:29.357 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:05:33.792 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 10485 terminated with code 0 (NO_ERROR)
2026-04-25 23:05:45.026 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:05:45.026 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:05:45.027 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:05:45.461 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:05:45.462 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:06:01.563 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:06:01.563 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:06:17.666 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:06:17.666 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:06:33.770 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:06:33.771 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:06:49.875 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:06:49.875 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:07:04.006 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:07:04.007 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:07:04.007 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:07:05.979 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:07:05.979 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:07:22.083 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:07:22.084 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:07:38.186 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:07:38.186 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:07:54.289 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:07:54.289 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:08:10.394 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:08:10.394 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:08:22.177 - **error**: javascript.0 (206)
script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec Pack 4
2026-04-25 23:08:26.499 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:08:26.499 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:08:42.604 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:08:42.604 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:08:58.707 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:08:58.708 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:09:14.814 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:09:14.814 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:09:30.919 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:09:30.919 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:09:42.991 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:09:42.991 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:09:42.991 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:09:47.022 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:09:47.022 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:10:00.013 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 10743

2026-04-25 23:10:03.125 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:10:03.125 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:10:19.229 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:10:19.229 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:10:30.671 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 10743 terminated with code 0 (NO_ERROR)

2026-04-25 23:10:35.220 - **error**: javascript.0 (206) script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec Pack 4

2026-04-25 23:10:35.334 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:10:35.334 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:10:51.438 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:10:51.438 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:11:03.267 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 23:11:03.267 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 23:11:03.267 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 23:11:07.544 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:11:07.544 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:11:23.649 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:11:23.649 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:11:39.753 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:11:39.753 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:11:55.856 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:11:55.856 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:12:11.959 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:12:11.959 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:12:20.014 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 23:12:20.014 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 23:12:20.014 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 23:12:27.182 - **error**: javascript.0 (206) script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec Pack 1

2026-04-25 23:12:28.063 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:12:28.063 - **error**: modbus.1 (1202) Client in error state.

```
2026-04-25 23:12:44.167 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:12:44.167 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:13:00.271 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:13:00.271 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:13:16.375 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:13:16.375 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:13:32.479 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:13:32.479 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:13:34.167 - error: javascript.0 (206)
script.js.common.Victron_Alarms: telegram: ALARM ! Diff V Gobel BMS vs Heltec
Pack 1
2026-04-25 23:13:48.585 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:13:48.585 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:14:04.689 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:14:04.689 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:14:20.793 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:14:20.793 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:14:36.897 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:14:36.898 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:14:53.001 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:14:53.001 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:14:57.992 - error: javascript.0 (206) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 23:14:57.992 - error: influxdb.0 (259) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 23:14:57.992 - error: web.0 (539) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 23:15:00.011 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 11000
2026-04-25 23:15:09.104 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:15:09.104 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:15:18.000 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 11000 terminated with code 0
(NO_ERROR)
2026-04-25 23:15:25.210 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:15:25.210 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:15:41.315 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:15:41.315 - error: modbus.1 (1202) Client in error state.

2026-04-25 23:15:57.421 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:15:57.421 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:16:13.526 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:16:13.526 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:16:17.009 - error: influxdb.0 (259) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
```

2026-04-25 23:16:17.009 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 23:16:17.010 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 23:16:29.631 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:16:29.631 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:16:45.735 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:16:45.735 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:17:01.841 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:17:01.841 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:17:17.844 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:17:17.844 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:17:33.949 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:17:33.949 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:17:50.052 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:17:50.052 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:18:06.155 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:18:06.155 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:18:22.259 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:18:22.259 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:18:38.364 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:18:38.364 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:18:54.468 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:18:54.468 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:18:56.035 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 23:18:56.035 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 23:18:56.035 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 23:19:10.572 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:19:10.573 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:19:26.677 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:19:26.677 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:19:42.782 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:19:42.782 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:19:58.885 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:19:58.885 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:20:00.014 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 11256

2026-04-25 23:20:14.030 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 23:20:14.031 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 23:20:14.031 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 23:20:14.994 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:20:14.994 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:20:31.098 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:20:31.098 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:20:31.646 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 11256 terminated with code 0 (NO_ERROR)

2026-04-25 23:20:47.201 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:20:47.201 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:21:03.307 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:21:03.307 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:21:19.411 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:21:19.411 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:21:33.037 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 23:21:33.037 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 23:21:33.038 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

2026-04-25 23:21:35.513 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:21:35.513 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:21:51.617 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:21:51.617 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:22:07.720 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:22:07.720 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:22:23.825 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:22:23.825 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:22:39.929 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:22:39.929 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:22:56.033 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:22:56.033 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:23:12.139 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:23:12.139 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:23:28.246 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:23:28.246 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:23:44.348 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:23:44.348 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:24:00.451 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:24:00.451 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:24:11.032 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:24:11.032 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:24:11.033 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:24:16.555 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:24:16.555 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:24:32.657 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:24:32.657 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:24:48.762 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:24:48.762 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:25:00.012 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 11511
2026-04-25 23:25:04.865 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:25:04.865 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:25:20.970 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:25:20.970 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:25:30.043 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:25:30.043 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:25:30.043 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:25:36.558 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 11511 terminated with code 0 (NO_ERROR)
2026-04-25 23:25:37.073 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:25:37.073 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:25:53.178 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:25:53.178 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:26:09.283 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:26:09.283 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:26:25.388 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:26:25.388 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:26:41.492 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:26:41.492 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:26:57.597 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:26:57.597 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:27:13.700 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:27:13.700 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:27:29.802 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:27:29.803 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:27:45.906 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:27:45.907 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:28:02.011 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:28:02.011 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:28:08.026 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:28:08.026 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:28:08.026 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:28:18.115 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:28:18.115 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:28:34.221 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:28:34.221 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:28:50.326 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:28:50.326 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:29:06.428 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:29:06.428 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:29:22.531 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:29:22.531 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:29:27.035 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:29:27.035 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:29:27.035 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:29:38.639 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:29:38.640 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:29:54.743 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:29:54.743 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:30:00.015 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 11755
2026-04-25 23:30:10.846 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:30:10.847 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:30:26.953 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:30:26.953 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:30:38.697 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 11755 terminated with code 0 (NO_ERROR)
2026-04-25 23:30:43.056 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:30:43.056 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:30:59.161 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:30:59.161 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:31:15.266 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:31:15.266 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:31:31.370 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:31:31.370 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:31:47.476 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:31:47.476 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:32:03.580 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:32:03.580 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:32:06.029 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:32:06.030 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:32:06.030 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:32:19.682 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:32:19.682 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:32:35.785 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:32:35.786 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:32:51.889 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:32:51.890 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:33:07.993 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:33:07.993 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:33:23.992 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:33:23.992 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:33:23.992 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:33:24.098 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:33:24.098 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:33:40.203 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:33:40.203 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:33:56.306 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:33:56.306 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:34:12.411 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:34:12.411 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:34:28.520 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:34:28.521 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:34:43.036 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot

```
read properties of null (reading 'value')
2026-04-25 23:34:43.036 - error: influxdb.0 (259) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 23:34:43.036 - error: web.0 (539) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 23:34:44.632 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:34:44.632 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:35:00.013 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 12012
2026-04-25 23:35:00.736 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:35:00.736 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:35:16.838 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:35:16.838 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:35:17.089 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 12012 terminated with code 0
(NO_ERROR)
2026-04-25 23:35:32.940 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:35:32.940 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:35:49.046 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:35:49.046 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:36:05.148 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:36:05.148 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:36:21.253 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:36:21.253 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:36:37.358 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:36:37.358 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:36:53.463 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:36:53.463 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:37:09.568 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:37:09.568 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:37:21.026 - error: javascript.0 (206) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 23:37:21.026 - error: influxdb.0 (259) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 23:37:25.672 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:37:25.673 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:37:41.776 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:37:41.776 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:37:57.880 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:37:57.880 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:38:13.984 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:38:13.984 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:38:30.088 - error: modbus.1 (1202) Request timed out.
```

2026-04-25 23:38:30.088 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:38:40.038 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:38:40.039 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:38:46.192 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:38:46.192 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:39:02.296 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:39:02.297 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:39:18.400 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:39:18.401 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:39:34.505 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:39:34.505 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:39:50.610 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:39:50.611 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:40:00.017 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 12269
2026-04-25 23:40:06.720 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:40:06.720 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:40:17.886 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 12269 terminated with code 0 (NO_ERROR)
2026-04-25 23:40:22.827 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:40:22.827 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:40:38.932 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:40:38.932 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:40:55.036 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:40:55.036 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:41:11.138 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:41:11.138 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:41:13.997 - **error**: web.0 (539) Invalid read function for "alias.0.Fronius.AC-Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:41:18.036 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:41:18.036 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:41:18.036 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:41:27.241 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:41:27.242 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:41:43.347 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:41:43.347 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:41:59.457 - **error**: modbus.1 (1202) Request timed out.

2026-04-25 23:41:59.457 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:42:15.562 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:42:15.562 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:42:31.667 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:42:31.667 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:42:37.042 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:42:37.043 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:42:37.043 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:42:47.771 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:42:47.771 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:43:03.876 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:43:03.876 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:43:19.982 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:43:19.982 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:43:36.084 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:43:36.084 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:43:52.188 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:43:52.188 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:43:56.036 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:43:56.036 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:43:56.038 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:44:08.292 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:44:08.292 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:44:24.397 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:44:24.397 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:44:40.500 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:44:40.500 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:44:56.603 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:44:56.603 - **error**: modbus.1 (1202) Client in error state.

2026-04-25 23:45:00.016 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 12525
2026-04-25 23:45:12.707 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:45:12.707 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:45:15.037 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')

```
2026-04-25 23:45:15.037 - error: influxdb.0 (259) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 23:45:15.038 - error: web.0 (539) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 23:45:16.390 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 12525 terminated with code 0
(NO_ERROR)
2026-04-25 23:45:28.810 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:45:28.811 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:45:44.915 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:45:44.916 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:46:01.020 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:46:01.020 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:46:17.025 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:46:17.025 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:46:33.131 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:46:33.131 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:46:49.234 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:46:49.234 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:47:05.339 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:47:05.339 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:47:21.341 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:47:21.341 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:47:37.444 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:47:37.444 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:47:53.001 - error: javascript.0 (206) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 23:47:53.001 - error: influxdb.0 (259) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 23:47:53.002 - error: web.0 (539) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 23:47:53.548 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:47:53.548 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:48:09.652 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:48:09.653 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:48:25.756 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:48:25.756 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:48:41.861 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:48:41.861 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:48:57.967 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:48:57.967 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:49:12.002 - error: javascript.0 (206) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
```

```
read properties of null (reading 'value')
2026-04-25 23:49:12.002 - error: influxdb.0 (259) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 23:49:12.002 - error: web.0 (539) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 23:49:14.072 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:49:14.072 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:49:30.178 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:49:30.178 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:49:46.282 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:49:46.282 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:50:00.014 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 12781
2026-04-25 23:50:02.386 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:50:02.386 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:50:18.489 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:50:18.489 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:50:31.353 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.fuelpricemonitor.0 having pid 12781 terminated with code 0
(NO_ERROR)
2026-04-25 23:50:34.592 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:50:34.592 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:50:50.697 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:50:50.697 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:51:06.798 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:51:06.798 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:51:22.900 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:51:22.900 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:51:39.005 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:51:39.005 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:51:50.044 - error: javascript.0 (206) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 23:51:50.044 - error: influxdb.0 (259) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 23:51:50.044 - error: web.0 (539) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 23:51:55.108 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:51:55.109 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:52:11.213 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:52:11.213 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:52:27.216 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:52:27.216 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:52:43.319 - error: modbus.1 (1202) Request timed out.
```

2026-04-25 23:52:43.320 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:52:59.438 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:52:59.438 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:53:09.036 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:53:09.036 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:53:09.037 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:53:15.543 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:53:15.543 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:53:31.647 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:53:31.647 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:53:47.752 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:53:47.752 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:54:03.855 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:54:03.856 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:54:19.962 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:54:19.962 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:54:36.066 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:54:36.066 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:54:52.171 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:54:52.171 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:55:00.025 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 in version "0.4.2" started with pid 13038
2026-04-25 23:55:08.276 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:55:08.276 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:55:24.379 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:55:24.380 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:55:35.528 - **info**: host.iobroker-iobroker-1-1-1-1 instance system.adapter.fuelpricemonitor.0 having pid 13038 terminated with code 0 (NO_ERROR)
2026-04-25 23:55:38.063 - **error**: cloud.0 (267) Ping timeout
2026-04-25 23:55:40.483 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:55:40.483 - **error**: modbus.1 (1202) Client in error state.
2026-04-25 23:55:47.993 - **error**: javascript.0 (206) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:55:47.993 - **error**: influxdb.0 (259) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:55:47.993 - **error**: web.0 (539) Invalid read function for "alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot read properties of null (reading 'value')
2026-04-25 23:55:56.586 - **error**: modbus.1 (1202) Request timed out.
2026-04-25 23:55:56.586 - **error**: modbus.1 (1202) Client in error state.

```
2026-04-25 23:56:12.689 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:56:12.689 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:56:28.792 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:56:28.793 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:56:38.383 - error: cloud.0 (267) Error while connecting to cloud:
Error: websocket error
2026-04-25 23:56:38.434 - error: cloud.0 (267) uncaught exception: Maximum call
stack size exceeded
2026-04-25 23:56:38.435 - error: cloud.0 (267) RangeError: Maximum call stack
size exceeded
at WebSocket.[nodejs.internal.kHybridDispatch]
(node:internal/event_target:851:9)
at WebSocket.dispatchEvent (node:internal/event_target:776:26)
at fireEvent (node:internal/deps/undici/undici:11883:14)
at failWebsocketConnection (node:internal/deps/undici/undici:11964:9)
at closeWebsocketConnection (node:internal/deps/undici/undici:12239:9)
at WebSocket.close (node:internal/deps/undici/undici:12942:9)
at WS.doClose (/opt/iobroker/node_modules/engine.io-
client/lib/transports/websocket.js:234:13)
at WS.Transport.close (/opt/iobroker/node_modules/engine.io-
client/lib/transport.js:94:10)
at Socket.onClose (/opt/iobroker/node_modules/engine.io-
client/lib/socket.js:703:20)
at Socket.onError (/opt/iobroker/node_modules/engine.io-
client/lib/socket.js:681:8)
2026-04-25 23:56:38.435 - error: cloud.0 (267) Maximum call stack size exceeded
2026-04-25 23:56:38.889 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: RangeError: Maximum call stack size exceeded
2026-04-25 23:56:38.889 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at WebSocket.[nodejs.internal.kHybridDispatch]
(node:internal/event_target:851:9)
2026-04-25 23:56:38.889 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at WebSocket.dispatchEvent (node:internal/event_target:776:26)
2026-04-25 23:56:38.889 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at fireEvent (node:internal/deps/undici/undici:11883:14)
2026-04-25 23:56:38.889 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at failWebsocketConnection
(node:internal/deps/undici/undici:11964:9)
2026-04-25 23:56:38.889 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at closeWebsocketConnection
(node:internal/deps/undici/undici:12239:9)
2026-04-25 23:56:38.889 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at WebSocket.close (node:internal/deps/undici/undici:12942:9)
2026-04-25 23:56:38.889 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at WS.doClose (/opt/iobroker/node_modules/engine.io-
client/lib/transports/websocket.js:234:13)
2026-04-25 23:56:38.889 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at WS.Transport.close (/opt/iobroker/node_modules/engine.io-
client/lib/transport.js:94:10)
2026-04-25 23:56:38.890 - error: host.iobroker-iobroker-1-1-1-1 Caught by
```

```
controller[0]: at Socket.onClose (/opt/iobroker/node_modules/engine.io-
client/lib/socket.js:703:20)
2026-04-25 23:56:38.890 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at Socket.onError (/opt/iobroker/node_modules/engine.io-
client/lib/socket.js:681:8)
2026-04-25 23:56:38.890 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: RangeError: Maximum call stack size exceeded
2026-04-25 23:56:38.890 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at WebSocket.[nodejs.internal.kHybridDispatch]
(node:internal/event_target:851:9)
2026-04-25 23:56:38.890 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at WebSocket.dispatchEvent (node:internal/event_target:776:26)
2026-04-25 23:56:38.890 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at fireEvent (node:internal/deps/undici/undici:11883:14)
2026-04-25 23:56:38.890 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at failWebsocketConnection
(node:internal/deps/undici/undici:11964:9)
2026-04-25 23:56:38.890 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at closeWebsocketConnection
(node:internal/deps/undici/undici:12239:9)
2026-04-25 23:56:38.890 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at WebSocket.close (node:internal/deps/undici/undici:12942:9)
2026-04-25 23:56:38.890 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at WS.doClose (/opt/iobroker/node_modules/engine.io-
client/lib/transports/websocket.js:234:13)
2026-04-25 23:56:38.890 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at WS.Transport.close (/opt/iobroker/node_modules/engine.io-
client/lib/transport.js:94:10)
2026-04-25 23:56:38.890 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at Socket.onClose (/opt/iobroker/node_modules/engine.io-
client/lib/socket.js:703:20)
2026-04-25 23:56:38.890 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at Socket.onError (/opt/iobroker/node_modules/engine.io-
client/lib/socket.js:681:8)
2026-04-25 23:56:38.890 - error: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.cloud.0 terminated with code 1 (JS_CONTROLLER_STOPPED)
2026-04-25 23:56:38.890 - info: host.iobroker-iobroker-1-1-1-1 Restart adapter
system.adapter.cloud.0 because enabled
2026-04-25 23:56:44.897 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:56:44.897 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:57:01.000 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:57:01.000 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:57:06.032 - error: javascript.0 (206) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 23:57:06.032 - error: influxdb.0 (259) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 23:57:06.033 - error: web.0 (539) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
```

```
2026-04-25 23:57:09.605 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.cloud.0 in version "5.0.1" started with pid 13163
2026-04-25 23:57:11.889 - error: cloud.0 (13163) Error while connecting to
cloud: Error: websocket error
2026-04-25 23:57:11.925 - error: cloud.0 (13163) uncaught exception: Maximum
call stack size exceeded
2026-04-25 23:57:11.926 - error: cloud.0 (13163) RangeError: Maximum call stack
size exceeded
at WebSocket.[nodejs.internal.kHybridDispatch]
(node:internal/event_target:851:9)
at WebSocket.dispatchEvent (node:internal/event_target:776:26)
at fireEvent (node:internal/deps/undici/undici:11883:14)
at failWebsocketConnection (node:internal/deps/undici/undici:11964:9)
at closeWebsocketConnection (node:internal/deps/undici/undici:12239:9)
at WebSocket.close (node:internal/deps/undici/undici:12942:9)
at WS.doClose (/opt/iobroker/node_modules/engine.io-
client/lib/transports/websocket.js:234:13)
at WS.Transport.close (/opt/iobroker/node_modules/engine.io-
client/lib/transport.js:94:10)
at Socket.onClose (/opt/iobroker/node_modules/engine.io-
client/lib/socket.js:703:20)
at Socket.onError (/opt/iobroker/node_modules/engine.io-
client/lib/socket.js:681:8)
2026-04-25 23:57:11.926 - error: cloud.0 (13163) Maximum call stack size
exceeded
2026-04-25 23:57:12.319 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: RangeError: Maximum call stack size exceeded
2026-04-25 23:57:12.319 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at WebSocket.[nodejs.internal.kHybridDispatch]
(node:internal/event_target:851:9)
2026-04-25 23:57:12.319 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at WebSocket.dispatchEvent (node:internal/event_target:776:26)
2026-04-25 23:57:12.319 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at fireEvent (node:internal/deps/undici/undici:11883:14)
2026-04-25 23:57:12.319 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at failWebsocketConnection
(node:internal/deps/undici/undici:11964:9)
2026-04-25 23:57:12.319 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at closeWebsocketConnection
(node:internal/deps/undici/undici:12239:9)
2026-04-25 23:57:12.319 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at WebSocket.close (node:internal/deps/undici/undici:12942:9)
2026-04-25 23:57:12.319 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at WS.doClose (/opt/iobroker/node_modules/engine.io-
client/lib/transports/websocket.js:234:13)
2026-04-25 23:57:12.319 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at WS.Transport.close (/opt/iobroker/node_modules/engine.io-
client/lib/transport.js:94:10)
2026-04-25 23:57:12.319 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at Socket.onClose (/opt/iobroker/node_modules/engine.io-
client/lib/socket.js:703:20)
```

```
2026-04-25 23:57:12.320 - error: host.iobroker-iobroker-1-1-1-1 Caught by controller[0]: at Socket.onError (/opt/iobroker/node_modules/engine.io-client/lib/socket.js:681:8)
2026-04-25 23:57:12.320 - error: host.iobroker-iobroker-1-1-1-1 Caught by controller[1]: RangeError: Maximum call stack size exceeded
2026-04-25 23:57:12.320 - error: host.iobroker-iobroker-1-1-1-1 Caught by controller[1]: at WebSocket.[nodejs.internal.kHybridDispatch] (node:internal/event_target:851:9)
2026-04-25 23:57:12.320 - error: host.iobroker-iobroker-1-1-1-1 Caught by controller[1]: at WebSocket.dispatchEvent (node:internal/event_target:776:26)
2026-04-25 23:57:12.320 - error: host.iobroker-iobroker-1-1-1-1 Caught by controller[1]: at fireEvent (node:internal/deps/undici/undici:11883:14)
2026-04-25 23:57:12.320 - error: host.iobroker-iobroker-1-1-1-1 Caught by controller[1]: at failWebsocketConnection (node:internal/deps/undici/undici:11964:9)
2026-04-25 23:57:12.320 - error: host.iobroker-iobroker-1-1-1-1 Caught by controller[1]: at closeWebsocketConnection (node:internal/deps/undici/undici:12239:9)
2026-04-25 23:57:12.320 - error: host.iobroker-iobroker-1-1-1-1 Caught by controller[1]: at WebSocket.close (node:internal/deps/undici/undici:12942:9)
2026-04-25 23:57:12.320 - error: host.iobroker-iobroker-1-1-1-1 Caught by controller[1]: at WS.doClose (/opt/iobroker/node_modules/engine.io-client/lib/transports/websocket.js:234:13)
2026-04-25 23:57:12.320 - error: host.iobroker-iobroker-1-1-1-1 Caught by controller[1]: at WS.Transport.close (/opt/iobroker/node_modules/engine.io-client/lib/transport.js:94:10)
2026-04-25 23:57:12.320 - error: host.iobroker-iobroker-1-1-1-1 Caught by controller[1]: at Socket.onClose (/opt/iobroker/node_modules/engine.io-client/lib/socket.js:703:20)
2026-04-25 23:57:12.320 - error: host.iobroker-iobroker-1-1-1-1 Caught by controller[1]: at Socket.onError (/opt/iobroker/node_modules/engine.io-client/lib/socket.js:681:8)
2026-04-25 23:57:12.320 - error: host.iobroker-iobroker-1-1-1-1 instance system.adapter.cloud.0 terminated with code 1 (JS_CONTROLLER_STOPPED)
2026-04-25 23:57:12.320 - info: host.iobroker-iobroker-1-1-1-1 Restart adapter system.adapter.cloud.0 because enabled
2026-04-25 23:57:17.102 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:57:17.102 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:57:33.206 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:57:33.206 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:57:43.089 - info: host.iobroker-iobroker-1-1-1-1 instance system.adapter.cloud.0 in version "5.0.1" started with pid 13203
2026-04-25 23:57:45.369 - error: cloud.0 (13203) Error while connecting to cloud: Error: websocket error
2026-04-25 23:57:45.406 - error: cloud.0 (13203) uncaught exception: Maximum call stack size exceeded
2026-04-25 23:57:45.406 - error: cloud.0 (13203) RangeError: Maximum call stack size exceeded
at WebSocket.[nodejs.internal.kHybridDispatch] (node:internal/event_target:851:9)
at WebSocket.dispatchEvent (node:internal/event_target:776:26)
```

```
at fireEvent (node:internal/deps/undici/undici:11883:14)
at failWebsocketConnection (node:internal/deps/undici/undici:11964:9)
at closeWebsocketConnection (node:internal/deps/undici/undici:12239:9)
at WebSocket.close (node:internal/deps/undici/undici:12942:9)
at WS.doClose (/opt/iobroker/node_modules/engine.io-
client/lib/transports/websocket.js:234:13)
at WS.Transport.close (/opt/iobroker/node_modules/engine.io-
client/lib/transport.js:94:10)
at Socket.onClose (/opt/iobroker/node_modules/engine.io-
client/lib/socket.js:703:20)
at Socket.onError (/opt/iobroker/node_modules/engine.io-
client/lib/socket.js:681:8)
2026-04-25 23:57:45.407 - error: cloud.0 (13203) Maximum call stack size
exceeded
2026-04-25 23:57:45.778 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: RangeError: Maximum call stack size exceeded
2026-04-25 23:57:45.778 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at WebSocket.[nodejs.internal.kHybridDispatch]
(node:internal/event_target:851:9)
2026-04-25 23:57:45.779 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at WebSocket.dispatchEvent (node:internal/event_target:776:26)
2026-04-25 23:57:45.779 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at fireEvent (node:internal/deps/undici/undici:11883:14)
2026-04-25 23:57:45.779 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at failWebsocketConnection
(node:internal/deps/undici/undici:11964:9)
2026-04-25 23:57:45.779 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at closeWebsocketConnection
(node:internal/deps/undici/undici:12239:9)
2026-04-25 23:57:45.779 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at WebSocket.close (node:internal/deps/undici/undici:12942:9)
2026-04-25 23:57:45.779 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at WS.doClose (/opt/iobroker/node_modules/engine.io-
client/lib/transports/websocket.js:234:13)
2026-04-25 23:57:45.779 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at WS.Transport.close (/opt/iobroker/node_modules/engine.io-
client/lib/transport.js:94:10)
2026-04-25 23:57:45.779 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at Socket.onClose (/opt/iobroker/node_modules/engine.io-
client/lib/socket.js:703:20)
2026-04-25 23:57:45.779 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at Socket.onError (/opt/iobroker/node_modules/engine.io-
client/lib/socket.js:681:8)
2026-04-25 23:57:45.779 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: RangeError: Maximum call stack size exceeded
2026-04-25 23:57:45.779 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at WebSocket.[nodejs.internal.kHybridDispatch]
(node:internal/event_target:851:9)
2026-04-25 23:57:45.779 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at WebSocket.dispatchEvent (node:internal/event_target:776:26)
2026-04-25 23:57:45.779 - error: host.iobroker-iobroker-1-1-1-1 Caught by
```

```
controller[1]: at fireEvent (node:internal/deps/undici/undici:11883:14)
2026-04-25 23:57:45.779 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at failWebsocketConnection
(node:internal/deps/undici/undici:11964:9)
2026-04-25 23:57:45.779 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at closeWebsocketConnection
(node:internal/deps/undici/undici:12239:9)
2026-04-25 23:57:45.779 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at WebSocket.close (node:internal/deps/undici/undici:12942:9)
2026-04-25 23:57:45.779 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at WS.doClose (/opt/iobroker/node_modules/engine.io-
client/lib/transports/websocket.js:234:13)
2026-04-25 23:57:45.779 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at WS.Transport.close (/opt/iobroker/node_modules/engine.io-
client/lib/transport.js:94:10)
2026-04-25 23:57:45.779 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at Socket.onClose (/opt/iobroker/node_modules/engine.io-
client/lib/socket.js:703:20)
2026-04-25 23:57:45.779 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at Socket.onError (/opt/iobroker/node_modules/engine.io-
client/lib/socket.js:681:8)
2026-04-25 23:57:45.779 - error: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.cloud.0 terminated with code 1 (JS_CONTROLLER_STOPPED)
2026-04-25 23:57:45.779 - info: host.iobroker-iobroker-1-1-1-1 Restart adapter
system.adapter.cloud.0 because enabled
2026-04-25 23:57:49.312 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:57:49.312 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:58:05.433 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:58:05.433 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:58:16.481 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.cloud.0 in version "5.0.1" started with pid 13243
2026-04-25 23:58:18.699 - error: cloud.0 (13243) Error while connecting to
cloud: Error: websocket error
2026-04-25 23:58:18.748 - error: cloud.0 (13243) uncaught exception: Maximum
call stack size exceeded
2026-04-25 23:58:18.749 - error: cloud.0 (13243) RangeError: Maximum call stack
size exceeded
at WebSocket.[nodejs.internal.kHybridDispatch]
(node:internal/event_target:851:9)
at WebSocket.dispatchEvent (node:internal/event_target:776:26)
at fireEvent (node:internal/deps/undici/undici:11883:14)
at failWebsocketConnection (node:internal/deps/undici/undici:11964:9)
at closeWebsocketConnection (node:internal/deps/undici/undici:12239:9)
at WebSocket.close (node:internal/deps/undici/undici:12942:9)
at WS.doClose (/opt/iobroker/node_modules/engine.io-
client/lib/transports/websocket.js:234:13)
at WS.Transport.close (/opt/iobroker/node_modules/engine.io-
client/lib/transport.js:94:10)
at Socket.onClose (/opt/iobroker/node_modules/engine.io-
client/lib/socket.js:703:20)
```

```
at Socket.onError (/opt/iobroker/node_modules/engine.io-
client/lib/socket.js:681:8)
2026-04-25 23:58:18.749 - error: cloud.0 (13243) Maximum call stack size
exceeded
2026-04-25 23:58:19.129 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: RangeError: Maximum call stack size exceeded
2026-04-25 23:58:19.129 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at WebSocket.[nodejs.internal.kHybridDispatch]
(node:internal/event_target:851:9)
2026-04-25 23:58:19.129 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at WebSocket.dispatchEvent (node:internal/event_target:776:26)
2026-04-25 23:58:19.129 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at fireEvent (node:internal/deps/undici/undici:11883:14)
2026-04-25 23:58:19.129 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at failWebsocketConnection
(node:internal/deps/undici/undici:11964:9)
2026-04-25 23:58:19.129 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at closeWebsocketConnection
(node:internal/deps/undici/undici:12239:9)
2026-04-25 23:58:19.129 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at WebSocket.close (node:internal/deps/undici/undici:12942:9)
2026-04-25 23:58:19.129 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at WS.doClose (/opt/iobroker/node_modules/engine.io-
client/lib/transports/websocket.js:234:13)
2026-04-25 23:58:19.129 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at WS.Transport.close (/opt/iobroker/node_modules/engine.io-
client/lib/transport.js:94:10)
2026-04-25 23:58:19.129 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at Socket.onClose (/opt/iobroker/node_modules/engine.io-
client/lib/socket.js:703:20)
2026-04-25 23:58:19.129 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[0]: at Socket.onError (/opt/iobroker/node_modules/engine.io-
client/lib/socket.js:681:8)
2026-04-25 23:58:19.129 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: RangeError: Maximum call stack size exceeded
2026-04-25 23:58:19.129 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at WebSocket.[nodejs.internal.kHybridDispatch]
(node:internal/event_target:851:9)
2026-04-25 23:58:19.129 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at WebSocket.dispatchEvent (node:internal/event_target:776:26)
2026-04-25 23:58:19.129 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at fireEvent (node:internal/deps/undici/undici:11883:14)
2026-04-25 23:58:19.129 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at failWebsocketConnection
(node:internal/deps/undici/undici:11964:9)
2026-04-25 23:58:19.129 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at closeWebsocketConnection
(node:internal/deps/undici/undici:12239:9)
2026-04-25 23:58:19.129 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at WebSocket.close (node:internal/deps/undici/undici:12942:9)
2026-04-25 23:58:19.129 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at WS.doClose (/opt/iobroker/node_modules/engine.io-
```

```
client/lib/transports/websocket.js:234:13)
2026-04-25 23:58:19.130 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at WS.Transport.close (/opt/iobroker/node_modules/engine.io-
client/lib/transport.js:94:10)
2026-04-25 23:58:19.130 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at Socket.onClose (/opt/iobroker/node_modules/engine.io-
client/lib/socket.js:703:20)
2026-04-25 23:58:19.130 - error: host.iobroker-iobroker-1-1-1-1 Caught by
controller[1]: at Socket.onError (/opt/iobroker/node_modules/engine.io-
client/lib/socket.js:681:8)
2026-04-25 23:58:19.130 - error: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.cloud.0 terminated with code 1 (JS_CONTROLLER_STOPPED)
2026-04-25 23:58:19.130 - info: host.iobroker-iobroker-1-1-1-1 Restart adapter
system.adapter.cloud.0 because enabled
2026-04-25 23:58:21.539 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:58:21.539 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:58:25.034 - error: javascript.0 (206) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 23:58:25.035 - error: influxdb.0 (259) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 23:58:25.035 - error: web.0 (539) Invalid read function for
"alias.0.SE.Power": "Math.round(JSON.parse(val).value * 100) / 100" => Cannot
read properties of null (reading 'value')
2026-04-25 23:58:37.644 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:58:37.644 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:58:49.826 - info: host.iobroker-iobroker-1-1-1-1 instance
system.adapter.cloud.0 in version "5.0.1" started with pid 13283
2026-04-25 23:58:53.746 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:58:53.746 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:59:09.850 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:59:09.850 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:59:25.955 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:59:25.955 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:59:42.059 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:59:42.059 - error: modbus.1 (1202) Client in error state.
2026-04-25 23:59:58.163 - error: modbus.1 (1202) Request timed out.
2026-04-25 23:59:58.164 - error: modbus.1 (1202) Client in error state.
```